


SOLVED PRACTICE WORKBOOK

Ecological Succession and Biomes - Learner-v2 Refreshed

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing



Original deterministic study visual; labels are explanatory, not textual quotations.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / WORKBOOK INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

Ecological Succession and Biomes - Solved Practice Workbook 5

BASIC MCQS / REMEDIATION 5

Q1. Which statement correctly identifies Ecological succession?	5
Q2. Which option preserves the ecological boundary of Ecological succession?	5
Q3. Which statement uses Ecological succession without changing its scale, parameter or status?	5
Q4. Which option avoids the standard UPSC close-option trap about Ecological succession?	6
Q5. Which statement correctly identifies Primary succession?	6
Q6. Which option preserves the ecological boundary of Primary succession?	6
Q7. Which statement uses Primary succession without changing its scale, parameter or status?	6
Q8. Which option avoids the standard UPSC close-option trap about Primary succession?	7
Q9. Which statement correctly identifies Secondary succession?	7
Q10. Which option preserves the ecological boundary of Secondary succession?	7
Q11. Which statement uses Secondary succession without changing its scale, parameter or status?	8
Q12. Which option avoids the standard UPSC close-option trap about Secondary succession?	8
Q13. Which statement correctly identifies Pioneer organisms?	8
Q14. Which option preserves the ecological boundary of Pioneer organisms?	8
Q15. Which statement uses Pioneer organisms without changing its scale, parameter or status?	9
Q16. Which option avoids the standard UPSC close-option trap about Pioneer organisms?	9
Q17. Which statement correctly identifies Sere and seral stage?	9
Q18. Which option preserves the ecological boundary of Sere and seral stage?	10
Q19. Which statement uses Sere and seral stage without changing its scale, parameter or status?	10
Q20. Which option avoids the standard UPSC close-option trap about Sere and seral stage?	10
Q21. Which statement correctly identifies Named seres?	10
Q22. Which option preserves the ecological boundary of Named seres?	11
Q23. Which statement uses Named seres without changing its scale, parameter or status?	11
Q24. Which option avoids the standard UPSC close-option trap about Named seres?	11
Q25. Which statement correctly identifies Hydrarch and xerarch direction?	12
Q26. Which option preserves the ecological boundary of Hydrarch and xerarch direction?	12
Q27. Which statement uses Hydrarch and xerarch direction without changing its scale, parameter or status?	12

Q28. Which option avoids the standard UPSC close-option trap about Hydrarch and xerarch direction?	12
Q29. Which statement correctly identifies Autogenic mechanism?	13
Q30. Which option preserves the ecological boundary of Autogenic mechanism?	13
Q31. Which statement uses Autogenic mechanism without changing its scale, parameter or status?	13
Q32. Which option avoids the standard UPSC close-option trap about Autogenic mechanism?	14
Q33. Which statement correctly identifies Allogenic mechanism?	14
Q34. Which option preserves the ecological boundary of Allogenic mechanism?	14
Q35. Which statement uses Allogenic mechanism without changing its scale, parameter or status?	14
Q36. Which option avoids the standard UPSC close-option trap about Allogenic mechanism?	15
Q37. Which statement correctly identifies Facilitation, inhibition and tolerance?	15
Q38. Which option preserves the ecological boundary of Facilitation, inhibition and tolerance?	15
Q39. Which statement uses Facilitation, inhibition and tolerance without changing its scale, parameter or status?	15
Q40. Which option avoids the standard UPSC close-option trap about Facilitation, inhibition and tolerance?	16
Q41. Which statement correctly identifies Classical climax and modern qualification?	16
Q42. Which option preserves the ecological boundary of Classical climax and modern qualification?	16
Q43. Which statement uses Classical climax and modern qualification without changing its scale, parameter or status?	17
Q44. Which option avoids the standard UPSC close-option trap about Classical climax and modern qualification?	17
Q45. Which statement correctly identifies Disturbance and reset?	17
Q46. Which option preserves the ecological boundary of Disturbance and reset?	17
Q47. Which statement uses Disturbance and reset without changing its scale, parameter or status?	18
Q48. Which option avoids the standard UPSC close-option trap about Disturbance and reset?	18
Q49. Which statement correctly identifies Restoration staging?	18
Q50. Which option preserves the ecological boundary of Restoration staging?	18
Q51. Which statement uses Restoration staging without changing its scale, parameter or status?	19
Q52. Which option avoids the standard UPSC close-option trap about Restoration staging?	19
Q53. Which statement correctly identifies Biome versus ecosystem and habitat?	19
Q54. Which option preserves the ecological boundary of Biome versus ecosystem and habitat?	20
Q55. Which statement uses Biome versus ecosystem and habitat without changing its scale, parameter or status?	20
Q56. Which option avoids the standard UPSC close-option trap about Biome versus ecosystem and habitat?	20
Q57. Which statement correctly identifies Climate and local biome modifiers?	21
Q58. Which option preserves the ecological boundary of Climate and local biome modifiers?	21
Q59. Which statement uses Climate and local biome modifiers without changing its scale, parameter or status?	21

Q60. Which option avoids the standard UPSC close-option trap about Climate and local biome modifiers?	21
Q61. Which statement correctly identifies Biome boundaries and ecotones?	22
Q62. Which option preserves the ecological boundary of Biome boundaries and ecotones?	22
Q63. Which statement uses Biome boundaries and ecotones without changing its scale, parameter or status?	22
Q64. Which option avoids the standard UPSC close-option trap about Biome boundaries and ecotones?	23
Q65. Which statement correctly identifies Indian biome diversity?	23
Q66. Which option preserves the ecological boundary of Indian biome diversity?	23
Q67. Which statement uses Indian biome diversity without changing its scale, parameter or status?	23
Q68. Which option avoids the standard UPSC close-option trap about Indian biome diversity?	24
Q69. Which statement correctly identifies Open Natural Ecosystems?	24
Q70. Which option preserves the ecological boundary of Open Natural Ecosystems?	24
Q71. Which statement uses Open Natural Ecosystems without changing its scale, parameter or status?	25
Q72. Which option avoids the standard UPSC close-option trap about Open Natural Ecosystems?	25
Q73. Which statement correctly identifies Administrative, legal and ecological labels?	25
Q74. Which option preserves the ecological boundary of Administrative, legal and ecological labels?	25
Q75. Which statement uses Administrative, legal and ecological labels without changing its scale, parameter or status?	26
Q76. Which option avoids the standard UPSC close-option trap about Administrative, legal and ecological labels?	26
Q77. Which statement correctly identifies PYQ, monitoring and current boundary?	26
Q78. Which option preserves the ecological boundary of PYQ, monitoring and current boundary?	27
Q79. Which statement uses PYQ, monitoring and current boundary without changing its scale, parameter or status?	27
Q80. Which option avoids the standard UPSC close-option trap about PYQ, monitoring and current boundary?	27

PYQS AND ANSWER PRACTICE 28

VERIFIED PYQ OWNERSHIP AUDIT	28
OWNER PYQ LEDGER EXTRACTS	28
PYQ DEMAND CARD 1 - 2024 Essay, Section A	29
ORIGINAL MAINS 1 - 10 MARKS	29
ORIGINAL MAINS 2 - 10 MARKS	30
ORIGINAL MAINS 3 - 15 MARKS	31
ORIGINAL MAINS 4 - 15 MARKS	32
ORIGINAL MAINS 5 - 20 MARKS	33
ORIGINAL MAINS 6 - 20 MARKS	34

Ecological Succession and Biomes - Solved Practice Workbook

BASIC MCQS / REMEDIATION

Q1. Which statement correctly identifies Ecological succession?

A. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. B. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. C. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. D. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted.

Answer: A. Explanation: Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q2. Which option preserves the ecological boundary of Ecological succession?

A. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. B. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. C. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. D. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ.

Answer: B. Explanation: Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q3. Which statement uses Ecological succession without changing its scale, parameter or status?

A. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. B. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. C. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. D. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms.

Answer: C. Explanation: Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q4. Which option avoids the standard UPSC close-option trap about Ecological succession?

A. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. B. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. C. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. D. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound.

Answer: D. Explanation: Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q5. Which statement correctly identifies Primary succession?

A. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. B. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. C. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. D. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ.

Answer: A. Explanation: Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q6. Which option preserves the ecological boundary of Primary succession?

A. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. B. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. C. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. D. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms.

Answer: B. Explanation: Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q7. Which statement uses Primary succession without changing its scale, parameter or status?

A. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. B. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. C. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. D. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints.

Answer: C. Explanation: Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion

timeline is asserted. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q8. Which option avoids the standard UPSC close-option trap about Primary succession?

A. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. B. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. C. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. D. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted.

Answer: D. Explanation: Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q9. Which statement correctly identifies Secondary succession?

A. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. B. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. C. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. D. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate.

Answer: A. Explanation: Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q10. Which option preserves the ecological boundary of Secondary succession?

A. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. B. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. C. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. D. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints.

Answer: B. Explanation: Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q11. Which statement uses Secondary succession without changing its scale, parameter or status?

A. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. B. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. C. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. D. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence.

Answer: C. Explanation: Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q12. Which option avoids the standard UPSC close-option trap about Secondary succession?

A. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. B. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. C. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. D. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ.

Answer: D. Explanation: Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q13. Which statement correctly identifies Pioneer organisms?

A. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. B. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. C. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. D. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence.

Answer: A. Explanation: Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q14. Which option preserves the ecological boundary of Pioneer organisms?

A. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. B. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. C. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. D. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions.

Answer: B. Explanation: Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q15. Which statement uses Pioneer organisms without changing its scale, parameter or status?

A. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. B. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. C. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. D. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone.

Answer: C. Explanation: Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q16. Which option avoids the standard UPSC close-option trap about Pioneer organisms?

A. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. B. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. C. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. D. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate.

Answer: D. Explanation: Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q17. Which statement correctly identifies Sere and seral stage?

A. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. B. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. C. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. D. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions.

Answer: A. Explanation: A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q18. Which option preserves the ecological boundary of Sere and seral stage?

A. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. B. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. C. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. D. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions.

Answer: B. Explanation: A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q19. Which statement uses Sere and seral stage without changing its scale, parameter or status?

A. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. B. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. C. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. D. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere.

Answer: C. Explanation: A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q20. Which option avoids the standard UPSC close-option trap about Sere and seral stage?

A. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. B. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. C. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. D. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms.

Answer: D. Explanation: A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q21. Which statement correctly identifies Named seres?

A. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. B. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. C. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. D. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone.

Answer: A. Explanation: Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not

guaranteed endpoints. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q22. Which option preserves the ecological boundary of Named seres?

A. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. B. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. C. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. D. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions.

Answer: B. Explanation: Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q23. Which statement uses Named seres without changing its scale, parameter or status?

A. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. B. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. C. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. D. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states.

Answer: C. Explanation: Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q24. Which option avoids the standard UPSC close-option trap about Named seres?

A. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. B. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. C. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. D. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints.

Answer: D. Explanation: Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q25. Which statement correctly identifies Hydrarch and xerarch direction?

A. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. B. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. C. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. D. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone.

Answer: A. Explanation: Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q26. Which option preserves the ecological boundary of Hydrarch and xerarch direction?

A. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. B. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. C. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. D. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere.

Answer: B. Explanation: Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q27. Which statement uses Hydrarch and xerarch direction without changing its scale, parameter or status?

A. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. B. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. C. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. D. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states.

Answer: C. Explanation: Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q28. Which option avoids the standard UPSC close-option trap about Hydrarch and xerarch direction?

A. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. B. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. C. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. D. Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one

universal sequence.

Answer: D. Explanation: Hydrarch succession begins in water and xerarch succession begins in dry conditions; both may move toward more mesic conditions under a given regional setting without following one universal sequence. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q29. Which statement correctly identifies Autogenic mechanism?

A. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. B. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. C. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. D. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states.

Answer: A. Explanation: Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q30. Which option preserves the ecological boundary of Autogenic mechanism?

A. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. B. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. C. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. D. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint.

Answer: B. Explanation: Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q31. Which statement uses Autogenic mechanism without changing its scale, parameter or status?

A. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. B. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. C. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. D. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint.

Answer: C. Explanation: Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q32. Which option avoids the standard UPSC close-option trap about Autogenic mechanism?

A. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. B. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. C. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. D. Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions.

Answer: D. Explanation: Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q33. Which statement correctly identifies Allogenic mechanism?

A. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. B. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. C. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. D. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states.

Answer: A. Explanation: Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q34. Which option preserves the ecological boundary of Allogenic mechanism?

A. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. B. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. C. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. D. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states.

Answer: B. Explanation: Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q35. Which statement uses Allogenic mechanism without changing its scale, parameter or status?

A. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. B. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. C. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. D. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint.

Answer: C. Explanation: Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q36. Which option avoids the standard UPSC close-option trap about Allogenic mechanism?

A. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. B. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. C. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. D. Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone.

Answer: D. Explanation: Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q37. Which statement correctly identifies Facilitation, inhibition and tolerance?

A. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. B. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. C. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. D. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states.

Answer: A. Explanation: Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q38. Which option preserves the ecological boundary of Facilitation, inhibition and tolerance?

A. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. B. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. C. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. D. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint.

Answer: B. Explanation: Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q39. Which statement uses Facilitation, inhibition and tolerance without changing its scale, parameter or status?

A. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. B. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. C. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. D. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat

is the physical place used by a species.

Answer: C. Explanation: Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q40. Which option avoids the standard UPSC close-option trap about Facilitation, inhibition and tolerance?

A. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. B. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. C. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. D. Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere.

Answer: D. Explanation: Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q41. Which statement correctly identifies Classical climax and modern qualification?

A. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. B. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. C. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. D. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species.

Answer: A. Explanation: The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q42. Which option preserves the ecological boundary of Classical climax and modern qualification?

A. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. B. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. C. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. D. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration.

Answer: B. Explanation: The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q43. Which statement uses Classical climax and modern qualification without changing its scale, parameter or status?

A. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. B. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. C. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. D. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site.

Answer: C. Explanation: The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q44. Which option avoids the standard UPSC close-option trap about Classical climax and modern qualification?

A. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. B. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. C. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. D. The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states.

Answer: D. Explanation: The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q45. Which statement correctly identifies Disturbance and reset?

A. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. B. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. C. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. D. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map.

Answer: A. Explanation: Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q46. Which option preserves the ecological boundary of Disturbance and reset?

A. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. B. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. C. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. D. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map.

Answer: B. Explanation: Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q47. Which statement uses Disturbance and reset without changing its scale, parameter or status?

A. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. B. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. C. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. D. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map.

Answer: C. Explanation: Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q48. Which option avoids the standard UPSC close-option trap about Disturbance and reset?

A. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. B. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. C. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. D. Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint.

Answer: D. Explanation: Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q49. Which statement correctly identifies Restoration staging?

A. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. B. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. C. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. D. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map.

Answer: A. Explanation: Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q50. Which option preserves the ecological boundary of Restoration staging?

A. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. B. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. C. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. D. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification.

Answer: B. Explanation: Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q51. Which statement uses Restoration staging without changing its scale, parameter or status?

A. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. B. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. C. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. D. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification.

Answer: C. Explanation: Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q52. Which option avoids the standard UPSC close-option trap about Restoration staging?

A. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. B. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. C. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. D. Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration.

Answer: D. Explanation: Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q53. Which statement correctly identifies Biome versus ecosystem and habitat?

A. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. B. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. C. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. D. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map.

Answer: A. Explanation: A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q54. Which option preserves the ecological boundary of Biome versus ecosystem and habitat?

A. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. B. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. C. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. D. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification.

Answer: B. Explanation: A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q55. Which statement uses Biome versus ecosystem and habitat without changing its scale, parameter or status?

A. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. B. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. C. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. D. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification.

Answer: C. Explanation: A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q56. Which option avoids the standard UPSC close-option trap about Biome versus ecosystem and habitat?

A. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. B. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. C. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. D. A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species.

Answer: D. Explanation: A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q57. Which statement correctly identifies Climate and local biome modifiers?

A. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. B. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. C. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. D. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation.

Answer: A. Explanation: Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q58. Which option preserves the ecological boundary of Climate and local biome modifiers?

A. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. B. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. C. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. D. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification.

Answer: B. Explanation: Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q59. Which statement uses Climate and local biome modifiers without changing its scale, parameter or status?

A. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. B. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. C. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. D. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation.

Answer: C. Explanation: Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q60. Which option avoids the standard UPSC close-option trap about Climate and local biome modifiers?

A. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. B. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. C. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. D. Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation;

climate is a broad control, not a complete deterministic map.

Answer: D. Explanation: Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q61. Which statement correctly identifies Biome boundaries and ecotones?

A. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. B. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. C. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. D. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification.

Answer: A. Explanation: Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q62. Which option preserves the ecological boundary of Biome boundaries and ecotones?

A. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. B. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. C. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. D. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error.

Answer: B. Explanation: Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q63. Which statement uses Biome boundaries and ecotones without changing its scale, parameter or status?

A. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. B. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. C. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. D. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error.

Answer: C. Explanation: Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q64. Which option avoids the standard UPSC close-option trap about Biome boundaries and ecotones?

A. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. B. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. C. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. D. Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site.

Answer: D. Explanation: Biome boundaries are gradients and transition zones rather than exact lines; maps generalise spatial patterns and cannot establish a sharp ecological border at every local site. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q65. Which statement correctly identifies Indian biome diversity?

A. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. B. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. C. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. D. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage.

Answer: A. Explanation: The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q66. Which option preserves the ecological boundary of Indian biome diversity?

A. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. B. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. C. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. D. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound.

Answer: B. Explanation: The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q67. Which statement uses Indian biome diversity without changing its scale, parameter or status?

A. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. B. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. C. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. D. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound.

Answer: C. Explanation: The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q68. Which option avoids the standard UPSC close-option trap about Indian biome diversity?

A. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. B. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. C. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. D. The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification.

Answer: D. Explanation: The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q69. Which statement correctly identifies Open Natural Ecosystems?

A. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. B. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. C. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. D. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error.

Answer: A. Explanation: Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q70. Which option preserves the ecological boundary of Open Natural Ecosystems?

A. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. B. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. C. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. D. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage.

Answer: B. Explanation: Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q71. Which statement uses Open Natural Ecosystems without changing its scale, parameter or status?

A. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. B. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. C. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. D. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ.

Answer: C. Explanation: Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q72. Which option avoids the standard UPSC close-option trap about Open Natural Ecosystems?

A. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. B. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. C. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. D. Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation.

Answer: D. Explanation: Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q73. Which statement correctly identifies Administrative, legal and ecological labels?

A. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. B. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. C. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. D. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound.

Answer: A. Explanation: Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q74. Which option preserves the ecological boundary of Administrative, legal and ecological labels?

A. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. B. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. C. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. D. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not

mean deterministic, irreversible or forest-bound.

Answer: B. Explanation: Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q75. Which statement uses Administrative, legal and ecological labels without changing its scale, parameter or status?

A. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. B. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. C. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. D. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate.

Answer: C. Explanation: Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q76. Which option avoids the standard UPSC close-option trap about Administrative, legal and ecological labels?

A. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. B. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. C. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. D. Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error.

Answer: D. Explanation: Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q77. Which statement correctly identifies PYQ, monitoring and current boundary?

A. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. B. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. C. Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. D. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ.

Answer: A. Explanation: The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q78. Which option preserves the ecological boundary of PYQ, monitoring and current boundary?

A. Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. B. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. C. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. D. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ.

Answer: B. Explanation: The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q79. Which statement uses PYQ, monitoring and current boundary without changing its scale, parameter or status?

A. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. B. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. C. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. D. Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ.

Answer: C. Explanation: The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

Q80. Which option avoids the standard UPSC close-option trap about PYQ, monitoring and current boundary?

A. Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. B. A sere is the complete succession sequence at a site, while a seral stage is one intermediate community within that sequence; the whole sequence and one phase are not synonyms. C. Lithosere begins on rock, psammosere on sand, halosere in saline conditions, hydrosere in fresh water and xerosere on dry substrate; these names identify starting conditions, not guaranteed endpoints. D. The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage.

Answer: D. Explanation: The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. The other options belong to different ecological levels, parameters, processes, scales, institutions or status categories.

PYQS AND ANSWER PRACTICE

VERIFIED PYQ OWNERSHIP AUDIT

The audited 2021 Prelims route on pioneer organisms surviving on surfaces without soil is retained in Basic sessions and objective practice without an inferred option. The 2024 Essay phrase 'Forests precede civilizations and deserts follow them' is carried as a verified demand and solved only through a qualified original framework that rejects ecological determinism.

OWNER PYQ LEDGER EXTRACTS

9. PYQ application

- ANALYSIS: Recurring Prelims pattern: distinguish primary/secondary succession using named examples (bare rock vs abandoned field) and identify correct pioneer-species statements.
- FACT: **UPSC Mains 2024, Essay (Section A):** "Forests precede civilizations and deserts follow them." This topic supplies the ecological engine of that essay - succession builds soil and forest; disturbance beyond a threshold reverses the sere toward xeric/degraded states (link Topic 23 on desertification for the land-degradation half).
- ANALYSIS: Mains linkage: succession theory underpins ecological-restoration and afforestation policy answers (cross-refer Topic 12).

Historical PYQ Integration (2018-2023)

Status: Question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-PRELIMS-2018-2023.md. **Answer-key rule:** The official 2018-2023 Prelims/CSAT keys are not held locally; no option or answer has been inferred.

- **Years represented:** 2021
- **Paper(s):** Prelims GS-I
- **Routed question demands:** 1

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2021	Prelims GS-I	20	Pioneer organisms surviving on surfaces without soil	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.

What this owner must now support

- Pioneer organisms surviving on surfaces without soil

The table integrates the examinable demand and paper metadata. It does not turn an unkeyed objective question into a solved answer, and it does not claim that lexical presence alone proves full conceptual sufficiency.

10. PYQ-based analytical application

- ANALYSIS: Distinguish primary/secondary succession and correctly identify pioneer-species/climax statements using the soil-presence criterion, the fastest elimination rule for such Prelims items.
- FACT: ****UPSC Mains 2024 Essay (Section A):** "Forests precede civilizations and deserts follow them." The advanced use of this topic in that essay is the *reversibility* argument: succession is directional but not irreversible, and the "deserts follow" half is a claim about crossing a soil/hydrological threshold beyond which secondary succession can no longer return the site to its prior climax. Pair with Topic 23 (land degradation neutrality) for the governance half of the essay.
- ANALYSIS: Mains answers on afforestation/restoration policy should explicitly invoke successional staging and native-biome fidelity as the evaluative criteria, not just planting numbers.

PYQ DEMAND CARD 1 - 2024 Essay, Section A

Demand: Forests precede civilizations and deserts follow them.

Status: Verified essay demand; model framework is original and does not claim an official solution.

Model solution: Classical climax and modern qualification: The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. **Disturbance and reset:** Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. **Restoration staging:** Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. **Open Natural Ecosystems:** Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. **Administrative, legal and ecological labels:** Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. **PYQ, monitoring and current boundary:** The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. The answer therefore separates definition, mechanism, evidence and limitation, and does not infer an official model answer or objective key.

ORIGINAL MAINS 1 - 10 MARKS

Question: Differentiate primary and secondary succession using the soil and biological-legacy test. Answer in about 150 words.

Model thesis: Claim: Primary succession. **Named evidence/example:** Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Secondary succession. **Named evidence/example:** Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Pioneer organisms. **Named evidence/example:** Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted.
- Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ.
- Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate.

Qualified conclusion: Claim: Primary succession. **Named evidence/example:** Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Secondary succession. **Named**

evidence/example: Secondary succession follows disturbance where soil and often propagules or a seed bank remain; it commonly proceeds faster than primary succession because the substrate and biological legacies differ. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Pioneer organisms. **Named evidence/example:** Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 2 - 10 MARKS

Question: Distinguish autogenic and allogenic succession with mechanisms. Answer in about 150 words.

Model thesis: Claim: Autogenic mechanism. **Named evidence/example:** Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Allogenic mechanism. **Named evidence/example:** Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Facilitation, inhibition and tolerance. **Named evidence/example:** Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions.
- Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone.
- Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere.

Qualified conclusion: Claim: Autogenic mechanism. **Named evidence/example:** Autogenic succession is driven by changes organisms themselves produce, such as litter accumulation, soil development, shading or altered microclimate that changes later establishment conditions. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Allogenic mechanism. **Named evidence/example:** Allogenic succession is driven by external forces such as flooding, sediment deposition, fire regime, erosion, climate variation or land use; it must not be attributed to community modification alone. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Facilitation, inhibition and tolerance. **Named evidence/example:** Facilitation makes later establishment easier, inhibition delays other colonists, and tolerance allows later species to establish without requiring early species to improve conditions; no one model governs every sere. **Analysis:** This identifies the ecological mechanism, system boundary, state

variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 3 - 15 MARKS

Question: Explain why the classical climax concept requires qualification in modern ecology. Answer in about 250 words.

Model thesis: Claim: Ecological succession. **Named evidence/example:** Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Classical climax and modern qualification. **Named evidence/example:** The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Disturbance and reset. **Named evidence/example:** Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound.
- The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states.
- Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint.

Qualified conclusion: Claim: Ecological succession. **Named evidence/example:** Ecological succession is directional change in community composition and ecosystem structure through time after formation or disturbance; directional does not mean deterministic, irreversible or forest-bound. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Classical climax and modern qualification. **Named evidence/example:** The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Disturbance and reset. **Named evidence/example:** Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 4 - 15 MARKS

Question: How should succession theory guide mine-spoil or degraded-land restoration? Answer in about 250 words.

Model thesis: **Claim:** Primary succession. **Named evidence/example:** Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Pioneer organisms. **Named evidence/example:** Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Restoration staging. **Named evidence/example:** Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** PYQ, monitoring and current boundary. **Named evidence/example:** The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted.
- Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate.
- Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration.
- The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage.

Qualified conclusion: **Claim:** Primary succession. **Named evidence/example:** Primary succession begins on a substrate without a developed soil, such as newly exposed rock; soil formation and biological colonisation are part of the process, but no universal completion timeline is asserted. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Pioneer organisms. **Named evidence/example:** Pioneer organisms tolerate the starting substrate and begin modifying it; lichens are the classic routed example for exposed surfaces without soil, but pioneer identity depends on the actual substrate. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Restoration staging. **Named evidence/example:** Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** PYQ, monitoring and current boundary. **Named evidence/example:** The 2021 routed objective

demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable.

Qualification: The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 5 - 20 MARKS

Question: Afforestation is not always ecological restoration. Analyse with reference to biomes and Open Natural Ecosystems. Answer in about 300 words.

Model thesis: **Claim:** Biome versus ecosystem and habitat. **Named evidence/example:** A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Climate and local biome modifiers. **Named evidence/example:** Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Indian biome diversity. **Named evidence/example:** The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Open Natural Ecosystems. **Named evidence/example:** Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Administrative, legal and ecological labels. **Named evidence/example:** Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species.
- Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map.
- The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification.
- Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation.
- Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error.

Qualified conclusion: **Claim:** Biome versus ecosystem and habitat. **Named evidence/example:** A biome is a broad regional ecological category associated with climate and characteristic vegetation, an ecosystem is a bounded functional unit, and habitat is the physical place used by a species. **Analysis:** This identifies the ecological

mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Climate and local biome modifiers. **Named evidence/example:** Temperature and precipitation organise broad biome patterns, while soil, fire, herbivory, topography and land-use history modify local vegetation; climate is a broad control, not a complete deterministic map. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Indian biome diversity. **Named evidence/example:** The owners use tropical wet evergreen, dry deciduous, thorn or desert and montane temperate or alpine settings as Indian examples; these are broad ecological categories, not a substitute for legal forest classification. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Open Natural Ecosystems. **Named evidence/example:** Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Administrative, legal and ecological labels. **Named evidence/example:** Wasteland is an administrative or revenue label, forest may be a legal category, and grassland or biome is an ecological category; converting one label into another without evidence creates a category error. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 6 - 20 MARKS

Question: Use succession and biome concepts to critically examine the proposition that forests precede civilizations and deserts follow them. Answer in about 300 words.

Model thesis: **Claim:** Classical climax and modern qualification. **Named evidence/example:** The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Disturbance and reset. **Named evidence/example:** Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Restoration staging. **Named evidence/example:** Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Open Natural Ecosystems. **Named evidence/example:** Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** PYQ, monitoring and current boundary. **Named evidence/example:** The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage.

Analysis: This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states.
- Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint.
- Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration.
- Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation.
- The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage.

Qualified conclusion: Claim: Classical climax and modern qualification. **Named evidence/example:** The classical climax model emphasises a relatively stable community under regional climate, while modern ecology recognises disturbance history, species availability and chance can produce multiple plausible states. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable.

Qualification: The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Disturbance and reset. **Named evidence/example:** Fire, storm, cultivation, grazing or land conversion can redirect or reset succession; a relatively stable community remains dynamic and is not a permanently fixed endpoint. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable.

Qualification: The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Restoration staging. **Named evidence/example:** Restoration should match substrate and stage: stabilisation and soil building may precede later structural complexity, so planting late-stage trees directly on hostile mine spoil is not automatically restoration. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** Open Natural Ecosystems. **Named evidence/example:** Grasslands, savannas, scrublands, ravines and rocky outcrops can be natural open ecosystems rather than degraded forests awaiting trees; their ecological status must be assessed before afforestation. **Analysis:** This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner. **Claim:** PYQ, monitoring and current boundary. **Named evidence/example:** The 2021 routed objective demand on pioneers belongs in Basic practice, and the 2024 essay phrase on forests and deserts is used only as a qualified restoration argument; forest-cover change cannot prove successional stage.

Analysis: This identifies the ecological mechanism, system boundary, state variable and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecosystem, trophic parameter, spatial scale, temporal stage, taxonomic level, legal status and evidence boundary rather than generalise beyond the owner.