


SOLVED PRACTICE WORKBOOK

Desertification UNCCD and Land Degradation - Learner-v2 Refreshed

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing



Original deterministic study visual; labels are explanatory, not textual quotations.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / WORKBOOK INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

Desertification UNCCD and Land Degradation - Solved Practice Workbook 5

BASIC MCQS / REMEDIATION 5

Q1. Which statement correctly identifies Land-degradation umbrella?	5
Q2. Which option preserves the ecological boundary of Land-degradation umbrella?	5
Q3. Which statement uses Land-degradation umbrella without changing its scale, parameter or status?	5
Q4. Which option avoids the standard UPSC close-option trap about Land-degradation umbrella?	6
Q5. Which statement correctly identifies Desertification dryland boundary?	6
Q6. Which option preserves the ecological boundary of Desertification dryland boundary?	6
Q7. Which statement uses Desertification dryland boundary without changing its scale, parameter or status?	6
Q8. Which option avoids the standard UPSC close-option trap about Desertification dryland boundary?	7
Q9. Which statement correctly identifies Drought event boundary?	7
Q10. Which option preserves the ecological boundary of Drought event boundary?	7
Q11. Which statement uses Drought event boundary without changing its scale, parameter or status?	8
Q12. Which option avoids the standard UPSC close-option trap about Drought event boundary?	8
Q13. Which statement correctly identifies Drought-risk components?	8
Q14. Which option preserves the ecological boundary of Drought-risk components?	8
Q15. Which statement uses Drought-risk components without changing its scale, parameter or status?	9
Q16. Which option avoids the standard UPSC close-option trap about Drought-risk components?	9
Q17. Which statement correctly identifies UNCCD treaty identity?	9
Q18. Which option preserves the ecological boundary of UNCCD treaty identity?	10
Q19. Which statement uses UNCCD treaty identity without changing its scale, parameter or status?	10
Q20. Which option avoids the standard UPSC close-option trap about UNCCD treaty identity?	10
Q21. Which statement correctly identifies Rio-convention relationship?	10
Q22. Which option preserves the ecological boundary of Rio-convention relationship?	11
Q23. Which statement uses Rio-convention relationship without changing its scale, parameter or status?	11
Q24. Which option avoids the standard UPSC close-option trap about Rio-convention relationship?	11
Q25. Which statement correctly identifies National action pathway?	12
Q26. Which option preserves the ecological boundary of National action pathway?	12
Q27. Which statement uses National action pathway without changing its scale, parameter or status?	12

Q28. Which option avoids the standard UPSC close-option trap about National action pathway?	12
Q29. Which statement correctly identifies LDN definition?	13
Q30. Which option preserves the ecological boundary of LDN definition?	13
Q31. Which statement uses LDN definition without changing its scale, parameter or status?	13
Q32. Which option avoids the standard UPSC close-option trap about LDN definition?	14
Q33. Which statement correctly identifies LDN baseline boundary?	14
Q34. Which option preserves the ecological boundary of LDN baseline boundary?	14
Q35. Which statement uses LDN baseline boundary without changing its scale, parameter or status?	14
Q36. Which option avoids the standard UPSC close-option trap about LDN baseline boundary?	15
Q37. Which statement correctly identifies Avoid-reduce-reverse hierarchy?	15
Q38. Which option preserves the ecological boundary of Avoid-reduce-reverse hierarchy?	15
Q39. Which statement uses Avoid-reduce-reverse hierarchy without changing its scale, parameter or status?	15
Q40. Which option avoids the standard UPSC close-option trap about Avoid-reduce-reverse hierarchy?	16
Q41. Which statement correctly identifies Neutrality-not-zero boundary?	16
Q42. Which option preserves the ecological boundary of Neutrality-not-zero boundary?	16
Q43. Which statement uses Neutrality-not-zero boundary without changing its scale, parameter or status?	17
Q44. Which option avoids the standard UPSC close-option trap about Neutrality-not-zero boundary?	17
Q45. Which statement correctly identifies Indicator-evidence boundary?	17
Q46. Which option preserves the ecological boundary of Indicator-evidence boundary?	17
Q47. Which statement uses Indicator-evidence boundary without changing its scale, parameter or status?	18
Q48. Which option avoids the standard UPSC close-option trap about Indicator-evidence boundary?	18
Q49. Which statement correctly identifies Remote-ground integration?	18
Q50. Which option preserves the ecological boundary of Remote-ground integration?	19
Q51. Which statement uses Remote-ground integration without changing its scale, parameter or status?	19
Q52. Which option avoids the standard UPSC close-option trap about Remote-ground integration?	19
Q53. Which statement correctly identifies Driver interaction?	19
Q54. Which option preserves the ecological boundary of Driver interaction?	20
Q55. Which statement uses Driver interaction without changing its scale, parameter or status?	20
Q56. Which option avoids the standard UPSC close-option trap about Driver interaction?	20
Q57. Which statement correctly identifies Restoration-quality boundary?	20
Q58. Which option preserves the ecological boundary of Restoration-quality boundary?	21
Q59. Which statement uses Restoration-quality boundary without changing its scale, parameter or status?	21

Q60. Which option avoids the standard UPSC close-option trap about Restoration-quality boundary?	21
Q61. Which statement correctly identifies Commensurability limit?	22
Q62. Which option preserves the ecological boundary of Commensurability limit?	22
Q63. Which statement uses Commensurability limit without changing its scale, parameter or status?	22
Q64. Which option avoids the standard UPSC close-option trap about Commensurability limit?	22
Q65. Which statement correctly identifies Watershed response chain?	23
Q66. Which option preserves the ecological boundary of Watershed response chain?	23
Q67. Which statement uses Watershed response chain without changing its scale, parameter or status?	23
Q68. Which option avoids the standard UPSC close-option trap about Watershed response chain?	23
Q69. Which statement correctly identifies Rangeland and open-ecosystem boundary?	24
Q70. Which option preserves the ecological boundary of Rangeland and open-ecosystem boundary?	24
Q71. Which statement uses Rangeland and open-ecosystem boundary without changing its scale, parameter or status?	24
Q72. Which option avoids the standard UPSC close-option trap about Rangeland and open-ecosystem boundary?	25
Q73. Which statement correctly identifies Target-decision-outcome boundary?	25
Q74. Which option preserves the ecological boundary of Target-decision-outcome boundary?	25
Q75. Which statement uses Target-decision-outcome boundary without changing its scale, parameter or status?	25
Q76. Which option avoids the standard UPSC close-option trap about Target-decision-outcome boundary?	26
Q77. Which statement correctly identifies Current evidence boundary?	26
Q78. Which option preserves the ecological boundary of Current evidence boundary?	26
Q79. Which statement uses Current evidence boundary without changing its scale, parameter or status?	27
Q80. Which option avoids the standard UPSC close-option trap about Current evidence boundary?	27

PYQS AND ANSWER PRACTICE 27

AUDITED DESERTIFICATION, DROUGHT, UNCCD, LDN AND RESTORATION PYQ OWNERSHIP	27
OWNER PYQ LEDGER EXTRACTS	27
PYQ DEMAND CARD 1 - 2020 GS-I	29
ORIGINAL MAINS 1 - 10 MARKS	29
ORIGINAL MAINS 2 - 10 MARKS	30
ORIGINAL MAINS 3 - 15 MARKS	31
ORIGINAL MAINS 4 - 15 MARKS	32
ORIGINAL MAINS 5 - 20 MARKS	34
ORIGINAL MAINS 6 - 20 MARKS	35

Desertification UNCCD and Land Degradation - Solved Practice Workbook

BASIC MCQS / REMEDIATION

Q1. Which statement correctly identifies Land-degradation umbrella?

A. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. B. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. C. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. D. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert.

Answer: A. Explanation: Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q2. Which option preserves the ecological boundary of Land-degradation umbrella?

A. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. B. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. C. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. D. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical.

Answer: B. Explanation: Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q3. Which statement uses Land-degradation umbrella without changing its scale, parameter or status?

A. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. B. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. C. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. D. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss.

Answer: C. Explanation: Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q4. Which option avoids the standard UPSC close-option trap about Land-degradation umbrella?

A. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. B. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. C. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. D. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated.

Answer: D. Explanation: Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q5. Which statement correctly identifies Desertification dryland boundary?

A. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. B. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. C. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. D. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme.

Answer: A. Explanation: Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q6. Which option preserves the ecological boundary of Desertification dryland boundary?

A. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. B. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. C. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. D. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss.

Answer: B. Explanation: Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q7. Which statement uses Desertification dryland boundary without changing its scale, parameter or status?

A. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. B. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. C. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. D. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate.

Answer: C. Explanation: Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q8. Which option avoids the standard UPSC close-option trap about Desertification dryland boundary?

A. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. B. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. C. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. D. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert.

Answer: D. Explanation: Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q9. Which statement correctly identifies Drought event boundary?

A. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. B. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. C. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. D. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate.

Answer: A. Explanation: Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q10. Which option preserves the ecological boundary of Drought event boundary?

A. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. B. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. C. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. D. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss.

Answer: B. Explanation: Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q11. Which statement uses Drought event boundary without changing its scale, parameter or status?

A. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. B. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. C. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. D. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate.

Answer: C. Explanation: Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q12. Which option avoids the standard UPSC close-option trap about Drought event boundary?

A. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. B. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. C. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. D. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical.

Answer: D. Explanation: Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q13. Which statement correctly identifies Drought-risk components?

A. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. B. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. C. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. D. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss.

Answer: A. Explanation: Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q14. Which option preserves the ecological boundary of Drought-risk components?

A. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. B. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. C. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. D. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate.

Answer: B. Explanation: Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q15. Which statement uses Drought-risk components without changing its scale, parameter or status?

A. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. B. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. C. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. D. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss.

Answer: C. Explanation: Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q16. Which option avoids the standard UPSC close-option trap about Drought-risk components?

A. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. B. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. C. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. D. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss.

Answer: D. Explanation: Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q17. Which statement correctly identifies UNCCD treaty identity?

A. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. B. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. C. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. D. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales.

Answer: A. Explanation: The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q18. Which option preserves the ecological boundary of UNCCD treaty identity?

A. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. B. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. C. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. D. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales.

Answer: B. Explanation: The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q19. Which statement uses UNCCD treaty identity without changing its scale, parameter or status?

A. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. B. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. C. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. D. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales.

Answer: C. Explanation: The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q20. Which option avoids the standard UPSC close-option trap about UNCCD treaty identity?

A. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. B. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. C. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. D. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme.

Answer: D. Explanation: The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q21. Which statement correctly identifies Rio-convention relationship?

A. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. B. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. C. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. D. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss.

Answer: A. Explanation: UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q22. Which option preserves the ecological boundary of Rio-convention relationship?

A. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. B. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. C. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. D. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone.

Answer: B. Explanation: UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q23. Which statement uses Rio-convention relationship without changing its scale, parameter or status?

A. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. B. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. C. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. D. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent.

Answer: C. Explanation: UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q24. Which option avoids the standard UPSC close-option trap about Rio-convention relationship?

A. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. B. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. C. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. D. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate.

Answer: D. Explanation: UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q25. Which statement correctly identifies National action pathway?

A. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. B. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. C. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. D. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation.

Answer: A. Explanation: UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q26. Which option preserves the ecological boundary of National action pathway?

A. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. B. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. C. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. D. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone.

Answer: B. Explanation: UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q27. Which statement uses National action pathway without changing its scale, parameter or status?

A. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. B. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. C. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. D. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation.

Answer: C. Explanation: UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q28. Which option avoids the standard UPSC close-option trap about National action pathway?

A. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. B. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. C. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. D. UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss.

Answer: D. Explanation: UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q29. Which statement correctly identifies LDN definition?

A. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. B. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. C. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. D. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation.

Answer: A. Explanation: Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q30. Which option preserves the ecological boundary of LDN definition?

A. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. B. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. C. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. D. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation.

Answer: B. Explanation: Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q31. Which statement uses LDN definition without changing its scale, parameter or status?

A. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. B. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. C. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. D. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service.

Answer: C. Explanation: Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q32. Which option avoids the standard UPSC close-option trap about LDN definition?

A. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. B. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. C. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. D. Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales.

Answer: D. Explanation: Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q33. Which statement correctly identifies LDN baseline boundary?

A. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. B. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. C. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. D. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service.

Answer: A. Explanation: An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q34. Which option preserves the ecological boundary of LDN baseline boundary?

A. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. B. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. C. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. D. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process.

Answer: B. Explanation: An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q35. Which statement uses LDN baseline boundary without changing its scale, parameter or status?

A. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. B. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. C. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. D. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause.

Answer: C. Explanation: An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. The other options

belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q36. Which option avoids the standard UPSC close-option trap about LDN baseline boundary?

A. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. B. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. C. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. D. An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone.

Answer: D. Explanation: An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q37. Which statement correctly identifies Avoid-reduce-reverse hierarchy?

A. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. B. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. C. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. D. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process.

Answer: A. Explanation: LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q38. Which option preserves the ecological boundary of Avoid-reduce-reverse hierarchy?

A. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. B. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. C. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. D. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service.

Answer: B. Explanation: LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q39. Which statement uses Avoid-reduce-reverse hierarchy without changing its scale, parameter or status?

A. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. B. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. C. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. D. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence.

Answer: C. Explanation: LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q40. Which option avoids the standard UPSC close-option trap about Avoid-reduce-reverse hierarchy?

A. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. B. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. C. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. D. LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation.

Answer: D. Explanation: LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q41. Which statement correctly identifies Neutrality-not-zero boundary?

A. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. B. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. C. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. D. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process.

Answer: A. Explanation: LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q42. Which option preserves the ecological boundary of Neutrality-not-zero boundary?

A. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. B. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. C. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. D. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause.

Answer: B. Explanation: LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q43. Which statement uses Neutrality-not-zero boundary without changing its scale, parameter or status?

A. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. B. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. C. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. D. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause.

Answer: C. Explanation: LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q44. Which option avoids the standard UPSC close-option trap about Neutrality-not-zero boundary?

A. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. B. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. C. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. D. LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent.

Answer: D. Explanation: LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q45. Which statement correctly identifies Indicator-evidence boundary?

A. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. B. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. C. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. D. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence.

Answer: A. Explanation: Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q46. Which option preserves the ecological boundary of Indicator-evidence boundary?

A. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. B. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. C. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. D. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area.

Answer: B. Explanation: Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every

ecosystem service. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q47. Which statement uses Indicator-evidence boundary without changing its scale, parameter or status?

A. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. B. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. C. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. D. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy.

Answer: C. Explanation: Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q48. Which option avoids the standard UPSC close-option trap about Indicator-evidence boundary?

A. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. B. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. C. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. D. Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service.

Answer: D. Explanation: Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q49. Which statement correctly identifies Remote-ground integration?

A. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. B. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. C. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. D. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area.

Answer: A. Explanation: Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q50. Which option preserves the ecological boundary of Remote-ground integration?

A. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. B. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. C. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. D. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area.

Answer: B. Explanation: Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q51. Which statement uses Remote-ground integration without changing its scale, parameter or status?

A. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. B. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. C. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. D. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area.

Answer: C. Explanation: Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q52. Which option avoids the standard UPSC close-option trap about Remote-ground integration?

A. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. B. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. C. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. D. Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process.

Answer: D. Explanation: Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q53. Which statement correctly identifies Driver interaction?

A. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. B. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. C. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. D. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence.

Answer: A. Explanation: Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform

cause. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q54. Which option preserves the ecological boundary of Driver interaction?

A. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. B. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. C. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. D. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim.

Answer: B. Explanation: Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q55. Which statement uses Driver interaction without changing its scale, parameter or status?

A. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. B. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. C. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. D. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely.

Answer: C. Explanation: Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q56. Which option avoids the standard UPSC close-option trap about Driver interaction?

A. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. B. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. C. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. D. Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause.

Answer: D. Explanation: Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q57. Which statement correctly identifies Restoration-quality boundary?

A. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. B. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. C. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. D. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area.

Answer: A. Explanation: Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and

livelihood evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q58. Which option preserves the ecological boundary of Restoration-quality boundary?

A. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. B. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. C. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. D. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy.

Answer: B. Explanation: Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q59. Which statement uses Restoration-quality boundary without changing its scale, parameter or status?

A. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. B. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. C. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. D. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes.

Answer: C. Explanation: Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q60. Which option avoids the standard UPSC close-option trap about Restoration-quality boundary?

A. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. B. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. C. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. D. Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence.

Answer: D. Explanation: Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q61. Which statement correctly identifies Commensurability limit?

A. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. B. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. C. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. D. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy.

Answer: A. Explanation: Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q62. Which option preserves the ecological boundary of Commensurability limit?

A. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. B. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. C. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. D. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely.

Answer: B. Explanation: Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q63. Which statement uses Commensurability limit without changing its scale, parameter or status?

A. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. B. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. C. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. D. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated.

Answer: C. Explanation: Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q64. Which option avoids the standard UPSC close-option trap about Commensurability limit?

A. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. B. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. C. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. D. Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area.

Answer: D. Explanation: Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. The other options belong to different media, parameters, processes, scales, actors, institutions,

Q65. Which statement correctly identifies Watershed response chain?

A. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. B. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. C. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. D. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes.

Answer: A. Explanation: Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q66. Which option preserves the ecological boundary of Watershed response chain?

A. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. B. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. C. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. D. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely.

Answer: B. Explanation: Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q67. Which statement uses Watershed response chain without changing its scale, parameter or status?

A. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. B. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. C. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. D. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes.

Answer: C. Explanation: Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q68. Which option avoids the standard UPSC close-option trap about Watershed response chain?

A. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. B. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. C. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. D. Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy.

Answer: D. Explanation: Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q69. Which statement correctly identifies Rangeland and open-ecosystem boundary?

A. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. B. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. C. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. D. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely.

Answer: A. Explanation: Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q70. Which option preserves the ecological boundary of Rangeland and open-ecosystem boundary?

A. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. B. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. C. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. D. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated.

Answer: B. Explanation: Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q71. Which statement uses Rangeland and open-ecosystem boundary without changing its scale, parameter or status?

A. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. B. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. C. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. D. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated.

Answer: C. Explanation: Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q72. Which option avoids the standard UPSC close-option trap about Rangeland and open-ecosystem boundary?

A. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. B. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. C. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. D. Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim.

Answer: D. Explanation: Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q73. Which statement correctly identifies Target-decision-outcome boundary?

A. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. B. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. C. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. D. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated.

Answer: A. Explanation: A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q74. Which option preserves the ecological boundary of Target-decision-outcome boundary?

A. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. B. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. C. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. D. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert.

Answer: B. Explanation: A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q75. Which statement uses Target-decision-outcome boundary without changing its scale, parameter or status?

A. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. B. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. C. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. D. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert.

Answer: C. Explanation: A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. The

other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q76. Which option avoids the standard UPSC close-option trap about Target-decision-outcome boundary?

A. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. B. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. C. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. D. A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely.

Answer: D. Explanation: A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q77. Which statement correctly identifies Current evidence boundary?

A. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. B. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. C. Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. D. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert.

Answer: A. Explanation: Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q78. Which option preserves the ecological boundary of Current evidence boundary?

A. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. B. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. C. Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. D. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical.

Answer: B. Explanation: Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q79. Which statement uses Current evidence boundary without changing its scale, parameter or status?

A. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. B. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. C. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. D. Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical.

Answer: C. Explanation: Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q80. Which option avoids the standard UPSC close-option trap about Current evidence boundary?

A. Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. B. UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. C. The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. D. Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes.

Answer: D. Explanation: Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

PYQS AND ANSWER PRACTICE

AUDITED DESERTIFICATION, DROUGHT, UNCCD, LDN AND RESTORATION PYQ OWNERSHIP

Audited ledgers route the verified 2020 GS-I desertification demand and related soil and land concepts. The package does not infer an objective key, atlas statistic, national target achievement or official model answer.

OWNER PYQ LEDGER EXTRACTS

9. PYQ application

- ANALYSIS: Recurring Prelims pattern: precisely distinguish desertification, land degradation and drought, and identify the UNCCD as one of the three Rio Conventions.
- FACT: **UPSC Mains 2024, Essay (Section A): "Forests precede civilizations and deserts follow them." **This topic owns the second half of that essay. The disciplined treatment distinguishes** desertification** (degradation *within* drylands) from the popular image of advancing sand - the essay's metaphor is about *civilisational* land exhaustion, and the precise definitional correction is itself a scoring point. Pair with Topic 03 (succession thresholds) and Topic 11 (forest classification).
- ANALYSIS: Mains linkage: the Land Degradation Neutrality framework is used to argue for integrated soil-water-livelihood strategies in India's dryland regions.

Historical PYQ Integration (2018-2023)

Status: Question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2018-2023.md, _PYQ-ROUTING-PRELIMS-2018-2023.md. **Answer-key rule:** The official 2018-2023 Prelims/CSAT keys are not held locally; no option or answer has been inferred.

- **Years represented:** 2018, 2020
- **Paper(s):** GS-I, Prelims GS-I
- **Routed question demands:** 2

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2018	Prelims GS-I	82	Agricultural soil organic matter sulfur cycle and salinization	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2020	GS-I	5	Desertification as a process without climatic boundaries	Justify with examples · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.

What this owner must now support

- Agricultural soil organic matter sulfur cycle and salinization
- Desertification as a process without climatic boundaries

The table integrates the examinable demand and paper metadata. It does not turn an unkeyed objective question into a solved answer, and it does not claim that lexical presence alone proves full conceptual sufficiency.

10. PYQ-based analytical application

- **ANALYSIS:** Prelims questions distinguishing desertification, drought and land degradation should be answered using the dryland-specificity and temporal-persistence criteria precisely.
- **ANALYSIS:** Mains answers on "India's land-degradation governance" should explicitly engage the ecological-commensurability critique of LDN's counterbalancing mechanism (paralleling the CAMPA critique in Topic 12) to demonstrate integrated, cross-topic analytical understanding.

Historical PYQ Integration (2018-2023)

Status: Question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2018-2023.md.

- **Years represented:** 2020
- **Paper(s):** GS-I
- **Routed question demands:** 1

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2020	GS-I	5	Desertification as a process without climatic boundaries	Justify with examples · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.

What this owner must now support

- Desertification as a process without climatic boundaries

The table integrates the examinable demand and paper metadata. It does not turn an unkeyed objective question into a solved answer, and it does not claim that lexical presence alone proves full conceptual sufficiency.

PYQ DEMAND CARD 1 - 2020 GS-I

Demand: Justify that desertification as a process is not confined by climatic boundaries.

Status: Verified routed demand; the answer must still preserve the UNCCD dryland definition.

Model solution: Land-degradation umbrella: Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. **Desertification dryland boundary:** Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert.

Drought event boundary: Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. **Driver interaction:** Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. **Watershed response chain:**

Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. **Current evidence boundary:** Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. The answer therefore separates definition, mechanism, evidence and limitation, and does not infer an official model answer or objective key.

ORIGINAL MAINS 1 - 10 MARKS

Question: Distinguish land degradation, desertification and drought. Answer in about 150 words.

Model thesis: Claim: Land-degradation umbrella. **Named evidence/example:** Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Desertification dryland boundary. **Named evidence/example:** Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Drought event boundary. **Named evidence/example:** Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Drought-risk components. **Named evidence/example:** Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated.
- Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert.

- Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical.
- Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss.

Qualified conclusion: Claim: Land-degradation umbrella. **Named evidence/example:** Land degradation is a reduction or loss of land's biological or economic productivity or ecological function across land types; the driver, indicator and spatial boundary must be stated. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Desertification dryland boundary. **Named evidence/example:** Desertification is land degradation in arid, semi-arid and dry sub-humid areas resulting from climatic variations and human activities; it is not simply the outward spread of a sand desert. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Drought event boundary. **Named evidence/example:** Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Drought-risk components. **Named evidence/example:** Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 2 - 10 MARKS

Question: Explain the UNCCD implementation pathway. Answer in about 150 words.

Model thesis: Claim: UNCCD treaty identity. **Named evidence/example:** The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Rio-convention relationship. **Named evidence/example:** UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** National action pathway. **Named evidence/example:** UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme.
- UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate.

- UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss.

Qualified conclusion: **Claim:** UNCCD treaty identity. **Named evidence/example:** The UNCCD is the legally binding convention focused on desertification and the effects of drought through cooperation, national action and sustainable land management; treaty purpose is distinct from a single restoration programme. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Rio-convention relationship. **Named evidence/example:** UNCCD, UNFCCC and CBD are related Rio-era regimes with interacting land, climate and biodiversity concerns, but their treaty objects, reporting systems and decisions remain separate. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** National action pathway. **Named evidence/example:** UNCCD implementation proceeds through national action programmes, enabling policy, participation, finance, knowledge and monitoring; submitting a plan does not prove restored land or reduced drought loss. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 3 - 15 MARKS

Question: Explain LDN definition, baseline and response hierarchy. Answer in about 250 words.

Model thesis: **Claim:** LDN definition. **Named evidence/example:** Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** LDN baseline boundary. **Named evidence/example:** An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Avoid-reduce-reverse hierarchy. **Named evidence/example:** LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Neutrality-not-zero boundary. **Named evidence/example:** LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Indicator-evidence boundary. **Named evidence/example:** Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales.
- An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone.
- LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation.
- LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent.
- Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service.

Qualified conclusion: Claim: LDN definition. **Named evidence/example:** Land Degradation Neutrality is a state in which the amount and quality of land resources needed to support ecosystem functions and services and food security remain stable or increase within specified spatial and temporal scales. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** LDN baseline boundary. **Named evidence/example:** An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Avoid-reduce-reverse hierarchy. **Named evidence/example:** LDN implementation prioritises avoiding new degradation, reducing ongoing degradation through sustainable land management, and reversing past degradation through restoration or rehabilitation. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Neutrality-not-zero boundary. **Named evidence/example:** LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Indicator-evidence boundary. **Named evidence/example:** Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 4 - 15 MARKS

Question: Assess how land degradation should be monitored. Answer in about 250 words.

Model thesis: Claim: Indicator-evidence boundary. **Named evidence/example:** Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Remote-ground integration. **Named evidence/example:** Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's

ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Driver interaction. **Named evidence/example:** Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Current evidence boundary. **Named evidence/example:** Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service.
- Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process.
- Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause.
- Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes.

Qualified conclusion: **Claim:** Indicator-evidence boundary. **Named evidence/example:** Land cover, land productivity and soil organic carbon can support LDN monitoring, but each indicator has method, resolution and interpretation limits and does not alone establish every ecosystem service. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Remote-ground integration. **Named evidence/example:** Remote sensing reveals spatial patterns and trends, while field soil, water, vegetation and livelihood evidence tests ecological meaning; one image or one season cannot establish a persistent process. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Driver interaction. **Named evidence/example:** Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Current evidence boundary. **Named evidence/example:** Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 5 - 20 MARKS

Question: Critically evaluate LDN counterbalancing and restoration quality. Answer in about 300 words.

Model thesis: **Claim:** LDN baseline boundary. **Named evidence/example:** An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Neutrality-not-zero boundary. **Named evidence/example:** LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Restoration-quality boundary. **Named evidence/example:** Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Commensurability limit. **Named evidence/example:** Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Rangeland and open-ecosystem boundary. **Named evidence/example:** Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone.
- LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent.
- Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence.
- Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area.
- Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim.

Qualified conclusion: **Claim:** LDN baseline boundary. **Named evidence/example:** An LDN claim requires a defined baseline, accounting unit, spatial scale, period and indicators; neutrality cannot be inferred from a national restoration announcement alone. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Neutrality-not-zero boundary. **Named evidence/example:** LDN is a counterbalancing no-net-loss framework at a defined scale, not a promise that no parcel will degrade; gains and losses are not automatically ecologically equivalent. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage,

legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Restoration-quality boundary. **Named evidence/example:** Area treated, trees planted, money spent and ecological recovery are different outputs or outcomes; restoration quality requires function, native-system suitability, persistence and livelihood evidence. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Commensurability limit. **Named evidence/example:** Restoration gains elsewhere may not replace the soil, hydrology, biodiversity, tenure or livelihood functions lost at the degraded site, so LDN accounting needs safeguards beyond aggregate area. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Rangeland and open-ecosystem boundary. **Named evidence/example:** Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 6 - 20 MARKS

Question: Design an integrated dryland and drought-resilience response. Answer in about 300 words.

Model thesis: **Claim:** Drought event boundary. **Named evidence/example:** Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Drought-risk components. **Named evidence/example:** Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Driver interaction. **Named evidence/example:** Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Watershed response chain. **Named evidence/example:** Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Rangeland and open-ecosystem boundary. **Named evidence/example:** Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Target-decision-outcome boundary. **Named evidence/example:** A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather

than generalise beyond the owner. **Claim:** Current evidence boundary. **Named evidence/example:** Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical.
- Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss.
- Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause.
- Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy.
- Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim.
- A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed precisely.
- Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes.

Qualified conclusion: **Claim:** Drought event boundary. **Named evidence/example:** Drought is a period of abnormal water deficit relative to local conditions and is an event or hazard, while desertification is a degradation process; one can influence the other without becoming identical. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Drought-risk components. **Named evidence/example:** Drought disaster risk arises from the interaction of hazard, exposure and vulnerability; rainfall deficit alone does not determine livelihood, ecosystem or economic loss. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Driver interaction. **Named evidence/example:** Climatic variability, vegetation removal, overgrazing, erosion, salinisation, unsustainable cultivation and water use can interact; national degradation totals do not imply one uniform cause. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Watershed response chain. **Named evidence/example:** Dryland response links soil cover, infiltration, runoff control, groundwater demand, crop or grazing choice and local institutions; tree planting alone is not a universal remedy. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Rangeland and open-ecosystem boundary. **Named evidence/example:** Rangelands, grasslands and scrub can be functioning open natural ecosystems; classifying them as wasteland or afforesting them indiscriminately can create a false restoration claim. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Target-decision-outcome boundary. **Named evidence/example:** A national LDN target, COP declaration, partnership, finance pledge, project approval and verified land or drought outcome are separate statuses and must be attributed

precisely. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Current evidence boundary. **Named evidence/example:** Land-degradation extent, LDN targets, restored area, drought trends, affected population, finance and COP outcomes require a dated official atlas, UNCCD decision or national report; scheduled negotiations are not outcomes. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.