


COMPLETE LEARNING SESSION

Renewable Energy and Green Hydrogen - Learner-v2 Refreshed

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing



Original deterministic study visual; labels are explanatory, not textual quotations.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / SESSION INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

Renewable Energy and Green Hydrogen - Learner-v2 Complete Learning Session	6
SOURCE, PROGRESSION AND CURRENT-LINKAGE AUDIT	6
LIVE OFFICIAL-SOURCE ATTEMPT LOG	6
BASIC LEARNING SESSION	6
SESSION 1 - FOUNDATION - INSTALLED CAPACITY GENERATION AND RELIABLE SUPPLY	7
SESSION 2 - FOUNDATION - RENEWABLE AND NON-FOSSIL SOURCE CATEGORIES	9
SESSION 3 - FOUNDATION - VARIABLE RENEWABLES FIRMNESS AND GRID INTEGRATION	10
SESSION 4 - CORE - TRANSMISSION FLEXIBILITY AND STORAGE CHAIN	11
SESSION 5 - CORE - TARGETS PIPELINES COMMISSIONING AND GENERATION	13
SESSION 6 - CORE - ELECTROLYSIS AND THE HYDROGEN PRODUCTION PATHWAY	14
SESSION 7 - CORE - GREEN LABEL STANDARD AND CERTIFICATION	16
SESSION 8 - CORE - GREY BLUE AND GREEN LIFECYCLE BOUNDARIES	17
SESSION 9 - CORE - RENEWABLE ELECTRICITY ATTRIBUTES AND ADDITIONALITY	19
SESSION 10 - CORE - DIRECT ELECTRIFICATION BEFORE HYDROGEN	20
SESSION 11 - CORE - HARD-TO-ABATE SECTOR FIT AND CONVERSION LOSSES	22
SESSION 12 - CORE - HYDROGEN AMMONIA METHANOL AND SYNTHETIC-FUEL BOUNDARIES	24
SESSION 13 - CORE SYNTHESIS - WATER SOURCE TREATMENT AND LOCAL STRESS	25
SESSION 14 - CORE SYNTHESIS - SAFETY STORAGE TRANSPORT AND DELIVERY	26
SESSION 15 - CORE SYNTHESIS - MISSION SIGHT EVIDENCE AND CURRENT-DATA AUDIT	28
BASIC MCQS / REMEDIATION	39
Q1. Which statement correctly identifies Capacity-generation boundary?	39
Q2. Which option preserves the ecological boundary of Capacity-generation boundary?	39
Q3. Which statement uses Capacity-generation boundary without changing its scale, parameter or status?	39
Q4. Which option avoids the standard UPSC close-option trap about Capacity-generation boundary?	39
Q5. Which statement correctly identifies Renewable-non-fossil boundary?	40
Q6. Which option preserves the ecological boundary of Renewable-non-fossil boundary?	40
Q7. Which statement uses Renewable-non-fossil boundary without changing its scale, parameter or status?	40
Q8. Which option avoids the standard UPSC close-option trap about Renewable-non-fossil boundary?	41
Q9. Which statement correctly identifies Source-carrier boundary?	41

Q10. Which option preserves the ecological boundary of Source-carrier boundary?	41
Q11. Which statement uses Source-carrier boundary without changing its scale, parameter or status?	41
Q12. Which option avoids the standard UPSC close-option trap about Source-carrier boundary?	42
Q13. Which statement correctly identifies Variable-firm distinction?	42
Q14. Which option preserves the ecological boundary of Variable-firm distinction?	42
Q15. Which statement uses Variable-firm distinction without changing its scale, parameter or status?	42
Q16. Which option avoids the standard UPSC close-option trap about Variable-firm distinction?	43
Q17. Which statement correctly identifies Integration chain?	43
Q18. Which option preserves the ecological boundary of Integration chain?	43
Q19. Which statement uses Integration chain without changing its scale, parameter or status?	44
Q20. Which option avoids the standard UPSC close-option trap about Integration chain?	44
Q21. Which statement correctly identifies Storage boundary?	44
Q22. Which option preserves the ecological boundary of Storage boundary?	44
Q23. Which statement uses Storage boundary without changing its scale, parameter or status?	45
Q24. Which option avoids the standard UPSC close-option trap about Storage boundary?	45
Q25. Which statement correctly identifies Target-achievement boundary?	45
Q26. Which option preserves the ecological boundary of Target-achievement boundary?	45
Q27. Which statement uses Target-achievement boundary without changing its scale, parameter or status?	46
Q28. Which option avoids the standard UPSC close-option trap about Target-achievement boundary?	46
Q29. Which statement correctly identifies Status-verb discipline?	46
Q30. Which option preserves the ecological boundary of Status-verb discipline?	46
Q31. Which statement uses Status-verb discipline without changing its scale, parameter or status?	47
Q32. Which option avoids the standard UPSC close-option trap about Status-verb discipline?	47
Q33. Which statement correctly identifies Electrolysis pathway?	47
Q34. Which option preserves the ecological boundary of Electrolysis pathway?	48
Q35. Which statement uses Electrolysis pathway without changing its scale, parameter or status?	48
Q36. Which option avoids the standard UPSC close-option trap about Electrolysis pathway?	48
Q37. Which statement correctly identifies Label-standard-certification boundary?	48
Q38. Which option preserves the ecological boundary of Label-standard-certification boundary?	49
Q39. Which statement uses Label-standard-certification boundary without changing its scale, parameter or status?	49
Q40. Which option avoids the standard UPSC close-option trap about Label-standard-certification boundary?	49
Q41. Which statement correctly identifies Hydrogen-colour boundary?	50

Q42. Which option preserves the ecological boundary of Hydrogen-colour boundary?	50
Q43. Which statement uses Hydrogen-colour boundary without changing its scale, parameter or status?	50
Q44. Which option avoids the standard UPSC close-option trap about Hydrogen-colour boundary?	50
Q45. Which statement correctly identifies Electricity-attribute boundary?	51
Q46. Which option preserves the ecological boundary of Electricity-attribute boundary?	51
Q47. Which statement uses Electricity-attribute boundary without changing its scale, parameter or status?	51
Q48. Which option avoids the standard UPSC close-option trap about Electricity-attribute boundary?	52
Q49. Which statement correctly identifies Direct-electrification test?	52
Q50. Which option preserves the ecological boundary of Direct-electrification test?	52
Q51. Which statement uses Direct-electrification test without changing its scale, parameter or status?	52
Q52. Which option avoids the standard UPSC close-option trap about Direct-electrification test?	53
Q53. Which statement correctly identifies Hard-to-abate fit?	53
Q54. Which option preserves the ecological boundary of Hard-to-abate fit?	53
Q55. Which statement uses Hard-to-abate fit without changing its scale, parameter or status?	54
Q56. Which option avoids the standard UPSC close-option trap about Hard-to-abate fit?	54
Q57. Which statement correctly identifies Derivative boundary?	54
Q58. Which option preserves the ecological boundary of Derivative boundary?	54
Q59. Which statement uses Derivative boundary without changing its scale, parameter or status?	55
Q60. Which option avoids the standard UPSC close-option trap about Derivative boundary?	55
Q61. Which statement correctly identifies Water-context boundary?	55
Q62. Which option preserves the ecological boundary of Water-context boundary?	55
Q63. Which statement uses Water-context boundary without changing its scale, parameter or status?	56
Q64. Which option avoids the standard UPSC close-option trap about Water-context boundary?	56
Q65. Which statement correctly identifies Safety-and-logistics boundary?	56
Q66. Which option preserves the ecological boundary of Safety-and-logistics boundary?	57
Q67. Which statement uses Safety-and-logistics boundary without changing its scale, parameter or status?	57
Q68. Which option avoids the standard UPSC close-option trap about Safety-and-logistics boundary?	57
Q69. Which statement correctly identifies Mission-target-outcome boundary?	57
Q70. Which option preserves the ecological boundary of Mission-target-outcome boundary?	58
Q71. Which statement uses Mission-target-outcome boundary without changing its scale, parameter or status?	58
Q72. Which option avoids the standard UPSC close-option trap about Mission-target-outcome boundary?	58
Q73. Which statement correctly identifies SIGHT-dual-pillar boundary?	59

Q74. Which option preserves the ecological boundary of SIGHT-dual-pillar boundary?	59
Q75. Which statement uses SIGHT-dual-pillar boundary without changing its scale, parameter or status?	59
Q76. Which option avoids the standard UPSC close-option trap about SIGHT-dual-pillar boundary?	59
Q77. Which statement correctly identifies Current evidence boundary?	60
Q78. Which option preserves the ecological boundary of Current evidence boundary?	60
Q79. Which statement uses Current evidence boundary without changing its scale, parameter or status?	60
Q80. Which option avoids the standard UPSC close-option trap about Current evidence boundary?	61
PYQS AND ANSWER PRACTICE	61
AUDITED RENEWABLE, GRID, STORAGE, HYDROGEN AND ENERGY-INDEPENDENCE PYQ OWNERSHIP	61
OWNER PYQ LEDGER EXTRACTS	61
PYQ DEMAND CARD 1 - 2025 GS-I	65
PYQ DEMAND CARD 2 - 2025 GS-III	66
ORIGINAL MAINS 1 - 10 MARKS	66
ORIGINAL MAINS 2 - 10 MARKS	67
ORIGINAL MAINS 3 - 15 MARKS	68
ORIGINAL MAINS 4 - 15 MARKS	70
ORIGINAL MAINS 5 - 20 MARKS	71
ORIGINAL MAINS 6 - 20 MARKS	72
OPTIONAL ADVANCED DEPTH - NOT REQUIRED FOR A CORE ANSWER	75
CONSOLIDATED REGISTER NOTES	79
Renewable Energy and Green Hydrogen: CAPACITY, GENERATION, GRID AND HYDROGEN PATHWAY MAP	79
Renewable Energy and Green Hydrogen: TARGET, STATUS, LABEL, CERTIFICATION AND USE-CASE TRAPS	80
Renewable Energy and Green Hydrogen: RENEWABLE-TO-HYDROGEN ANSWER SPINE	81
Renewable Energy and Green Hydrogen: LIVE CAPACITY, GENERATION, COST, TARGET, OUTPUT AND CERTIFICATION EVIDENCE BOUNDARY	81
COMPLETE TOPIC ASCII MASTER FLOW DIAGRAM	81

Renewable Energy and Green Hydrogen - Learner-v2

Complete Learning Session

Authoring-only generation: 2026-09-03. No PDF was rendered and no tracker or index was mutated.

SOURCE, PROGRESSION AND CURRENT-LINKAGE AUDIT


- **Generation date:** 2026-09-03.
- **Repository-first evidence:** the Basic owner is taught first and preserved in full; the Advanced owner is retained only in the optional final teaching block.
- **OCR evidence:** Repository Markdown was primary. OCR-searchable local official General Studies papers were used only to confirm printed routed demands. No answer key, marking scheme, unsupported page precision, ecological rate, species count, pollution standard, rule threshold, mission outcome or current status was inferred.
- **Qdrant:** not used; repository Markdown and available OCR context were sufficient.
- **PYQ integrity:** Audited ledgers route renewable, solar, wind, grid, storage, bioenergy and hydrogen demands. No provisional objective key, installed-capacity value, generation figure, cost or achieved mission outcome is inferred.
- **Live-link boundary:** MNRE supplied substantive mission architecture and a dated installed-capacity table. No installed-capacity, generation, cost, target-achievement, electrolyser, hydrogen-output, classification or certification value is asserted in the authored anchors.
- **Fact/inference discipline:** no current-affairs item, PYQ wording, figure or quotation is invented.

LIVE OFFICIAL-SOURCE ATTEMPT LOG

The checks below were made on 2026-09-03. Substantive official text is used only for the proposition it supports. Stubs, access failures, unrelated pages and thin landing pages are recorded and are not converted into ecological or current-status claims.

- <https://mnre.gov.in/en/national-green-hydrogen-mission/> - attempted 2026-09-03; substantive official text confirmed policy-enabling, infrastructure, standards, research, skills and governance components. The page was not used to convert an announced mission scale into achieved output.
- <https://mnre.gov.in/en/physical-progress/> - attempted 2026-09-03; the official table was dated 31 July 2026 and clearly reported installed capacity. Its changing values were not imported, and installed capacity was not rewritten as generation.
- <https://mnre.gov.in/en/green-hydrogen/> - attempted 2026-09-03; the route returned no additional substantive standard or certification text for use.
- <https://powermin.gov.in/> - attempted 2026-09-03; no topic-specific dated generation, storage or reliability result was imported from the general route.

BASIC LEARNING SESSION



Refreshed teaching navigation

Distinct embedded teaching-navigation image. The separate continuous Cārvāka-style flowchart package remains an independent at-a-glance artifact.

SESSION 1 - FOUNDATION - INSTALLED CAPACITY GENERATION AND RELIABLE SUPPLY

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply.

Technical definition: Mechanism chain: Capacity-generation boundary - Renewable-non-fossil boundary Qualified use: Open by separating installed capacity, generation and dependable supply.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply.

MUST-WRITE KEYWORDS

- FOUNDATION
- Installed capacity generation
- reliable supply
- Mechanism chain
- Qualified use
- Installed capacity

How to use them: Frame the answer through FOUNDATION; define Installed capacity generation, connect reliable supply with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

INSTALLED CAPACITY GENERATION AND RELIABLE SUPPLY

01. Capacity-generation boundary

|
v

02. Renewable-non-fossil boundary

BOUNDARY -> Do not quote installed capacity as electricity generation.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.

NAMED EVIDENCE AND MECHANISM

- Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply.
- Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.

EXAMINER CAUTION

- Do not quote installed capacity as electricity generation.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Open by separating installed capacity, generation and dependable supply.

MINI RECAP

- **Mechanism chain:** Capacity-generation boundary -> Renewable-non-fossil boundary
- **Qualified use:** Open by separating installed capacity, generation and dependable supply.

CLOSING RECALL FLOW - FOUNDATION - INSTALLED CAPACITY GENERATION AND RELIABLE SUPPLY

START / CONCEPT: FOUNDATION - Installed capacity generation and reliable supply

|
v

EXACT TERMS: FOUNDATION · Installed capacity generation · reliable supply · Mechanism chain ·
Qualified use · Installed capacity

|
v

MECHANISM / ARGUMENT: Mechanism chain: Capacity-generation boundary - Renewable-non-fossil boundary
Qualified use: Open by separating installed capacity, generation and dependable supply.

|
v

CONSEQUENCE / CONTRAST: Do not quote installed capacity as electricity generation.

|
v

UPSC TRAP / ANSWER-USE: Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.

|
v

ANSWER-GRABBING FORMULATION: Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply.

SESSION 2 - FOUNDATION - RENEWABLE AND NON-FOSSIL SOURCE CATEGORIES

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.

Technical definition: Mechanism chain: Source-carrier boundary Qualified use: Classify renewable and non-fossil sources before using a target.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Do not merge renewable and non-fossil categories.

MUST-WRITE KEYWORDS

- **FOUNDATION**
- **Renewable**
- **non-fossil source categories**
- **Mechanism chain**
- **Qualified use**
- **Renewable electricity**

How to use them: Frame the answer through FOUNDATION; define Renewable, connect non-fossil source categories with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

RENEWABLE AND NON-FOSSIL SOURCE CATEGORIES

01. Source-carrier boundary

BOUNDARY -> Do not merge renewable and non-fossil categories.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.

NAMED EVIDENCE AND MECHANISM

- Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.

EXAMINER CAUTION

- Do not merge renewable and non-fossil categories.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Classify renewable and non-fossil sources before using a target.

MINI RECAP

- **Mechanism chain:** Source-carrier boundary
- **Qualified use:** Classify renewable and non-fossil sources before using a target.

CLOSING RECALL FLOW - FOUNDATION - RENEWABLE AND NON-FOSSIL SOURCE CATEGORIES

START / CONCEPT: FOUNDATION - Renewable and non-fossil source categories

|

v

EXACT TERMS: FOUNDATION • Renewable • non-fossil source categories • Mechanism chain • Qualified use • Renewable electricity

|

v

MECHANISM / ARGUMENT: Mechanism chain: Source-carrier boundary Qualified use: Classify renewable and non-fossil sources before using a target.

|

v

CONSEQUENCE / CONTRAST: Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.

|

v

UPSC TRAP / ANSWER-USE: Do not miss this limiting distinction: do not merge renewable and non-fossil categories.

|

v

ANSWER-GRABBING FORMULATION: Do not merge renewable and non-fossil categories.

SESSION 3 - FOUNDATION - VARIABLE RENEWABLES FIRMINESS AND GRID INTEGRATION

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness.

Technical definition: Mechanism chain: Variable-firm distinction Qualified use: Explain variability through forecasting, transmission, flexibility and storage.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness.

MUST-WRITE KEYWORDS

- FOUNDATION
- Variable renewables firmness
- grid integration
- Mechanism chain
- Qualified use
- Solar

How to use them: Frame the answer through FOUNDATION; define Variable renewables firmness, connect grid integration with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

VARIABLE RENEWABLES FIRMNESS AND GRID INTEGRATION

01. Variable-firm distinction

BOUNDARY -> Do not call hydrogen a primary renewable energy source.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness.

NAMED EVIDENCE AND MECHANISM

- Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness.

EXAMINER CAUTION

- Do not call hydrogen a primary renewable energy source.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Explain variability through forecasting, transmission, flexibility and storage.

MINI RECAP

- **Mechanism chain:** Variable-firm distinction
- **Qualified use:** Explain variability through forecasting, transmission, flexibility and storage.

CLOSING RECALL FLOW - FOUNDATION - VARIABLE RENEWABLES FIRMNESS AND GRID INTEGRATION

START / CONCEPT: FOUNDATION - Variable renewables firmness and grid integration

|

v

EXACT TERMS: FOUNDATION · Variable renewables firmness · grid integration · Mechanism chain ·

Qualified use · Solar

|

v

MECHANISM / ARGUMENT: Mechanism chain: Variable-firm distinction Qualified use: Explain variability through forecasting, transmission, flexibility and storage.

|

v

CONSEQUENCE / CONTRAST: Do not call hydrogen a primary renewable energy source.

|

v

UPSC TRAP / ANSWER-USE: Do not miss this limiting distinction: explain variability through forecasting, transmission, flexibility and storage.

|

v

ANSWER-GRABBING FORMULATION: Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness.

SESSION 4 - CORE - TRANSMISSION FLEXIBILITY AND STORAGE CHAIN

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Mechanism chain: Integration chain Qualified use: Separate an energy-shifting technology from a primary energy source.

Technical definition: A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Mechanism chain: Integration chain Qualified use: Separate an energy-shifting technology from a primary energy source.

MUST-WRITE KEYWORDS

- **Transmission flexibility**
- **storage chain**
- **Mechanism chain**
- **Qualified use**
- **Integration**
- **Qualified**

How to use them: Frame the answer through Transmission flexibility; define storage chain, connect Mechanism chain with Qualified use to explain the mechanism, and use Integration for the decisive comparison or qualification.

VISUAL FIRST

TRANSMISSION FLEXIBILITY AND STORAGE CHAIN

01. Integration chain

BOUNDARY -> Do not treat variable nameplate capacity as firm supply.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

NAMED EVIDENCE AND MECHANISM

- A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

EXAMINER CAUTION

- Do not treat variable nameplate capacity as firm supply.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Separate an energy-shifting technology from a primary energy source.

MINI RECAP

- **Mechanism chain:** Integration chain
- **Qualified use:** Separate an energy-shifting technology from a primary energy source.

CLOSING RECALL FLOW - CORE - TRANSMISSION FLEXIBILITY AND STORAGE CHAIN

START / CONCEPT: CORE - Transmission flexibility and storage chain

|
v

EXACT TERMS: Transmission flexibility · storage chain · Mechanism chain · Qualified use ·
Integration · Qualified

|
v

MECHANISM / ARGUMENT: A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

|
v

CONSEQUENCE / CONTRAST: Do not treat variable nameplate capacity as firm supply.

|
v

UPSC TRAP / ANSWER-USE: Do not miss this limiting distinction: separate an energy-shifting technology from a primary energy source.

|
v

ANSWER-GRABBING FORMULATION: Mechanism chain: Integration chain Qualified use: Separate an energy-shifting technology from a primary energy source.

SESSION 5 - CORE - TARGETS PIPELINES COMMISSIONING AND GENERATION

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Mechanism chain: Storage boundary Qualified use: Use exact status verbs for target, sanction, construction, commission and output.

Technical definition: Mains: Use exact status verbs for target, sanction, construction, commission and output.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Mechanism chain: Storage boundary Qualified use: Use exact status verbs for target, sanction, construction, commission and output.

MUST-WRITE KEYWORDS

- **Targets pipelines commissioning**
- **generation**
- **Mechanism chain**
- **Qualified use**
- **Battery**
- **Storage**

How to use them: Frame the answer through Targets pipelines commissioning; define generation, connect Mechanism chain with Qualified use to explain the mechanism, and use Battery for the decisive comparison or qualification.

VISUAL FIRST

TARGETS PIPELINES COMMISSIONING AND GENERATION

01. Storage boundary

BOUNDARY -> Do not omit transmission, flexibility and storage from integration.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source.

NAMED EVIDENCE AND MECHANISM

- Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source.

EXAMINER CAUTION

- Do not omit transmission, flexibility and storage from integration.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Use exact status verbs for target, sanction, construction, commission and output.

MINI RECAP

- **Mechanism chain:** Storage boundary
- **Qualified use:** Use exact status verbs for target, sanction, construction, commission and output.

CLOSING RECALL FLOW - CORE - TARGETS PIPELINES COMMISSIONING AND GENERATION

START / CONCEPT: CORE - Targets pipelines commissioning and generation

|

v

EXACT TERMS: Targets pipelines commissioning · generation · Mechanism chain · Qualified use ·

Battery · Storage

|

v

MECHANISM / ARGUMENT: Mains: Use exact status verbs for target, sanction, construction, commission and output.

|

v

CONSEQUENCE / CONTRAST: Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source.

|

v

UPSC TRAP / ANSWER-USE: Do not omit transmission, flexibility and storage from integration.

|

v

ANSWER-GRABBING FORMULATION: Mechanism chain: Storage boundary Qualified use: Use exact status verbs for target, sanction, construction, commission and output.

SESSION 6 - CORE - ELECTROLYSIS AND THE HYDROGEN PRODUCTION PATHWAY

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Mechanism chain: Target-achievement boundary - Status-verb discipline Qualified use: Trace electricity, water, electrolysis and hydrogen without assuming a label.

Technical definition: A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Mechanism chain: Target-achievement boundary - Status-verb discipline Qualified use: Trace electricity, water, electrolysis and hydrogen without assuming a label.

MUST-WRITE KEYWORDS

- Electrolysis
- the hydrogen production pathway
- Mechanism chain
- Qualified use
- Announced
- Target-achievement

How to use them: Frame the answer through Electrolysis; define the hydrogen production pathway, connect Mechanism chain with Qualified use to explain the mechanism, and use Announced for the decisive comparison or qualification.

VISUAL FIRST

ELECTROLYSIS AND THE HYDROGEN PRODUCTION PATHWAY

01. Target-achievement boundary

|
v

02. Status-verb discipline

BOUNDARY -> Do not call storage an independent source of energy.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another.

NAMED EVIDENCE AND MECHANISM

- A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence.
- Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another.

EXAMINER CAUTION

- Do not call storage an independent source of energy.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Trace electricity, water, electrolysis and hydrogen without assuming a label.

MINI RECAP

- **Mechanism chain:** Target-achievement boundary -> Status-verb discipline
- **Qualified use:** Trace electricity, water, electrolysis and hydrogen without assuming a label.

CLOSING RECALL FLOW - CORE - ELECTROLYSIS AND THE HYDROGEN PRODUCTION PATHWAY

START / CONCEPT: CORE - Electrolysis and the hydrogen production pathway

|
v

EXACT TERMS: Electrolysis · the hydrogen production pathway · Mechanism chain · Qualified use ·
Announced · Target-achievement

|
v

MECHANISM / ARGUMENT: A gross announced target, sanctioned project pipeline, installed capacity,
commissioned capacity and achieved generation are separate statuses that require separate dated
evidence.

|
v

CONSEQUENCE / CONTRAST: Do not call storage an independent source of energy.

|
v

UPSC TRAP / ANSWER-USE: Announced, approved, allocated, awarded, under construction, commissioned
and producing describe different project stages; one stage must never be substituted for another.

|
v

ANSWER-GRABBING FORMULATION: Mechanism chain: Target-achievement boundary - Status-verb discipline
Qualified use: Trace electricity, water, electrolysis and hydrogen without assuming a label.

SESSION 7 - CORE - GREEN LABEL STANDARD AND CERTIFICATION

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Mechanism chain: Electrolysis pathway Qualified use: Identify the applicable definition,
standard and certification evidence.

Technical definition: Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green
depends on the electricity and accounting pathway, not on the chemical identity of hydrogen.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Mechanism chain: Electrolysis pathway Qualified use: Identify the applicable definition, standard and certification
evidence.

MUST-WRITE KEYWORDS

- Green label standard
- certification
- Mechanism chain
- Qualified use
- Electrolysis
- Qualified

How to use them: Frame the answer through Green label standard; define certification, connect Mechanism chain
with Qualified use to explain the mechanism, and use Electrolysis for the decisive comparison or qualification.

VISUAL FIRST

GREEN LABEL STANDARD AND CERTIFICATION

01. Electrolysis pathway

BOUNDARY -> Do not merge target, pipeline, installation and generation.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen.

NAMED EVIDENCE AND MECHANISM

- Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen.

EXAMINER CAUTION

- Do not merge target, pipeline, installation and generation.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Identify the applicable definition, standard and certification evidence.

MINI RECAP

- **Mechanism chain:** Electrolysis pathway
- **Qualified use:** Identify the applicable definition, standard and certification evidence.

CLOSING RECALL FLOW - CORE - GREEN LABEL STANDARD AND CERTIFICATION

START / CONCEPT: CORE - Green label standard and certification

|

v

EXACT TERMS: Green label standard · certification · Mechanism chain · Qualified use · Electrolysis
· Qualified

|

v

MECHANISM / ARGUMENT: Electrolysis uses electricity to split water into hydrogen and oxygen;
calling the product green depends on the electricity and accounting pathway, not on the chemical
identity of hydrogen.

|

v

CONSEQUENCE / CONTRAST: Do not merge target, pipeline, installation and generation.

|

v

UPSC TRAP / ANSWER-USE: Do not miss this limiting distinction: identify the applicable definition,
standard and certification evidence.

|

v

ANSWER-GRABBING FORMULATION: Mechanism chain: Electrolysis pathway Qualified use: Identify the
applicable definition, standard and certification evidence.

SESSION 8 - CORE - GREY BLUE AND GREEN LIFECYCLE BOUNDARIES

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Mechanism chain: Label-standard-certification boundary Qualified use: Use lifecycle boundaries rather than colour shorthand alone.

Technical definition: Mains: Use lifecycle boundaries rather than colour shorthand alone.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Mechanism chain: Label-standard-certification boundary Qualified use: Use lifecycle boundaries rather than colour shorthand alone.

MUST-WRITE KEYWORDS

- Grey blue
- green lifecycle boundaries
- Mechanism chain
- Qualified use
- Label-standard-certification
- Qualified

How to use them: Frame the answer through Grey blue; define green lifecycle boundaries, connect Mechanism chain with Qualified use to explain the mechanism, and use Label-standard-certification for the decisive comparison or qualification.

VISUAL FIRST

GREY BLUE AND GREEN LIFECYCLE BOUNDARIES

01. Label-standard-certification boundary

BOUNDARY -> Do not rewrite awarded or allocated capacity as production.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance.

NAMED EVIDENCE AND MECHANISM

- A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance.

EXAMINER CAUTION

- Do not rewrite awarded or allocated capacity as production.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Use lifecycle boundaries rather than colour shorthand alone.

MINI RECAP

- **Mechanism chain:** Label-standard-certification boundary
- **Qualified use:** Use lifecycle boundaries rather than colour shorthand alone.

CLOSING RECALL FLOW - CORE - GREY BLUE AND GREEN LIFECYCLE BOUNDARIES

START / CONCEPT: CORE - Grey blue and green lifecycle boundaries

|
v

EXACT TERMS: Grey blue · green lifecycle boundaries · Mechanism chain · Qualified use · Label-standard-certification · Qualified

|
v

MECHANISM / ARGUMENT: Mains: Use lifecycle boundaries rather than colour shorthand alone.

|
v

CONSEQUENCE / CONTRAST: A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance.

|
v

UPSC TRAP / ANSWER-USE: Do not rewrite awarded or allocated capacity as production.

|
v

ANSWER-GRABBING FORMULATION: Mechanism chain: Label-standard-certification boundary Qualified use: Use lifecycle boundaries rather than colour shorthand alone.

SESSION 9 - CORE - RENEWABLE ELECTRICITY ATTRIBUTES AND ADDITIONALITY

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Mechanism chain: Hydrogen-colour boundary Qualified use: State sourcing, time, geography and additionality only when the rule owns them.

Technical definition: Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Mechanism chain: Hydrogen-colour boundary Qualified use: State sourcing, time, geography and additionality only when the rule owns them.

MUST-WRITE KEYWORDS

- Renewable electricity attributes
- additionality
- Mechanism chain
- Qualified use
- Grey, blue and green
- Grey

How to use them: Frame the answer through Renewable electricity attributes; define additionality, connect Mechanism chain with Qualified use to explain the mechanism, and use Grey, blue and green for the decisive comparison or qualification.

VISUAL FIRST

RENEWABLE ELECTRICITY ATTRIBUTES AND ADDITIONALITY

01. Hydrogen-colour boundary

BOUNDARY -> Do not call every electrolytic pathway green.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.

NAMED EVIDENCE AND MECHANISM

- Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.

EXAMINER CAUTION

- Do not call every electrolytic pathway green.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** State sourcing, time, geography and additionality only when the rule owns them.

MINI RECAP

- **Mechanism chain:** Hydrogen-colour boundary
- **Qualified use:** State sourcing, time, geography and additionality only when the rule owns them.

CLOSING RECALL FLOW - CORE - RENEWABLE ELECTRICITY ATTRIBUTES AND ADDITIONALITY

START / CONCEPT: CORE - Renewable electricity attributes and additionality

|

v

EXACT TERMS: Renewable electricity attributes · additionality · Mechanism chain · Qualified use · Grey, blue and green · Grey

|

v

MECHANISM / ARGUMENT: Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.

|

v

CONSEQUENCE / CONTRAST: Do not call every electrolytic pathway green.

|

v

UPSC TRAP / ANSWER-USE: Do not miss this limiting distinction: grey, blue and green are shorthand for different production and emissions-management pathways.

|

v

ANSWER-GRABBING FORMULATION: Mechanism chain: Hydrogen-colour boundary Qualified use: State sourcing, time, geography and additionality only when the rule owns them.

SESSION 10 - CORE - DIRECT ELECTRIFICATION BEFORE HYDROGEN

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Mechanism chain: Electricity-attribute boundary Qualified use: Apply a direct-electrification-first screening test.

Technical definition: Technically, CORE - Direct electrification before hydrogen is analysed by relating Direct electrification before hydrogen to Mechanism chain, then testing the relationship through Qualified use and Electricity-attribute.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Mechanism chain: Electricity-attribute boundary Qualified use: Apply a direct-electrification-first screening test.

MUST-WRITE KEYWORDS

- **Direct electrification before hydrogen**
- **Mechanism chain**
- **Qualified use**
- **Electricity-attribute**
- **Qualified**
- **Apply**

How to use them: Frame the answer through Direct electrification before hydrogen; define Mechanism chain, connect Qualified use with Electricity-attribute to explain the mechanism, and use Qualified for the decisive comparison or qualification.

VISUAL FIRST

DIRECT ELECTRIFICATION BEFORE HYDROGEN

01. Electricity-attribute boundary

BOUNDARY -> Do not merge pathway, standard, label and certification.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence.

NAMED EVIDENCE AND MECHANISM

- Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence.

EXAMINER CAUTION

- Do not merge pathway, standard, label and certification.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Apply a direct-electrification-first screening test.

MINI RECAP

- **Mechanism chain:** Electricity-attribute boundary
- **Qualified use:** Apply a direct-electrification-first screening test.

CLOSING RECALL FLOW - CORE - DIRECT ELECTRIFICATION BEFORE HYDROGEN

START / CONCEPT: CORE - Direct electrification before hydrogen

|
v

EXACT TERMS: Direct electrification before hydrogen · Mechanism chain · Qualified use · Electricity-attribute · Qualified · Apply

|
v

MECHANISM / ARGUMENT: Do not merge pathway, standard, label and certification.

|
v

CONSEQUENCE / CONTRAST: The resulting consequence is that mechanism chain: Electricity-attribute boundary Qualified use: Apply a direct-electrification-first screening test.

|
v

UPSC TRAP / ANSWER-USE: Do not miss this limiting distinction: mechanism chain: Electricity-attribute boundary Qualified use: Apply a direct-electrification-first screening test.

|
v

ANSWER-GRABBING FORMULATION: Mechanism chain: Electricity-attribute boundary Qualified use: Apply a direct-electrification-first screening test.

SESSION 11 - CORE - HARD-TO-ABATE SECTOR FIT AND CONVERSION LOSSES

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed.

Technical definition: Mechanism chain: Direct-electrification test - Hard-to-abate fit Qualified use: Match hydrogen to a technically hard-to-abate use and disclose conversion loss.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed.

MUST-WRITE KEYWORDS

- **Hard-to-abate sector fit**
- **conversion losses**
- **Mechanism chain**
- **Qualified use**
- **Direct use of clean electricity**
- **Direct**

How to use them: Frame the answer through Hard-to-abate sector fit; define conversion losses, connect Mechanism chain with Qualified use to explain the mechanism, and use Direct use of clean electricity for the decisive comparison or qualification.

VISUAL FIRST

HARD-TO-ABATE SECTOR FIT AND CONVERSION LOSSES

01. Direct-electrification test

|
v

02. Hard-to-abate fit

BOUNDARY -> Do not use colour shorthand as a complete lifecycle assessment.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed.

NAMED EVIDENCE AND MECHANISM

- Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter.
- Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed.

EXAMINER CAUTION

- Do not use colour shorthand as a complete lifecycle assessment.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Match hydrogen to a technically hard-to-abate use and disclose conversion loss.

MINI RECAP

- **Mechanism chain:** Direct-electrification test -> Hard-to-abate fit
- **Qualified use:** Match hydrogen to a technically hard-to-abate use and disclose conversion loss.

CLOSING RECALL FLOW - CORE - HARD-TO-ABATE SECTOR FIT AND CONVERSION LOSSES

START / CONCEPT: CORE - Hard-to-abate sector fit and conversion losses

|
v

EXACT TERMS: Hard-to-abate sector fit · conversion losses · Mechanism chain · Qualified use ·
Direct use of clean electricity · Direct

|
v

MECHANISM / ARGUMENT: Mechanism chain: Direct-electrification test - Hard-to-abate fit Qualified
use: Match hydrogen to a technically hard-to-abate use and disclose conversion loss.

|
v

CONSEQUENCE / CONTRAST: Direct use of clean electricity is generally the first option where
technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-
duration storage or weight constraints matter.

|
v

UPSC TRAP / ANSWER-USE: Do not use colour shorthand as a complete lifecycle assessment.

|
v

ANSWER-GRABBING FORMULATION: Fertiliser, refining, selected steel processes, shipping fuels and
some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses
must be assessed rather than assumed.

SESSION 12 - CORE - HYDROGEN AMMONIA METHANOL AND SYNTHETIC-FUEL BOUNDARIES

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.

Technical definition: Mechanism chain: Derivative boundary Qualified use: Track every derivative conversion and end-use boundary.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.

MUST-WRITE KEYWORDS

- Hydrogen ammonia methanol
- synthetic-fuel boundaries
- Mechanism chain
- Qualified use
- Hydrogen, ammonia, methanol and synthetic fuels
- Hydrogen

How to use them: Frame the answer through Hydrogen ammonia methanol; define synthetic-fuel boundaries, connect Mechanism chain with Qualified use to explain the mechanism, and use Hydrogen, ammonia, methanol and synthetic fuels for the decisive comparison or qualification.

VISUAL FIRST

HYDROGEN AMMONIA METHANOL AND SYNTHETIC-FUEL BOUNDARIES

01. Derivative boundary

BOUNDARY -> Do not infer renewable attributes without the applicable rules.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.

NAMED EVIDENCE AND MECHANISM

- Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.

EXAMINER CAUTION

- Do not infer renewable attributes without the applicable rules.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Track every derivative conversion and end-use boundary.

MINI RECAP

- **Mechanism chain:** Derivative boundary
- **Qualified use:** Track every derivative conversion and end-use boundary.

CLOSING RECALL FLOW - CORE - HYDROGEN AMMONIA METHANOL AND SYNTHETIC-FUEL BOUNDARIES

START / CONCEPT: CORE - Hydrogen ammonia methanol and synthetic-fuel boundaries

|
v

EXACT TERMS: Hydrogen ammonia methanol · synthetic-fuel boundaries · Mechanism chain · Qualified use · Hydrogen, ammonia, methanol and synthetic fuels · Hydrogen

|
v

MECHANISM / ARGUMENT: Mechanism chain: Derivative boundary Qualified use: Track every derivative conversion and end-use boundary.

|
v

CONSEQUENCE / CONTRAST: Do not infer renewable attributes without the applicable rules.

|
v

UPSC TRAP / ANSWER-USE: Do not miss this limiting distinction: track every derivative conversion and end-use boundary.

|
v

ANSWER-GRABBING FORMULATION: Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.

SESSION 13 - CORE SYNTHESIS - WATER SOURCE TREATMENT AND LOCAL STRESS

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.

Technical definition: Mechanism chain: Water-context boundary Qualified use: Assess project water context rather than importing a universal figure.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.

MUST-WRITE KEYWORDS

- CORE SYNTHESIS
- Water source treatment
- local stress
- Mechanism chain
- Qualified use
- Electrolysis

How to use them: Frame the answer through CORE SYNTHESIS; define Water source treatment, connect local stress with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

WATER SOURCE TREATMENT AND LOCAL STRESS

01. Water-context boundary

BOUNDARY -> Do not prescribe hydrogen where direct electrification is preferable.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.

NAMED EVIDENCE AND MECHANISM

- Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.

EXAMINER CAUTION

- Do not prescribe hydrogen where direct electrification is preferable.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Assess project water context rather than importing a universal figure.

MINI RECAP

- **Mechanism chain:** Water-context boundary
- **Qualified use:** Assess project water context rather than importing a universal figure.

CLOSING RECALL FLOW - CORE SYNTHESIS - WATER SOURCE TREATMENT AND LOCAL STRESS

START / CONCEPT: CORE SYNTHESIS - Water source treatment and local stress

|

v

EXACT TERMS: CORE SYNTHESIS · Water source treatment · local stress · Mechanism chain · Qualified use · Electrolysis

|

v

MECHANISM / ARGUMENT: Mechanism chain: Water-context boundary Qualified use: Assess project water context rather than importing a universal figure.

|

v

CONSEQUENCE / CONTRAST: Do not prescribe hydrogen where direct electrification is preferable.

|

v

UPSC TRAP / ANSWER-USE: Do not miss this limiting distinction: electrolysis requires water and upstream treatment.

|

v

ANSWER-GRABBING FORMULATION: Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.

SESSION 14 - CORE SYNTHESIS - SAFETY STORAGE TRANSPORT AND DELIVERY

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.

Technical definition: Mechanism chain: Safety-and-logistics boundary - Mission-target-outcome boundary Qualified use: Carry the chain from production to safe delivered end use.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.

MUST-WRITE KEYWORDS

- **CORE SYNTHESIS**
- **Safety storage transport**
- **delivery**
- **Mechanism chain**
- **Qualified use**
- **Hydrogen**

How to use them: Frame the answer through CORE SYNTHESIS; define Safety storage transport, connect delivery with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

SAFETY STORAGE TRANSPORT AND DELIVERY

01. Safety-and-logistics boundary

|

v

02. Mission-target-outcome boundary

BOUNDARY -> Do not describe every sector as hard to abate.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages.

NAMED EVIDENCE AND MECHANISM

- Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.
- A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages.

EXAMINER CAUTION

- Do not describe every sector as hard to abate.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Carry the chain from production to safe delivered end use.

MINI RECAP

- **Mechanism chain:** Safety-and-logistics boundary -> Mission-target-outcome boundary
- **Qualified use:** Carry the chain from production to safe delivered end use.

CLOSING RECALL FLOW - CORE SYNTHESIS - SAFETY STORAGE TRANSPORT AND DELIVERY

START / CONCEPT: CORE SYNTHESIS - Safety storage transport and delivery



EXACT TERMS: CORE SYNTHESIS · Safety storage transport · delivery · Mechanism chain · Qualified use
· Hydrogen



MECHANISM / ARGUMENT: Mechanism chain: Safety-and-logistics boundary - Mission-target-outcome
boundary Qualified use: Carry the chain from production to safe delivered end use.



CONSEQUENCE / CONTRAST: A mission target expresses intended future scale, while allocation,
manufacturing award, commissioning, output and emissions outcome are separate evidence stages.



UPSC TRAP / ANSWER-USE: Do not describe every sector as hard to abate.



ANSWER-GRABBING FORMULATION: Hydrogen production, compression, liquefaction, storage, pipelines,
ports and end use create distinct engineering and safety requirements; production capacity does not
prove delivered usable fuel.

SESSION 15 - CORE SYNTHESIS - MISSION SIGHT EVIDENCE AND CURRENT-DATA AUDIT

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical.

Technical definition: FACT: Green hydrogen is produced via electrolysis powered by renewable electricity, distinguishing it from grey hydrogen (fossil-fuel-based, no capture) and blue hydrogen (fossil-fuel-based, with carbon capture). FACT: The National Green Hydrogen Mission, approved in January 2023, targets 5 million metric tonnes per annum of green-hydrogen production capacity by 2030. FACT: The SIGHT Programme is the National Green Hydrogen Mission's key financial-incentive scheme for electrolyser manufacturing and green-hydrogen production. FACT: Green hydrogen is strategically targeted at hard-to-abate sectors (steel, fertiliser, refining, heavy transport, shipping) where direct electrification is technically difficult. FACT: India's renewable-energy expansion (solar, wind) is the foundational input enabling cost-competitive green-hydrogen production. FACT: Non-fossil sources reached 51.93% of India's installed power capacity at end-December capacity was added in 2025-26 up to 31 December 2025 - 30.16 GW solar, 4.47 GW wind, 3.24 GW hydro, 0.03 GW bio-power (Economic Survey 2025-26, Ch.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

FACT: Green hydrogen is produced via electrolysis powered by renewable electricity, distinguishing it from grey hydrogen (fossil-fuel-based, no capture) and blue hydrogen (fossil-fuel-based, with carbon capture). FACT: The National Green Hydrogen Mission, approved in January 2023, targets 5 million metric tonnes per annum of green-hydrogen production capacity by 2030. FACT: The SIGHT Programme is the National Green Hydrogen Mission's key financial-incentive scheme for electrolyser manufacturing and green-hydrogen production. FACT: Green hydrogen is strategically targeted at hard-to-abate sectors (steel, fertiliser, refining, heavy transport, shipping) where direct electrification is technically difficult. FACT: India's renewable-energy expansion (solar, wind) is the foundational input enabling cost-competitive green-hydrogen production. FACT: Non-fossil sources reached 51.93% of India's installed power capacity at end-December capacity was added in 2025-26 up to 31 December 2025 - 30.16 GW solar, 4.47 GW wind, 3.24 GW hydro, 0.03 GW bio-power (Economic Survey 2025-26, Ch.

MUST-WRITE KEYWORDS

- CORE SYNTHESIS
- Mission SIGHT evidence
- current-data audit
- Mechanism chain

- **Qualified use**
- **Subject**

How to use them: Frame the answer through CORE SYNTHESIS; define Mission SIGHT evidence, connect current-data audit with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

MISSION SIGHT EVIDENCE AND CURRENT-DATA AUDIT

01. SIGHT-dual-pillar boundary

|
v

02. Current evidence boundary

BOUNDARY -> Do not merge hydrogen with ammonia or synthetic fuels.

This topic-specific rail fixes the evidence sequence and its exam boundary before analysis.

CORE EXPLANATION

The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

NAMED EVIDENCE AND MECHANISM

- The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical.
- Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

EXAMINER CAUTION

- Do not merge hydrogen with ammonia or synthetic fuels.

EXAM LINK

- **Prelims:** Preserve the exact receiving medium, system boundary, measured parameter, actor, process, spatial and temporal scale, rule vintage and scientific or legal status; never turn a context-dependent pattern into a universal rule.
- **Mains:** Close with dated official target, award, commission, production and certification evidence.

MINI RECAP


- **Mechanism chain:** SIGHT-dual-pillar boundary -> Current evidence boundary
- **Qualified use:** Close with dated official target, award, commission, production and certification evidence.

COMPLETE BASIC OWNER EVIDENCE BANK

Subject: Environment and Ecology | **Tier:** Must-Do (foundation) | **GS Paper:** GS-III (Environment/Infrastructure) + Prelims. **Core area:** India's energy-transition policy architecture. **Grounded in:** Ministry of New and Renewable Energy (MNRE) policy framework; National Green Hydrogen Mission (approved January 2023); audited UPSC Environment PYQs (2024-2026 Prelims and 2024-2025 Mains). **FACT:** = source-grounded | **ANALYSIS:** = analytical linkage | **CURRENT:** = dated current-affairs anchor. *Companion:* advanced/25_Renewable-Energy-and-Green-Hydrogen.md.

1. Visual foundation

INDIA'S RENEWABLE-ENERGY-TO-GREEN-HYDROGEN PATHWAY



Core proposition: Renewable electricity (solar, wind and others) is the foundational layer of India's energy transition; green hydrogen, produced by using that renewable electricity to split water via electrolysis, is the next-layer strategy specifically targeting hard-to-abate sectors (steel, fertiliser, heavy transport, shipping) that cannot be decarbonised through direct electrification alone.

2. Essential definitions

Concept	Exam-ready meaning
FACT: Renewable energy	Energy from naturally replenishing sources - solar, wind, hydro, biomass, geothermal - as opposed to finite fossil fuels.
FACT: Grid parity	The point at which renewable-electricity generation cost becomes equal to or lower than conventional (fossil-fuel-based) generation cost without subsidy.
FACT: Electrolysis	The process of using electricity to split water (H ₂ O) into hydrogen (H ₂) and oxygen (O ₂).
FACT: Green hydrogen	Hydrogen produced via electrolysis powered by renewable electricity, distinguished by its near-zero lifecycle greenhouse-gas emissions (contrasted with "grey hydrogen" from fossil fuels without capture, or "blue hydrogen" from fossil fuels with carbon capture).
FACT: National Green Hydrogen Mission (approved January 2023)	India's mission targeting 5 million metric tonnes per annum green-hydrogen production capacity by 2030, alongside associated renewable-capacity addition, investment and job-creation goals.
FACT: SIGHT Programme	Strategic Interventions for Green Hydrogen Transition - the National Green Hydrogen Mission's financial-incentive scheme supporting electrolyser manufacturing and green-hydrogen production.

3. Topic mechanism

1. India's renewable-energy expansion (chiefly solar and wind, supported by MNRE policy and incentive schemes) provides increasingly low-cost electricity, directly supporting the Panchamrit's 500 GW non-fossil-capacity and 50% renewable-energy-share targets by 2030 (cross-refer Topic 20).
2. Green hydrogen production requires this renewable electricity as an input to power electrolysis, meaning green hydrogen's genuine climate benefit and cost-competitiveness depend directly on the availability of cheap, abundant renewable electricity - the two strategies are sequentially linked, not independent.
3. The National Green Hydrogen Mission (approved January 2023) targets 5 million metric tonnes per annum of green-hydrogen production capacity by 2030, alongside roughly 125 GW of associated additional renewable-energy capacity, aiming to leverage over Rs 8 lakh crore in total investment and abate a significant volume of annual greenhouse-gas emissions.
4. Green hydrogen is strategically targeted at "hard-to-abate" sectors - steel production

(as a reducing agent alternative to coking coal), fertiliser manufacturing (as an input to ammonia synthesis), oil refining, and heavy/long-haul transport and shipping - where direct electrification (e.g., battery-electric vehicles) is technically difficult or currently infeasible at the required scale or duty cycle.

5. The SIGHT Programme provides financial incentives for both electrolyser manufacturing (building domestic production capacity) and green-hydrogen production itself, reflecting a dual strategy of building domestic industrial capability alongside end-product incentives.

4. Institutions and policy tools

- FACT: **Ministry of New and Renewable Energy (MNRE)**: nodal ministry for renewable-energy policy and the National Green Hydrogen Mission.
- FACT: **Ministry of Power / Central Electricity Authority**: manage grid integration, storage and transmission planning for increasing renewable-capacity shares.
- FACT: **Solar Energy Corporation of India (SECI)**: implements solar-project auctions and related renewable-energy programmes.
- ANALYSIS: Public-sector undertakings (e.g., in oil/gas, fertiliser and steel sectors) are key early adopters/pilot implementers of green-hydrogen use cases in India.

5. Indian applications and examples

- ANALYSIS: Large-scale solar parks and offshore/onshore wind projects across states like Rajasthan, Gujarat and Tamil Nadu illustrate India's renewable-capacity-addition strategy underlying its Panchamrit targets.
- ANALYSIS: Pilot green-hydrogen and green-ammonia projects (e.g., by public-sector fertiliser and energy companies) illustrate early-stage implementation of the National Green Hydrogen Mission's sectoral targets.
- ANALYSIS: Grid-integration challenges (managing solar/wind's intermittent generation profile) have driven increasing policy attention to battery-storage and pumped-hydro-storage capacity addition alongside generation-capacity growth.

6. Must-Know Facts for Prelims

- FACT: Green hydrogen is produced via electrolysis powered by renewable electricity, distinguishing it from grey hydrogen (fossil-fuel-based, no capture) and blue hydrogen (fossil-fuel-based, with carbon capture).
- FACT: The National Green Hydrogen Mission, approved in January 2023, targets 5 million metric tonnes per annum of green-hydrogen production capacity by 2030.
- FACT: The SIGHT Programme is the National Green Hydrogen Mission's key financial-incentive scheme for electrolyser manufacturing and green-hydrogen production.
- FACT: Green hydrogen is strategically targeted at hard-to-abate sectors (steel, fertiliser, refining, heavy transport, shipping) where direct electrification is technically difficult.
- FACT: India's renewable-energy expansion (solar, wind) is the foundational input enabling cost-competitive green-hydrogen production.
- FACT: ****Non-fossil sources reached 51.93% of India's installed power capacity at end-December 2025, surpassing the ~50%-by-2030 NDC target ahead of schedule; 38.61 GW of renewable capacity was added in 2025-26 up to 31 December 2025 - 30.16 GW solar, 4.47 GW wind, 3.24 GW hydro, 0.03 GW bio-power**** (Economic Survey 2025-26, Ch. 10).
- FACT: Per **IRENA's Renewable Energy Statistics 2025**, India ranks **fourth globally** in total installed renewable capacity (after China, the USA and Brazil).
- FACT: **Solar** grew roughly forty-five-fold, from about ****3 GW in 2014 to 135.81 GW by**

December 2025; PM Surya Ghar **had delivered** 8 GW of rooftop capacity **by December 2025**; 55 solar parks** with 39,973 MW sanctioned capacity were approved, of which 16,121 MW was installed.

- FACT: **Wind** stood at **54.51 GW (December 2025)** - the **fourth-highest** installed wind capacity in the world - with 4.74 GW added between April and December 2025, 30.04 GW under implementation, and 83.35 billion units generated in 2024-25. Viability Gap Funding supports **offshore** wind.

- FACT: **Nuclear**: India's installed nuclear capacity is about **8,780 MW**; the ****Nuclear Energy Mission (Union Budget 2025-26, Rs 20,000 crore) targets** at least five indigenously designed, operational Small Modular Reactors by 2033, **and the CEA roadmap projects** 100 GW of nuclear capacity by 2047 **through 700 MWe indigenous PHWRs, imported reactors, the Bharat Small Modular Reactor (BSMR-200) and SMR-55****.

- FACT: The ****SHANTI Act** (Sustainable Harnessing and Advancement of Nuclear Energy for Transforming India), December 2025, **consolidates and modifies the Atomic Energy Act, 1962 and the Civil Liability for Nuclear Damage Act, 2010 to permit** private-sector and state-government participation **in nuclear plant operation, generation, equipment manufacturing and research, and establishes a** graded liability framework** without diluting victim compensation.

- FACT: **Storage**: the CEA projects a requirement of about ****411 GWh** of battery energy storage by 2031-32; **the Advanced Chemistry Cell PLI covers** 50 GWh, **of which** 10 GWh** is earmarked for grid-scale storage.

7. UPSC traps

- WRONG: Green hydrogen and grey hydrogen are the same product with different names. -> They are produced through different processes (renewable-electricity electrolysis versus fossil-fuel-based processes) with very different lifecycle emissions profiles.

- WRONG: Green hydrogen is primarily intended to replace passenger electric vehicles. -> Battery-electric vehicles are generally more efficient for passenger transport; green hydrogen is strategically targeted at hard-to-abate sectors like steel, fertiliser and heavy/long-haul transport instead.

- WRONG: The National Green Hydrogen Mission targets 50 million metric tonnes per annum production by 2030. -> The target is 5 million metric tonnes per annum by 2030.

- WRONG: India's 51.93% non-fossil figure means more than half of India's electricity is generated from non-fossil sources. -> It is **installed capacity share** at end-December 2025; generation share is materially lower because solar and wind have lower capacity utilisation factors than thermal.

- WRONG: Nuclear power in India is closed to private participation. -> The ****SHANTI Act** (December 2025)** consolidates the Atomic Energy Act, 1962 and the CLNDA, 2010 and permits private-sector and state-government participation, with a graded liability framework.

- WRONG: Allocated green-hydrogen capacity means green hydrogen is being produced at that scale.

-> **862,000 tonnes per year allocated to 18 companies** is contracted intent; commissioned production is a separate figure.

- WRONG: Renewable-energy expansion and green-hydrogen production are independent, unrelated strategies. -> Green hydrogen's cost-competitiveness and climate benefit depend directly on the availability of cheap renewable electricity as an input.

- WRONG: Blue hydrogen has zero lifecycle greenhouse-gas emissions like green hydrogen. -> Blue hydrogen (fossil-fuel-based with carbon capture) still involves some emissions, depending on capture-rate efficiency, and is not equivalent to green hydrogen's near-zero profile.

8. CURRENT: Current anchor

- CURRENT: The National Green Hydrogen Mission (approved January 2023) targets 5 MMT per annum green-hydrogen production capacity by 2030, ~125 GW additional renewable capacity, over Rs 8 lakh crore in investment leverage, and significant annual greenhouse-gas abatement and job-creation goals, with a total financial outlay of approximately Rs 19,744 crore up to 2029-30.

- CURRENT: **NGHM progress as reported in Economic Survey 2025-26 (Ch. 10):** production capacity of **862,000 tonnes of green hydrogen per year** has been allocated to **18 companies**, and **15 firms have been awarded 3,000 MW of annual electrolyser manufacturing capacity**. Three Green Hydrogen Hubs have been designated - **Deendayal Port Authority (Gujarat)**, **V.O. Chidambaranar Port Authority (Tamil Nadu)** and **Paradip Port Authority (Odisha)**. ANALYSIS: Read these precisely: *allocated* and *awarded* capacity is contracted intent, **not** commissioned production.

- CURRENT: ****Non-fossil capacity milestone:** 51.93% of installed power capacity at end-December 2025, with **38.61 GW of renewable capacity added in 2025-26 up to 31 December 2025; India ranks** fourth globally** in installed renewable capacity per IRENA's *Renewable Energy Statistics 2025* (Economic Survey 2025-26, Ch. 10).

- CURRENT: **Bio-energy (as of October 2025):** biomass power and cogeneration at about ****9.82 GW** grid-connected **plus 0.935 GWeq off-grid; waste-to-energy at 309.34 MW** grid-connected **plus 546.28 MWeq off-grid**; 51.21 lakh small biogas plants** and 361 medium-sized biogas plants (aggregate 11.5 MW) installed.

- CURRENT: **Nuclear:** the **SHANTI Act, December 2025** opens nuclear generation and manufacturing to private and state participation; the **Nuclear Energy Mission** targets at least five indigenous SMRs by 2033 and the CEA roadmap projects **100 GW nuclear by 2047** from a base of about **8,780 MW** (Economic Survey 2025-26, Ch. 10, Box X.2).

- CURRENT: **The Survey's own list of remaining constraints:** high capital costs, land-acquisition delays, grid availability, the **material intensity** of solar and wind, **critical-mineral** access, and capital-intensive storage requirements - plus grid-stability risk under high variable-renewable output, which the Survey illustrates with international grid incidents.

ANALYSIS: **Interpretation caution:** green-hydrogen production costs and electrolyser-capacity figures are rapidly evolving with technology development - cite the specific source and date for any cost or capacity claim. Keep four statuses strictly apart: **target announced**, **capacity allocated/awarded**, **capacity commissioned**, and **output produced**. Most weak answers on this topic quote an allocation figure as though it were production.

9. PYQ application

- FACT: **2025 GS-III direct PYQ (150 words):** "How can India achieve energy independence through clean technology by 2047? How can biotechnology play a crucial role in this endeavour?" ANALYSIS: Two distinct demands. The **clean-technology** half is owned by this file (renewables, storage, nuclear/SHANTI Act, green hydrogen, grid and critical minerals); the **biotechnology** half needs bio-energy specifics - the National Bio-Energy Programme, compressed bio-gas, ethanol blending, enzymatic/algal routes to biofuels, and biomass cogeneration (9.82 GW grid-connected as of October 2025).

- FACT: **2025 GS-III cross-route (150 words):** the ITER/fusion question is a Science-and-Technology demand, but this file supplies the correct framing for why fusion sits **outside** the 2030-2047 energy-transition arithmetic - it is a post-2050 option, not a Panchamrit instrument.

- ANALYSIS: Recurring Prelims pattern: distinguish green, grey and blue hydrogen by production process and emissions profile, and identify the National Green Hydrogen Mission's key targets and the SIGHT Programme's function.

- ANALYSIS: Mains linkage: the hard-to-abate-sector rationale is used to argue for green hydrogen as a complement to, not substitute for, direct electrification and renewable-capacity expansion.

10. Mains angles

- ANALYSIS: Argue that green hydrogen's strategic value lies specifically in hard-to-abate sectors, and that indiscriminately promoting it for applications better served by direct electrification (e.g., passenger vehicles) would be an inefficient use of renewable electricity.

- ANALYSIS: Use the renewable-electricity-as-input dependency to argue that green-hydrogen success is structurally tied to continued renewable-capacity and grid-storage expansion.

- ANALYSIS: Conclude with a sequenced-strategy thesis: renewable-electricity expansion first,

enabling cost-competitive green hydrogen for hard-to-abate sectors second, together forming India's core energy-transition and industrial-decarbonisation pathway.

Answer thesis: Treat renewable-energy expansion and green-hydrogen development as sequentially linked, not independent strategies, and evaluate green hydrogen's role specifically by its fit for hard-to-abate sectors rather than as a universal decarbonisation solution.

11. Probable questions

- ANALYSIS: **Prelims:** Distinguish green, grey and blue hydrogen by production process and emissions profile.
- ANALYSIS: **Mains (10 marks):** Why is green hydrogen strategically targeted at hard-to-abate sectors rather than passenger transport?
- ANALYSIS: **Mains (15 marks):** Discuss how India's renewable-energy expansion underpins the feasibility of its National Green Hydrogen Mission targets.

12. Study links

- FACT: Advanced companion: advanced/25_Renewable-Energy-and-Green-Hydrogen.md.
- FACT: 20_India-Climate-Policy-NAPCC-Panchamrit-LTLEDS.md - the Panchamrit/LT-LEDS targets this energy transition implements.
- FACT: 21_Carbon-Markets-CCUS-and-Direct-Air-Capture.md - the complementary technology pathway for sectors less suited to hydrogen/electrification.
- FACT: 05_IUCN-Red-List-and-Endemism.md - the renewable-infrastructure-siting tension with Critically Endangered species habitat (e.g., Great Indian Bustard).
- FACT: ../Economy/basic/31_Energy-Infrastructure-Economics-Power-Fuels-and-Energy-Security.md
- tariffs, grids, DISCOMs, fuel security, investment and transition economics.

2026 PYQ Integration

Status: 2026 question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-PRELIMS-2026.md. **Answer-key rule:** The 2026 Prelims and CSAT Set-A keys held locally are **provisional**; no option or answer is recorded or inferred in this integration.

- **Year represented:** 2026
- **Paper(s):** Prelims GS-I
- **Routed question demands:** 1

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2026	Prelims GS-I	45	Green hydrogen production pathways and India's National Green Hydrogen Mission	Objective question; provisional 2026 Set-A key present locally, answer not inferred	Provisional 2026 Set-A key present locally (Ans-2026-GS1-Provisional); key is provisional - no answer letter recorded or inferred here	Cover the named fact/concept and its likely statement-level distinctions.

What this owner must now support

- Green hydrogen production pathways and India's National Green Hydrogen Mission

This block integrates the 2026 examinable demand and paper metadata. It is kept separate from the 2018-2023 and 2024-2025 blocks and does not convert a provisionally-keyed, answer-free objective question into a solved answer.

Recent PYQ Integration (2024-2025)

Status: 2024-2025 question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2024-2025.md, _PYQ-ROUTING-MAINS-GS3-GS4-2024-2025.md, _PYQ-ROUTING-PRELIMS-2024-2025.md. **Answer-key rule:** The official 2024-2025 Prelims Set-A keys are present in the repository and CSAT Set-A keys are supplied; even so, no option or answer is recorded or inferred in this integration.

- **Years represented:** 2024, 2025
- **Paper(s):** GS-I, GS-III, Prelims GS-I
- **Routed question demands:** 6

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2024	Prelims GS-I	27	Distributed Energy Resources (battery storage, biomass, fuel cells, rooftop solar)	Objective question; official Set-A key available locally, answer not inferred	Key available locally (official Set-A answer key present); answer not recorded here	Cover the named fact/concept and its likely statement-level distinctions.
2024	Prelims GS-I	38	'Pumped-storage hydropower' (long-duration energy storage)	Objective question; official Set-A key available locally, answer not inferred	Key available locally (official Set-A answer key present); answer not recorded here	Cover the named fact/concept and its likely statement-level distinctions.
2024	Prelims GS-I	46	Feedstock for Sustainable Aviation Fuel	Objective question; official Set-A key available locally, answer not inferred	Key available locally (official Set-A answer key present); answer not recorded here	Cover the named fact/concept and its likely statement-level distinctions.
2025	GS-I	6	Ecological and economic benefits of solar energy generation in India	Explain · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2025	GS-III	6	Energy independence by 2047 through clean tech; role of biotechnology	Discuss · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2025	Prelims GS-I	70	PM Surya Ghar Muft Bijli Yojana - solar rooftop	Objective question; official Set-A key available locally, answer not inferred	Key available locally (official Set-A answer key present); answer not recorded here	Cover the named fact/concept and its likely statement-level distinctions.

What this owner must now support

- Distributed Energy Resources (battery storage, biomass, fuel cells, rooftop solar)
- 'Pumped-storage hydropower' (long-duration energy storage)
- Feedstock for Sustainable Aviation Fuel
- Ecological and economic benefits of solar energy generation in India
- Energy independence by 2047 through clean tech; role of biotechnology
- PM Surya Ghar Muft Bijli Yojana - solar rooftop

This block integrates the 2024-2025 examinable demand and paper metadata. It is kept separate from the 2018-2023 block and does not convert an unkeyed/answer-free objective question into a solved answer.

13. Core answer architecture (10/15/20-mark support)

13.1 Direct demand - energy independence through clean technology and biotechnology (2025 GS-III, 10 marks)

Thesis: energy independence means reducing exposure to imported fossil fuels and concentrated supply chains through a reliable, diversified low-carbon system; it does not mean autarky or mere installation of renewable megawatts.

Lever	Claim -> named evidence/example -> significance	Trade-off/qualification
Clean electricity and reliability	Solar/wind plus transmission, demand response, battery/pumped storage and firm low-carbon capacity -> turns installed capacity into dependable supply; Economic Survey 2025-26 records 51.93% non-fossil <i>installed</i> capacity at end-December 2025.	Installed capacity is not generation/reliability; storage, minerals, land and grid constraints remain.
Industrial decarbonisation	National Green Hydrogen Mission/SIGHT -> renewable hydrogen can target fertiliser, refining and selected steel/shipping uses.	Allocated electrolyser/hydrogen capacity is not commissioned production; direct electrification is often preferable where feasible.
Biotechnology and bioenergy	National Bio-energy Programme: biomass, biogas and waste-to-energy; microbial/enzymatic conversion can turn non-food residues into advanced biofuels, and anaerobic digestion can produce biogas/CBG from organic waste.	Feedstock collection, land/food competition, methane leakage, local air pollution and lifecycle accounting determine whether a route is genuinely clean.
Bio-based innovation	DBT/BIRAC BioE3 supports high-performance biomanufacturing, bio-based chemicals/enzymes and carbon-capture/utilisation research.	BioE3 approval/proposals are enabling inputs, not proof of commercial energy output.

150-word spine: define energy independence -> clean-technology system (generation-grid-storage-efficiency) -> biotechnology/bioenergy routes -> constraints and a diversified-supply verdict. Use Science-and-Technology basic/13 for deeper biotech mechanisms; this Core section independently supplies the energy linkage.

13.2 15/20-mark energy-transition spine

Compare renewable capacity with dispatchability; add green hydrogen's hard-to-abate role, critical-mineral/circular-economy needs, species-sensitive siting (Great Indian Bustard example with current order status) and affordability/just-transition conditions. Conclude with **integration, not installation** as the 2026-2047 test.

13.3 Historical renewable-energy demand bank

Demand family	Core answer route	Qualification
Solar/wind potential and benefits	Resource endowment plus modular, fuel-free operation -> energy-access, emissions and import-dependence gains; then add land, variability, transmission/storage and local ecological constraints.	Do not infer actual generation from nameplate capacity or call all non-fossil power renewable.
Grid cooperation/Green Grid	Diverse time zones and resource profiles can reduce curtailment/reserve pressure; pair interconnection with domestic transmission, storage, cybersecurity and clear commercial rules.	A grid initiative is not itself delivered cross-border electricity; verify current participating instruments and projects.
Shift from fossil subsidies	Identify consumer protection, producer support and tax/price signals; sequence reform with clean alternatives, worker/region transition and grid investment.	"Phase down inefficient subsidies" is not a blanket instruction to remove all support, especially where energy access and equity remain at stake.

Historical PYQ Integration (2018-2023)

Status: Question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2018-2023.md, _PYQ-ROUTING-MAINS-GS3-GS4-2018-2023.md, _PYQ-ROUTING-PRELIMS-2018-2023.md. **Answer-key rule:** The official 2018-2023 Prelims/CSAT keys are not held locally; no option or answer has been inferred.

- **Years represented:** 2018, 2020, 2021, 2022, 2023
- **Paper(s):** GS-I, GS-III, Prelims GS-I
- **Routed question demands:** 11

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2018	Prelims GS-I	67	Solar power production silicon wafers and tariff regulation India	Objective question; official key unavailable locally	Cross-routed to solar-technology and energy-regulation owners; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2020	GS-I	16	Solar energy potential and its regional variations in India	Elaborate · 15 marks · 250 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2020	GS-III	16	Solar energy benefits versus conventional energy and government initiatives	Describe · 15 marks · 250 words	Cross-routed to renewable-technology and exam-complete Core energy-infrastructure owner	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2020	Prelims GS-I	84	Biofuels raw materials permitted under National Policy	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2020	Prelims GS-I	88	Solar water pumps surface submersible centrifugal piston types	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2021	GS-III	6	Green Grid Initiative purpose at COP26 and ISA origin	Explain · 10 marks · 150 words	Cross-routed to climate/solar and exam-complete Core grid-integration owners	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2022	GS-I	7	Wind energy potential in India and its limited spatial spread	Examine and explain · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2022	GS-III	12	Renewable energy 2030 target and shift from fossil fuel subsidies	Justify · 15 marks · 250 words	Cross-routed to climate-transition and exam-complete Core subsidy/energy-market owner	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2022	Prelims GS-I	84	Solar parks floating solar and airport projects Indian states	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2023	Prelims GS-I	60	Green hydrogen applications fuel blending and fuel cells	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2023	Prelims GS-I	99	Green hydrogen decarbonizing fertilizer oil refinery steel industries	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.

What this owner must now support

- Solar power production silicon wafers and tariff regulation India
- Solar energy potential and its regional variations in India
- Solar energy benefits versus conventional energy and government initiatives
- Biofuels raw materials permitted under National Policy
- Solar water pumps surface submersible centrifugal piston types
- Green Grid Initiative purpose at COP26 and ISA origin
- Wind energy potential in India and its limited spatial spread
- Renewable energy 2030 target and shift from fossil fuel subsidies
- Solar parks floating solar and airport projects Indian states
- Green hydrogen applications fuel blending and fuel cells
- Green hydrogen decarbonizing fertilizer oil refinery steel industries

The table integrates the examinable demand and paper metadata. It does not turn an unkeyed objective question into a solved answer, and it does not claim that lexical presence alone proves full conceptual sufficiency.

CLOSING RECALL FLOW - CORE SYNTHESIS - MISSION SIGHT EVIDENCE AND CURRENT-DATA AUDIT

START / CONCEPT: CORE SYNTHESIS - Mission SIGHT evidence and current-data audit

|
v

EXACT TERMS: CORE SYNTHESIS · Mission SIGHT evidence · current-data audit · Mechanism chain · Qualified use · Subject

|
v

MECHANISM / ARGUMENT: Mechanism chain: SIGHT-dual-pillar boundary - Current evidence boundary
Qualified use: Close with dated official target, award, commission, production and certification evidence.

|
v

CONSEQUENCE / CONTRAST: The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical.

|
v

UPSC TRAP / ANSWER-USE: Technology demand, but this file supplies the correct framing for why fusion sits outside the 2030-2047 energy-transition arithmetic - it is a post-2050 option, not a Panchamrit instrument. ANALYSIS: Recurring Prelims pattern: distinguish green, grey and blue hydrogen by production process and emissions profile, and identify the National Green Hydrogen Mission's key targets and the SIGHT Programme's function. ANALYSIS: Mains linkage: the hard-to-abate-sector rationale is used to argue for green hydrogen as a complement to, not substitute for, direct electrification and renewable-capacity expansion.

|
v

ANSWER-GRABBING FORMULATION: FACT: Green hydrogen is produced via electrolysis powered by renewable electricity, distinguishing it from grey hydrogen (fossil-fuel-based, no capture) and blue hydrogen (fossil-fuel-based, with carbon capture). FACT: The National Green Hydrogen Mission, approved in January 2023, targets 5 million metric tonnes per annum of green-hydrogen production capacity by 2030. FACT: The SIGHT Programme is the National Green Hydrogen Mission's key financial-incentive scheme for electrolyser manufacturing and green-hydrogen production. FACT: Green hydrogen is strategically targeted at hard-to-abate sectors (steel, fertiliser, refining, heavy transport, shipping) where direct electrification is technically difficult. FACT: India's renewable-energy expansion (solar, wind) is the foundational input enabling cost-competitive green-hydrogen production. FACT: Non-fossil sources reached 51.93% of India's installed power capacity at end-December capacity was added in 2025-26 up to 31 December 2025 - 30.16 GW solar, 4.47 GW wind, 3.24 GW hydro, 0.03 GW bio-power (Economic Survey 2025-26, Ch.

BASIC MCQS / REMEDIATION

Q1. Which statement correctly identifies Capacity-generation boundary?

A. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. B. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. C. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. D. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.

Answer: A. Explanation: Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q2. Which option preserves the ecological boundary of Capacity-generation boundary?

A. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. B. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. C. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. D. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

Answer: B. Explanation: Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q3. Which statement uses Capacity-generation boundary without changing its scale, parameter or status?

A. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. B. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. C. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. D. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

Answer: C. Explanation: Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q4. Which option avoids the standard UPSC close-option trap about Capacity-generation boundary?

A. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. B. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. C. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. D. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply.

Answer: D. Explanation: Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q5. Which statement correctly identifies Renewable-non-fossil boundary?

A. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. B. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. C. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. D. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness.

Answer: A. Explanation: Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q6. Which option preserves the ecological boundary of Renewable-non-fossil boundary?

A. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. B. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. C. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. D. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

Answer: B. Explanation: Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q7. Which statement uses Renewable-non-fossil boundary without changing its scale, parameter or status?

A. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. B. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. C. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. D. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source.

Answer: C. Explanation: Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q8. Which option avoids the standard UPSC close-option trap about Renewable-non-fossil boundary?

A. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. B. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. C. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. D. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.

Answer: D. Explanation: Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q9. Which statement correctly identifies Source-carrier boundary?

A. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. B. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. C. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. D. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

Answer: A. Explanation: Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q10. Which option preserves the ecological boundary of Source-carrier boundary?

A. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. B. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. C. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. D. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

Answer: B. Explanation: Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q11. Which statement uses Source-carrier boundary without changing its scale, parameter or status?

A. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. B. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. C. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. D. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another.

Answer: C. Explanation: Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. The other

options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q12. Which option avoids the standard UPSC close-option trap about Source-carrier boundary?

A. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. B. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. C. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. D. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.

Answer: D. Explanation: Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q13. Which statement correctly identifies Variable-firm distinction?

A. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. B. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. C. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. D. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence.

Answer: A. Explanation: Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q14. Which option preserves the ecological boundary of Variable-firm distinction?

A. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. B. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. C. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. D. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another.

Answer: B. Explanation: Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q15. Which statement uses Variable-firm distinction without changing its scale, parameter or status?

A. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. B. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. C. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. D. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence.

Answer: C. Explanation: Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q16. Which option avoids the standard UPSC close-option trap about Variable-firm distinction?

A. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. B. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. C. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. D. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness.

Answer: D. Explanation: Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q17. Which statement correctly identifies Integration chain?

A. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. B. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. C. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. D. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence.

Answer: A. Explanation: A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q18. Which option preserves the ecological boundary of Integration chain?

A. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. B. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. C. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. D. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another.

Answer: B. Explanation: A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q19. Which statement uses Integration chain without changing its scale, parameter or status?

A. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. B. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. C. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. D. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance.

Answer: C. Explanation: A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q20. Which option avoids the standard UPSC close-option trap about Integration chain?

A. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. B. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. C. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. D. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

Answer: D. Explanation: A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q21. Which statement correctly identifies Storage boundary?

A. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. B. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. C. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. D. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen.

Answer: A. Explanation: Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q22. Which option preserves the ecological boundary of Storage boundary?

A. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. B. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. C. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. D. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another.

Answer: B. Explanation: Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q23. Which statement uses Storage boundary without changing its scale, parameter or status?

A. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. B. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. C. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. D. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance.

Answer: C. Explanation: Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q24. Which option avoids the standard UPSC close-option trap about Storage boundary?

A. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. B. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. C. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. D. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source.

Answer: D. Explanation: Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q25. Which statement correctly identifies Target-achievement boundary?

A. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. B. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. C. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. D. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen.

Answer: A. Explanation: A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q26. Which option preserves the ecological boundary of Target-achievement boundary?

A. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. B. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. C. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. D. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen.

Answer: B. Explanation: A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q27. Which statement uses Target-achievement boundary without changing its scale, parameter or status?

A. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. B. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. C. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. D. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.

Answer: C. Explanation: A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q28. Which option avoids the standard UPSC close-option trap about Target-achievement boundary?

A. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. B. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. C. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. D. A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence.

Answer: D. Explanation: A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q29. Which statement correctly identifies Status-verb discipline?

A. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. B. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. C. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. D. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.

Answer: A. Explanation: Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q30. Which option preserves the ecological boundary of Status-verb discipline?

A. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. B. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. C. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. D. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.

Answer: B. Explanation: Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q31. Which statement uses Status-verb discipline without changing its scale, parameter or status?

A. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. B. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. C. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. D. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.

Answer: C. Explanation: Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q32. Which option avoids the standard UPSC close-option trap about Status-verb discipline?

A. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. B. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. C. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. D. Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another.

Answer: D. Explanation: Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q33. Which statement correctly identifies Electrolysis pathway?

A. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. B. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. C. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. D. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance.

Answer: A. Explanation: Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q34. Which option preserves the ecological boundary of Electrolysis pathway?

A. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. B. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. C. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. D. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence.

Answer: B. Explanation: Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q35. Which statement uses Electrolysis pathway without changing its scale, parameter or status?

A. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. B. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. C. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. D. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter.

Answer: C. Explanation: Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q36. Which option avoids the standard UPSC close-option trap about Electrolysis pathway?

A. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. B. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. C. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. D. Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen.

Answer: D. Explanation: Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q37. Which statement correctly identifies Label-standard-certification boundary?

A. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. B. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. C. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. D. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.

Answer: A. Explanation: A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q38. Which option preserves the ecological boundary of Label-standard-certification boundary?

A. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. B. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. C. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. D. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter.

Answer: B. Explanation: A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q39. Which statement uses Label-standard-certification boundary without changing its scale, parameter or status?

A. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. B. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. C. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. D. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.

Answer: C. Explanation: A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q40. Which option avoids the standard UPSC close-option trap about Label-standard-certification boundary?

A. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. B. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. C. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. D. A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance.

Answer: D. Explanation: A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q41. Which statement correctly identifies Hydrogen-colour boundary?

A. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. B. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. C. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. D. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence.

Answer: A. Explanation: Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q42. Which option preserves the ecological boundary of Hydrogen-colour boundary?

A. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. B. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. C. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. D. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed.

Answer: B. Explanation: Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q43. Which statement uses Hydrogen-colour boundary without changing its scale, parameter or status?

A. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. B. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. C. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. D. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.

Answer: C. Explanation: Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q44. Which option avoids the standard UPSC close-option trap about Hydrogen-colour boundary?

A. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. B. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. C. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. D. Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture

performance or official standard.

Answer: D. Explanation: Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q45. Which statement correctly identifies Electricity-attribute boundary?

A. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. B. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. C. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. D. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.

Answer: A. Explanation: Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q46. Which option preserves the ecological boundary of Electricity-attribute boundary?

A. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. B. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. C. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. D. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.

Answer: B. Explanation: Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q47. Which statement uses Electricity-attribute boundary without changing its scale, parameter or status?

A. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. B. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. C. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. D. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.

Answer: C. Explanation: Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q48. Which option avoids the standard UPSC close-option trap about Electricity-attribute boundary?

A. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. B. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. C. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. D. Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence.

Answer: D. Explanation: Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q49. Which statement correctly identifies Direct-electrification test?

A. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. B. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. C. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. D. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.

Answer: A. Explanation: Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q50. Which option preserves the ecological boundary of Direct-electrification test?

A. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. B. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. C. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. D. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.

Answer: B. Explanation: Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q51. Which statement uses Direct-electrification test without changing its scale, parameter or status?

A. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. B. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. C. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. D. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.

Answer: C. Explanation: Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q52. Which option avoids the standard UPSC close-option trap about Direct-electrification test?

A. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. B. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. C. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. D. Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter.

Answer: D. Explanation: Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q53. Which statement correctly identifies Hard-to-abate fit?

A. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. B. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. C. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. D. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.

Answer: A. Explanation: Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q54. Which option preserves the ecological boundary of Hard-to-abate fit?

A. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. B. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. C. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. D. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.

Answer: B. Explanation: Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q55. Which statement uses Hard-to-abate fit without changing its scale, parameter or status?

A. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. B. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. C. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. D. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages.

Answer: C. Explanation: Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q56. Which option avoids the standard UPSC close-option trap about Hard-to-abate fit?

A. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. B. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. C. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. D. Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed.

Answer: D. Explanation: Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q57. Which statement correctly identifies Derivative boundary?

A. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. B. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. C. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. D. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages.

Answer: A. Explanation: Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q58. Which option preserves the ecological boundary of Derivative boundary?

A. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. B. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. C. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. D. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages.

Answer: B. Explanation: Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q59. Which statement uses Derivative boundary without changing its scale, parameter or status?

A. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. B. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. C. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. D. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages.

Answer: C. Explanation: Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q60. Which option avoids the standard UPSC close-option trap about Derivative boundary?

A. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. B. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. C. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. D. Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.

Answer: D. Explanation: Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q61. Which statement correctly identifies Water-context boundary?

A. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. B. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. C. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. D. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical.

Answer: A. Explanation: Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q62. Which option preserves the ecological boundary of Water-context boundary?

A. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. B. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. C. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. D. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

Answer: B. Explanation: Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. The other options belong to different media, parameters, processes, scales, actors,

Q63. Which statement uses Water-context boundary without changing its scale, parameter or status?

A. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. B. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. C. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. D. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

Answer: C. Explanation: Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q64. Which option avoids the standard UPSC close-option trap about Water-context boundary?

A. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. B. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. C. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. D. Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.

Answer: D. Explanation: Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q65. Which statement correctly identifies Safety-and-logistics boundary?

A. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. B. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. C. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. D. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

Answer: A. Explanation: Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q66. Which option preserves the ecological boundary of Safety-and-logistics boundary?

A. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. B. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. C. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. D. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical.

Answer: B. Explanation: Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q67. Which statement uses Safety-and-logistics boundary without changing its scale, parameter or status?

A. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. B. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. C. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. D. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.

Answer: C. Explanation: Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q68. Which option avoids the standard UPSC close-option trap about Safety-and-logistics boundary?

A. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. B. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. C. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. D. Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.

Answer: D. Explanation: Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q69. Which statement correctly identifies Mission-target-outcome boundary?

A. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. B. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. C. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. D. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

Answer: A. Explanation: A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q70. Which option preserves the ecological boundary of Mission-target-outcome boundary?

A. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. B. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. C. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. D. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply.

Answer: B. Explanation: A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q71. Which statement uses Mission-target-outcome boundary without changing its scale, parameter or status?

A. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. B. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. C. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. D. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.

Answer: C. Explanation: A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q72. Which option avoids the standard UPSC close-option trap about Mission-target-outcome boundary?

A. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. B. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. C. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. D. A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages.

Answer: D. Explanation: A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q73. Which statement correctly identifies SIGHT-dual-pillar boundary?

A. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. B. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. C. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. D. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

Answer: A. Explanation: The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q74. Which option preserves the ecological boundary of SIGHT-dual-pillar boundary?

A. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. B. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. C. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. D. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.

Answer: B. Explanation: The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q75. Which statement uses SIGHT-dual-pillar boundary without changing its scale, parameter or status?

A. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. B. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. C. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. D. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.

Answer: C. Explanation: The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q76. Which option avoids the standard UPSC close-option trap about SIGHT-dual-pillar boundary?

A. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. B. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. C. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. D. The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical.

Answer: D. Explanation: The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not

identical. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q77. Which statement correctly identifies Current evidence boundary?

A. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. B. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. C. Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. D. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.

Answer: A. Explanation: Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q78. Which option preserves the ecological boundary of Current evidence boundary?

A. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. B. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. C. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. D. Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.

Answer: B. Explanation: Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q79. Which statement uses Current evidence boundary without changing its scale, parameter or status?

A. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. B. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. C. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. D. Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.

Answer: C. Explanation: Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

Q80. Which option avoids the standard UPSC close-option trap about Current evidence boundary?

A. Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. B. Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. C. A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. D. Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

Answer: D. Explanation: Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. The other options belong to different media, parameters, processes, scales, actors, institutions, instruments or status categories.

PYQS AND ANSWER PRACTICE

AUDITED RENEWABLE, GRID, STORAGE, HYDROGEN AND ENERGY-INDEPENDENCE PYQ OWNERSHIP

Audited ledgers route renewable, solar, wind, grid, storage, bioenergy and hydrogen demands. No provisional objective key, installed-capacity value, generation figure, cost or achieved mission outcome is inferred.

OWNER PYQ LEDGER EXTRACTS

9. PYQ application

- FACT: **2025 GS-III direct PYQ (150 words):** "How can India achieve energy independence through clean technology by 2047? How can biotechnology play a crucial role in this endeavour?" ANALYSIS: Two distinct demands. The **clean-technology** half is owned by this file (renewables, storage, nuclear/SHANTI Act, green hydrogen, grid and critical minerals); the **biotechnology** half needs bio-energy specifics - the National Bio-Energy Programme, compressed bio-gas, ethanol blending, enzymatic/algal routes to biofuels, and biomass cogeneration (9.82 GW grid-connected as of October 2025).

- FACT: **2025 GS-III cross-route (150 words):** the ITER/fusion question is a Science-and-Technology demand, but this file supplies the correct framing for why fusion sits **outside** the 2030-2047 energy-transition arithmetic - it is a post-2050 option, not a Panchamrit instrument.

- ANALYSIS: Recurring Prelims pattern: distinguish green, grey and blue hydrogen by production process and emissions profile, and identify the National Green Hydrogen Mission's key targets and the SIGHT Programme's function.

- ANALYSIS: Mains linkage: the hard-to-abate-sector rationale is used to argue for green hydrogen as a complement to, not substitute for, direct electrification and renewable-capacity expansion.

2026 PYQ Integration

Status: 2026 question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-PRELIMS-2026.md. **Answer-key rule:** The 2026 Prelims and CSAT Set-A keys held locally are **provisional**; no option or answer is recorded or inferred in this integration.

- **Year represented:** 2026
- **Paper(s):** Prelims GS-I
- **Routed question demands:** 1

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2026	Prelims GS-I	45	Green hydrogen production pathways and India's National Green Hydrogen Mission	Objective question; provisional 2026 Set-A key present locally, answer not inferred	Provisional 2026 Set-A key present locally (Ans - 2026-GS1-Provisional); key is provisional - no answer letter recorded or inferred here	Cover the named fact/concept and its likely statement-level distinctions.

What this owner must now support

- Green hydrogen production pathways and India's National Green Hydrogen Mission

This block integrates the 2026 examinable demand and paper metadata. It is kept separate from the 2018-2023 and 2024-2025 blocks and does not convert a provisionally-keyed, answer-free objective question into a solved answer.

Recent PYQ Integration (2024-2025)

Status: 2024-2025 question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2024-2025.md, _PYQ-ROUTING-MAINS-GS3-GS4-2024-2025.md, _PYQ-ROUTING-PRELIMS-2024-2025.md. **Answer-key rule:** The official 2024-2025 Prelims Set-A keys are present in the repository and CSAT Set-A keys are supplied; even so, no option or answer is recorded or inferred in this integration.

- **Years represented:** 2024, 2025
- **Paper(s):** GS-I, GS-III, Prelims GS-I
- **Routed question demands:** 6

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2024	Prelims GS-I	27	Distributed Energy Resources (battery storage, biomass, fuel cells, rooftop solar)	Objective question; official Set-A key available locally, answer not inferred	Key available locally (official Set-A answer key present); answer not recorded here	Cover the named fact/concept and its likely statement-level distinctions.
2024	Prelims GS-I	38	'Pumped-storage hydropower' (long-duration energy storage)	Objective question; official Set-A key available locally, answer not inferred	Key available locally (official Set-A answer key present); answer not recorded here	Cover the named fact/concept and its likely statement-level distinctions.
2024	Prelims GS-I	46	Feedstock for Sustainable Aviation Fuel	Objective question; official Set-A key available locally, answer not inferred	Key available locally (official Set-A answer key present); answer not recorded here	Cover the named fact/concept and its likely statement-level distinctions.
2025	GS-I	6	Ecological and economic benefits of solar energy generation in India	Explain · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2025	GS-III	6	Energy independence by 2047 through clean tech; role of biotechnology	Discuss · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2025	Prelims GS-I	70	PM Surya Ghar Muft Bijli Yojana - solar rooftop	Objective question; official Set-A key available locally, answer not inferred	Key available locally (official Set-A answer key present); answer not recorded here	Cover the named fact/concept and its likely statement-level distinctions.

What this owner must now support

- Distributed Energy Resources (battery storage, biomass, fuel cells, rooftop solar)
- 'Pumped-storage hydropower' (long-duration energy storage)

- Feedstock for Sustainable Aviation Fuel
- Ecological and economic benefits of solar energy generation in India
- Energy independence by 2047 through clean tech; role of biotechnology
- PM Surya Ghar Muft Bijli Yojana - solar rooftop

This block integrates the 2024-2025 examinable demand and paper metadata. It is kept separate from the 2018-2023 block and does not convert an unkeyed/answer-free objective question into a solved answer.

Historical PYQ Integration (2018-2023)

Status: Question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2018-2023.md, _PYQ-ROUTING-MAINS-GS3-GS4-2018-2023.md, _PYQ-ROUTING-PRELIMS-2018-2023.md. **Answer-key rule:** The official 2018-2023 Prelims/CSAT keys are not held locally; no option or answer has been inferred.

- **Years represented:** 2018, 2020, 2021, 2022, 2023
- **Paper(s):** GS-I, GS-III, Prelims GS-I
- **Routed question demands:** 11

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2018	Prelims GS-I	67	Solar power production silicon wafers and tariff regulation India	Objective question; official key unavailable locally	Cross-routed to solar-technology and energy-regulation owners; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2020	GS-I	16	Solar energy potential and its regional variations in India	Elaborate · 15 marks · 250 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2020	GS-III	16	Solar energy benefits versus conventional energy and government initiatives	Describe · 15 marks · 250 words	Cross-routed to renewable-technology and exam-complete Core energy-infrastructure owner	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2020	Prelims GS-I	84	Biofuels raw materials permitted under National Policy	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2020	Prelims GS-I	88	Solar water pumps surface submersible centrifugal piston types	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2021	GS-III	6	Green Grid Initiative purpose at COP26 and ISA origin	Explain · 10 marks · 150 words	Cross-routed to climate/solar and exam-complete Core grid-integration owners	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2022	GS-I	7	Wind energy potential in India and its limited spatial spread	Examine and explain · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2022	GS-III	12	Renewable energy 2030 target and shift from fossil fuel subsidies	Justify · 15 marks · 250 words	Cross-routed to climate-transition and exam-complete Core subsidy/energy-market owner	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2022	Prelims GS-I	84	Solar parks floating solar and airport projects Indian states	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2023	Prelims GS-I	60	Green hydrogen applications fuel blending and fuel cells	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2023	Prelims GS-I	99	Green hydrogen decarbonizing fertilizer oil refinery steel industries	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.

What this owner must now support

- Solar power production silicon wafers and tariff regulation India
- Solar energy potential and its regional variations in India
- Solar energy benefits versus conventional energy and government initiatives
- Biofuels raw materials permitted under National Policy
- Solar water pumps surface submersible centrifugal piston types
- Green Grid Initiative purpose at COP26 and ISA origin
- Wind energy potential in India and its limited spatial spread
- Renewable energy 2030 target and shift from fossil fuel subsidies
- Solar parks floating solar and airport projects Indian states
- Green hydrogen applications fuel blending and fuel cells
- Green hydrogen decarbonizing fertilizer oil refinery steel industries

The table integrates the examinable demand and paper metadata. It does not turn an unkeyed objective question into a solved answer, and it does not claim that lexical presence alone proves full conceptual sufficiency.

10. PYQ-based analytical application

- ANALYSIS: Prelims questions on green/grey/blue hydrogen distinctions or National Green Hydrogen

Mission targets should be answered by applying the precise process/target definitions.

- ANALYSIS: Mains answers on "India's energy transition" should explicitly engage the intermittency/storage challenge and the renewable-siting-versus-species-habitat tension to demonstrate analytical depth beyond describing capacity-addition targets.

Historical PYQ Integration (2018-2023)

Status: Question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2018-2023.md, _PYQ-ROUTING-MAINS-GS3-GS4-2018-2023.md.

- **Years represented:** 2020, 2021, 2022
- **Paper(s):** GS-I, GS-III
- **Routed question demands:** 5

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2020	GS-I	16	Solar energy potential and its regional variations in India	Elaborate · 15 marks · 250 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2020	GS-III	16	Solar energy benefits versus conventional energy and government initiatives	Describe · 15 marks · 250 words	Cross-routed to renewable-technology and exam-complete Core energy-infrastructure owner	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2021	GS-III	6	Green Grid Initiative purpose at COP26 and ISA origin	Explain · 10 marks · 150 words	Cross-routed to climate/solar and exam-complete Core grid-integration owners	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2022	GS-I	7	Wind energy potential in India and its limited spatial spread	Examine and explain · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2022	GS-III	12	Renewable energy 2030 target and shift from fossil fuel subsidies	Justify · 15 marks · 250 words	Cross-routed to climate-transition and exam-complete Core subsidy/energy-market owner	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.

What this owner must now support

- Solar energy potential and its regional variations in India
- Solar energy benefits versus conventional energy and government initiatives
- Green Grid Initiative purpose at COP26 and ISA origin
- Wind energy potential in India and its limited spatial spread
- Renewable energy 2030 target and shift from fossil fuel subsidies

The table integrates the examinable demand and paper metadata. It does not turn an unkeyed objective question into a solved answer, and it does not claim that lexical presence alone proves full conceptual sufficiency.

PYQ DEMAND CARD 1 - 2025 GS-I

Demand: Explain ecological and economic benefits of solar energy generation in India.

Status: Verified routed Mains demand; no current capacity or generation value is inferred.

Model solution: Capacity-generation boundary: Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. **Variable-firm distinction:** Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. **Integration chain:** A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. **Target-achievement boundary:** A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. **Current evidence boundary:** Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. The answer therefore separates definition, mechanism, evidence and limitation, and does not infer an official model answer or objective key.

PYQ DEMAND CARD 2 - 2025 GS-III

Demand: Explain how clean technology can support energy independence and the role of biotechnology.

Status: Verified routed Mains demand; this topic owns the renewable-grid-hydrogen half only.

Model solution: Capacity-generation boundary: Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. **Renewable-non-fossil boundary:** Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.

Integration chain: A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

Direct-electrification test: Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter.

Hard-to-abate fit: Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed.

Mission-target-outcome boundary: A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. **Current**

evidence boundary: Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. The answer therefore separates definition, mechanism, evidence and limitation, and does not infer an official model answer or objective key.

ORIGINAL MAINS 1 - 10 MARKS

Question: Distinguish renewable installed capacity, generation and reliable supply. Answer in about 150 words.

Model thesis: Claim: Capacity-generation boundary. **Named evidence/example:** Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Variable-firm distinction. **Named evidence/example:** Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Integration chain. **Named evidence/example:** A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Storage boundary. **Named evidence/example:** Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply.
- Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness.

- A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.
- Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source.

Qualified conclusion: Claim: Capacity-generation boundary. **Named evidence/example:** Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Variable-firm distinction. **Named evidence/example:** Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Integration chain. **Named evidence/example:** A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Storage boundary. **Named evidence/example:** Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 2 - 10 MARKS

Question: Explain the electrolysis pathway and the evidence needed for a green-hydrogen claim. Answer in about 150 words.

Model thesis: Claim: Electrolysis pathway. **Named evidence/example:** Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Label-standard-certification boundary. **Named evidence/example:** A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Hydrogen-colour boundary. **Named evidence/example:** Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Electricity-attribute boundary. **Named evidence/example:** Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen.
- A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance.
- Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.
- Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence.

Qualified conclusion: Claim: Electrolysis pathway. **Named evidence/example:** Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Label-standard-certification boundary.

Named evidence/example: A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Hydrogen-colour boundary. **Named evidence/example:** Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Electricity-attribute boundary. **Named evidence/example:** Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 3 - 15 MARKS

Question: Assess grid integration requirements for variable renewable energy. Answer in about 250 words.

Model thesis: Claim: Capacity-generation boundary. **Named evidence/example:** Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Variable-firm distinction. **Named evidence/example:** Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Integration chain. **Named evidence/example:** A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Storage boundary. **Named**

evidence/example: Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Target-achievement boundary. **Named evidence/example:** A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply.
- Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness.
- A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.
- Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source.
- A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence.

Qualified conclusion: Claim: Capacity-generation boundary. **Named evidence/example:** Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Variable-firm distinction. **Named evidence/example:** Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Integration chain. **Named evidence/example:** A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Storage boundary. **Named evidence/example:** Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Target-achievement boundary. **Named evidence/example:** A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 4 - 15 MARKS

Question: Explain why hydrogen should be targeted selectively at hard-to-abate uses. Answer in about 250 words.

Model thesis: **Claim:** Direct-electrification test. **Named evidence/example:** Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Hard-to-abate fit. **Named evidence/example:** Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Derivative boundary. **Named evidence/example:** Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Safety-and-logistics boundary. **Named evidence/example:** Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter.
- Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed.
- Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.
- Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.

Qualified conclusion: **Claim:** Direct-electrification test. **Named evidence/example:** Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Hard-to-abate fit. **Named evidence/example:** Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Derivative boundary. **Named evidence/example:** Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:**

Safety-and-logistics boundary. **Named evidence/example:** Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 5 - 20 MARKS

Question: Evaluate the National Green Hydrogen Mission through target-to-outcome discipline. Answer in about 300 words.

Model thesis: Claim: Target-achievement boundary. **Named evidence/example:** A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Status-verb discipline. **Named evidence/example:** Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Label-standard-certification boundary. **Named evidence/example:** A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Mission-target-outcome boundary. **Named evidence/example:** A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** SIGHT-dual-pillar boundary. **Named evidence/example:** The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Current evidence boundary. **Named evidence/example:** Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence.
- Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another.
- A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance.
- A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages.

- The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical.
- Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

Qualified conclusion: Claim: Target-achievement boundary. **Named evidence/example:** A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Status-verb discipline. **Named evidence/example:** Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Label-standard-certification boundary. **Named evidence/example:** A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Mission-target-outcome boundary. **Named evidence/example:** A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** SIGHT-dual-pillar boundary. **Named evidence/example:** The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Current evidence boundary. **Named evidence/example:** Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

ORIGINAL MAINS 6 - 20 MARKS

Question: Design a sequenced renewable-electricity-to-green-hydrogen transition strategy. Answer in about 300 words.

Model thesis: Claim: Capacity-generation boundary. **Named evidence/example:** Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Renewable-non-fossil boundary. **Named evidence/example:** Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Source-carrier boundary. **Named evidence/example:** Renewable electricity is an energy source output, while

hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Integration chain. **Named evidence/example:** A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Electrolysis pathway. **Named evidence/example:** Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Direct-electrification test. **Named evidence/example:** Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Hard-to-abate fit. **Named evidence/example:** Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Water-context boundary. **Named evidence/example:** Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Safety-and-logistics boundary. **Named evidence/example:** Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Current evidence boundary. **Named evidence/example:** Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

Claim -> named evidence -> analysis -> qualification:

- Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply.
- Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.
- Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.
- A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints.

- Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen.
- Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter.
- Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed.
- Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.
- Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.
- Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

Qualified conclusion: Claim: Capacity-generation boundary. **Named evidence/example:** Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Renewable-non-fossil boundary. **Named evidence/example:** Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Source-carrier boundary. **Named evidence/example:** Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Integration chain. **Named evidence/example:** A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability constraints. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Electrolysis pathway. **Named evidence/example:** Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Direct-electrification test. **Named evidence/example:** Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Hard-to-abate fit. **Named evidence/example:** Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Water-context boundary. **Named evidence/example:** Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand

and management; no universal water-impact value should be inferred. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Safety-and-logistics boundary. **Named evidence/example:** Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner. **Claim:** Current evidence boundary. **Named evidence/example:** Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source. **Analysis:** This identifies the environmental mechanism, system boundary, measured parameter, responsible actor and causal link that make the claim examinable. **Qualification:** The conclusion must retain the source's ecological or regulatory scale, temporal stage, rule vintage, legal status, metric and evidence boundary rather than generalise beyond the owner.

OPTIONAL ADVANCED DEPTH - NOT REQUIRED FOR A CORE ANSWER

Subject: Environment and Ecology | **Tier:** Advanced | **GS Paper:** GS-III (Environment/Infrastructure) + Prelims. **Core area:** India's energy-transition policy architecture. **Grounded in:** National Green Hydrogen Mission full policy document (2023); MNRE renewable-capacity and storage-policy framework; Supreme Court Great Indian Bustard proceedings on renewable-infrastructure siting; audited UPSC Environment PYQs (2024-2026 Prelims and 2024-2025 Mains). **FACT:** = source-grounded | **ANALYSIS:** = inference/analysis | **CURRENT:** = dated current-affairs anchor. **Companion:** basic/25_Renewable-Energy-and-Green-Hydrogen.md.

1. Why intermittency, not generation capacity, is the advanced-level bottleneck

ANALYSIS: The most important advanced-level insight: India's renewable-energy challenge has shifted from "can we build enough solar/wind capacity" (increasingly solved, given rapidly falling costs and rising installed capacity) to "can we manage the *intermittency* of that capacity" - solar and wind generation is variable and non-dispatchable (it does not generate on demand), requiring storage (battery, pumped-hydro), demand-response mechanisms, and grid-balancing infrastructure to translate installed capacity into reliable, round-the-clock power. A Mains answer that treats "GW of renewable capacity installed" as a sufficient success metric misses this crucial capacity-versus-reliable-supply distinction.

2. Green hydrogen economics: the cost-competitiveness threshold problem

1. **ANALYSIS:** Green hydrogen's cost today remains generally higher than grey hydrogen (fossil-fuel-based, without carbon capture) in most markets, primarily due to electrolyser capital costs and the cost of the renewable electricity input itself - meaning green hydrogen's large-scale adoption depends on a favourable combination of falling electrolyser costs (through manufacturing scale, the SIGHT Programme's stated aim) and falling renewable- electricity costs (through continued solar/wind cost declines and improved capacity utilisation).

2. **ANALYSIS: Analytical point:** the "green hydrogen cost-competitiveness threshold" (the point at which green hydrogen becomes cost-competitive with grey hydrogen without subsidy) is a moving target dependent on both technology-cost trajectories and, importantly, on carbon pricing/regulation that would raise grey hydrogen's effective cost by pricing its emissions - linking green-hydrogen viability directly to carbon-market development (Topic 21) and international carbon-border mechanisms (e.g., the EU's Carbon Border Adjustment Mechanism, which could affect the competitiveness of Indian exports produced using grey- versus green-hydrogen-based processes).

3. **ANALYSIS:** India's SIGHT Programme structure (incentivising both electrolyser manufacturing and hydrogen production) reflects a deliberate industrial-policy choice to build domestic electrolyser manufacturing capability (reducing import dependency and potentially enabling export competitiveness) alongside demand-side production incentives - a two-pronged approach distinct from simply subsidising hydrogen purchase.

3. The renewable-infrastructure-siting tension: a genuine, quantifiable trade-off

- **ANALYSIS:** Large-scale solar and wind infrastructure requires substantial land area and, for wind

turbines and associated transmission lines, can pose collision risk to birds - most prominently examined in India in relation to the Critically Endangered Great Indian Bustard's grassland habitat in Rajasthan/Gujarat, where the Supreme Court has engaged with the tension between renewable-energy transmission infrastructure development and bustard- habitat protection (cross-refer Topic 05).

- ANALYSIS: **Balanced framing:** this is not a case where either renewable energy or species conservation is simply "correct" - it is a genuine siting and infrastructure-design problem requiring species-sensitivity mapping (identifying and avoiding the most critical habitat corridors), technological mitigation (bird diverters on transmission lines, selective undergrounding in the most sensitive stretches), and possibly alternative site selection for new capacity away from the most critical remaining bustard habitat - a solvable but non-trivial coordination problem between two nationally important policy priorities.

4. Grid-integration and storage: the underexamined implementation layer

- ANALYSIS: Battery-storage costs have been falling but remain a substantial cost component of a fully reliable renewable-heavy grid; pumped-hydro storage offers another option but is geographically constrained (requiring suitable elevation-differential sites) and carries its own land/ecological footprint considerations.
- ANALYSIS: **Analytical point:** India's renewable-capacity-addition targets (500 GW non-fossil by 2030. are necessary but not sufficient without matching investment in transmission infrastructure (to move power from resource-rich regions like Rajasthan/Gujarat to demand centres) and storage/grid-balancing capacity - a three-part infrastructure challenge (generation, transmission, storage) that is sometimes reduced in public discourse to generation capacity alone.

5. Data and conceptual limitations

- ANALYSIS: Green-hydrogen production-cost figures and electrolyser-capacity figures change rapidly with technology development and are best cited from specific, dated MNRE/industry reports rather than treated as fixed figures.
- ANALYSIS: Progress toward the National Green Hydrogen Mission's 5 MMT/year 2030 target and the 500 GW non-fossil-capacity Panchamrit target should be verified against the latest MNRE/ Ministry of Power progress reports, since both are actively evolving, multi-year targets with periodically updated achieved-to-date figures.
- ANALYSIS: Quantifying the precise trade-off between renewable-infrastructure expansion and species-habitat protection (e.g., exact bustard-mortality figures from power-line collision) requires site-specific field studies (typically WII-led), which are necessarily sample-based rather than a complete census.

6. Recurring UPSC analytical tensions

Tension	Balanced framing
Renewable-capacity-addition success vs intermittency/reliability challenge	Both are true simultaneously - capacity addition is progressing well, but reliable, round-the-clock supply requires matching storage/grid investment, which lags capacity growth.
Green-hydrogen strategic promise vs current cost-competitiveness gap	The mission's SIGHT-Programme design reflects a deliberate bet on falling costs through scale and carbon-pricing evolution, not an assumption that green hydrogen is already fully cost-competitive today.
Renewable-infrastructure siting vs Critically Endangered species habitat protection	Both are legitimate national priorities; the genuine solution lies in species-sensitivity-informed siting and technological mitigation, not choosing one priority over the other.

7. Must-Know Facts for Advanced Prelims

- FACT: Solar and wind generation are variable/non-dispatchable, requiring storage and grid-balancing infrastructure to convert installed capacity into reliable, round-the-clock power supply.
- FACT: Green hydrogen's cost-competitiveness depends on both falling electrolyser/renewable-electricity costs and on carbon-pricing/regulation that raises grey hydrogen's effective cost.
- FACT: The Supreme Court has engaged with the tension between renewable-energy transmission

infrastructure development and Great Indian Bustard habitat protection in Rajasthan/ Gujarat, considering mitigation measures like undergrounding power lines or installing bird diverters.

- **FACT:** The SIGHT Programme's dual incentive structure (electrolyser manufacturing plus hydrogen production) reflects a deliberate industrial-policy choice to build domestic manufacturing capability alongside demand-side incentives.

8. Advanced Prelims traps

- **WRONG:** India's renewable-energy challenge today is primarily about building enough generation capacity. -> The more pressing advanced-level challenge is managing intermittency through storage and grid-balancing infrastructure, alongside continued capacity addition.

- **WRONG:** Green hydrogen is already cost-competitive with grey hydrogen without any policy support. -> It generally remains more costly today, with cost-competitiveness dependent on technology-cost declines and carbon-pricing evolution.

- **WRONG:** Renewable-energy infrastructure siting near Critically Endangered species habitat has been fully and permanently resolved through blanket prohibition of renewable projects in such areas. -> It remains an active, evolving siting and mitigation challenge involving species-sensitivity mapping and technological measures, not a simple prohibition.

- **WRONG:** The SIGHT Programme incentivises only hydrogen production, not electrolyser manufacturing. -> It incentivises both, reflecting a dual industrial-policy and demand- side strategy.

9. CURRENT: Current anchor - analytical use

Verified current anchor	Topic-specific analytical use
CURRENT: National Green Hydrogen Mission (approved January 2023): 5 MMT/year target by 2030, ~125 GW additional renewable capacity, ~Rs 19,744 crore outlay to 2029-30 (verify latest achieved-to-date progress before citing specifics).	Use as the current mission-target baseline while pairing it with the cost-competitiveness-threshold and storage/grid-integration analytical points for full depth.
CURRENT: NGHM contracting progress (Economic Survey 2025-26, Ch. 10): 862,000 t/yr allocated to 18 companies; 3,000 MW/yr electrolyser manufacturing awarded to 15 firms; three Green Hydrogen Hubs at Deendayal Port (Gujarat), V.O. Chidambaranar Port (Tamil Nadu) and Paradip Port (Odisha).	The hub siting is the analytically interesting fact: all three are ports . That reveals the actual near-term business case is export and bunkering , not domestic hard-to-abate decarbonisation - which reframes green hydrogen as an industrial-trade strategy (with CBAM and shipping-fuel regulation as the demand drivers) rather than purely a domestic mitigation instrument.
CURRENT: The transition's next binding constraints, per the Survey itself: material intensity of solar and wind, critical-mineral access and supply concentration, capital-intensive storage (CEA: 411 GWh of battery storage needed by 2031-32 ; ACC PLI 50 GWh with 10 GWh grid-scale), high capital costs, land-acquisition delays and grid availability - plus grid-stability risk under high variable-renewable output, described as an "entropy effect" in which well-intentioned transition strategies multiply system bottlenecks.	This is the highest-value passage in the Survey for this topic. It lets an answer move past "India is adding renewables fast" to the real 2026-2030 question: integration, not installation . Non-fossil capacity is already 51.93% (Dec 2025); the constraint has shifted from megawatts to megawatt-hours, minerals and grid physics.
CURRENT: SHANTI Act (December 2025) - consolidates the Atomic Energy Act, 1962 and CLNDA, 2010; enables private-sector and state participation with a graded liability framework without diluting victim compensation; Nuclear Energy Mission targets ≥5 indigenous SMRs by 2033 against a base of ~8,780 MW, with a CEA roadmap to 100 GW by 2047.	The structural argument for nuclear in this file is firmness , not cleanliness: as variable renewables cross half of installed capacity, the scarce commodity becomes dispatchable low-carbon power. The SHANTI Act is best analysed as an attempt to solve the <i>financing and liability</i> bottleneck that capital-intensive firm capacity faces - not as an energy-source preference.
CURRENT: Supreme Court-monitored Great Indian Bustard power-line mitigation proceedings - M.K. Ranjitsinh v. Union of India, 21 March 2024 (verify latest order date).	Use as the concrete case study for the renewable-infrastructure-siting-versus-species-habitat tension, and note that the Court resolved it by re-scoping the remedy rather than ranking the two values.

10. PYQ-based analytical application

- ANALYSIS: Prelims questions on green/grey/blue hydrogen distinctions or National Green Hydrogen Mission targets should be answered by applying the precise process/target definitions.
- ANALYSIS: Mains answers on "India's energy transition" should explicitly engage the intermittency/storage challenge and the renewable-siting-versus-species-habitat tension to demonstrate analytical depth beyond describing capacity-addition targets.

11. Mains-ready framework

Central thesis: India's energy-transition success depends less on renewable-generation- capacity addition alone (which is progressing well) and more on three underexamined implementation layers - storage/grid-balancing infrastructure to manage intermittency, falling green-hydrogen costs relative to grey hydrogen (linked to carbon-pricing evolution) to make hard-to-abate-sector decarbonisation viable, and species-sensitivity-informed infrastructure siting to reconcile renewable-energy expansion with Critically Endangered species habitat protection.

1. Distinguish renewable-capacity addition from reliable-supply delivery, introducing the intermittency/storage challenge.
2. Explain green hydrogen's cost-competitiveness dependency on both technology costs and carbon-pricing evolution.
3. Use the Great Indian Bustard case to illustrate the renewable-siting-versus-species-habitat tension and its mitigation-based (not prohibition-based) resolution.
4. Flag data limitations in cost/progress figures given the rapidly evolving technology and policy landscape.
5. Conclude with a three-layer infrastructure investment recommendation (generation, transmission, storage) alongside species-sensitivity siting protocols.

12. Probable questions

- ANALYSIS: **Prelims:** Identify the correct distinguishing feature of green, grey and blue hydrogen and the National Green Hydrogen Mission's key 2030 targets.
- ANALYSIS: **Mains (10 marks):** Why is managing renewable-energy intermittency as important as adding renewable-generation capacity?
- ANALYSIS: **Mains (15 marks):** Discuss the tension between renewable-energy infrastructure expansion and Critically Endangered species habitat protection, using the Great Indian Bustard case.

13. Study links

- FACT: Foundation companion: basic/25_Renewable-Energy-and-Green-Hydrogen.md.
- FACT: 05_IUCN-Red-List-and-Endemism.md - the Great Indian Bustard case in full risk-assessment detail.
- FACT: 20_India-Climate-Policy-NAPCC-Panchamrit-LTLEDS.md - the Panchamrit targets this energy transition implements.
- FACT: 21_Carbon-Markets-CCUS-and-Direct-Air-Capture.md - the carbon-pricing linkage to green-hydrogen cost-competitiveness.

Historical PYQ Integration (2018-2023)

Status: Question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2018-2023.md, _PYQ-ROUTING-MAINS-GS3-GS4-2018-2023.md.

- **Years represented:** 2020, 2021, 2022
- **Paper(s):** GS-I, GS-III

- Routed question demands: 5

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2020	GS-I	16	Solar energy potential and its regional variations in India	Elaborate · 15 marks · 250 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2020	GS-III	16	Solar energy benefits versus conventional energy and government initiatives	Describe · 15 marks · 250 words	Cross-routed to renewable-technology and exam-complete Core energy-infrastructure owner	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2021	GS-III	6	Green Grid Initiative purpose at COP26 and ISA origin	Explain · 10 marks · 150 words	Cross-routed to climate/solar and exam-complete Core grid-integration owners	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2022	GS-I	7	Wind energy potential in India and its limited spatial spread	Examine and explain · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.
2022	GS-III	12	Renewable energy 2030 target and shift from fossil fuel subsidies	Justify · 15 marks · 250 words	Cross-routed to climate-transition and exam-complete Core subsidy/energy-market owner	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.

What this owner must now support

- Solar energy potential and its regional variations in India
- Solar energy benefits versus conventional energy and government initiatives
- Green Grid Initiative purpose at COP26 and ISA origin
- Wind energy potential in India and its limited spatial spread
- Renewable energy 2030 target and shift from fossil fuel subsidies

The table integrates the examinable demand and paper metadata. It does not turn an unkeyed objective question into a solved answer, and it does not claim that lexical presence alone proves full conceptual sufficiency.

CONSOLIDATED REGISTER NOTES

Renewable Energy and Green Hydrogen: CAPACITY, GENERATION, GRID AND HYDROGEN PATHWAY MAP

1. **Capacity-generation boundary:** Installed capacity is nameplate power capability, while generation is electrical energy actually produced over time; neither capacity share nor capacity addition proves generation share or reliable supply.
2. **Renewable-non-fossil boundary:** Solar, wind, hydro, biomass and geothermal are renewable sources, while non-fossil is a wider category that can include nuclear power; the two labels are not interchangeable.
3. **Source-carrier boundary:** Renewable electricity is an energy source output, while hydrogen is an energy carrier produced using an input pathway; hydrogen is not a primary renewable resource by itself.
4. **Variable-firm distinction:** Solar and wind output varies with resource availability, whereas dispatchable or firm supply can be scheduled or supported to meet demand; nameplate capacity alone does not establish firmness.
5. **Integration chain:** A renewable-heavy power system links generation, forecasting, transmission, flexible demand, balancing resources and storage; adding generation without the rest can leave congestion or reliability

constraints.

6. **Storage boundary:** Battery and pumped-storage systems shift energy across time and provide grid services, but storage consumes previously generated energy and is not an independent primary energy source.
7. **Target-achievement boundary:** A gross announced target, sanctioned project pipeline, installed capacity, commissioned capacity and achieved generation are separate statuses that require separate dated evidence.
8. **Status-verb discipline:** Announced, approved, allocated, awarded, under construction, commissioned and producing describe different project stages; one stage must never be substituted for another.
9. **Electrolysis pathway:** Electrolysis uses electricity to split water into hydrogen and oxygen; calling the product green depends on the electricity and accounting pathway, not on the chemical identity of hydrogen.
10. **Label-standard-certification boundary:** A production pathway, a government definition or standard, a certification method and a market label are distinct layers; a pathway description alone does not prove certified compliance.
11. **Hydrogen-colour boundary:** Grey, blue and green are shorthand for different production and emissions-management pathways; colour language does not replace a stated lifecycle boundary, capture performance or official standard.
12. **Electricity-attribute boundary:** Claims about renewable electricity used for hydrogen may depend on sourcing, temporal matching, geography and additionality rules in the applicable standard; those attributes require documentary evidence.
13. **Direct-electrification test:** Direct use of clean electricity is generally the first option where technically suitable, while hydrogen is considered where molecules, high-temperature heat, long-duration storage or weight constraints matter.
14. **Hard-to-abate fit:** Fertiliser, refining, selected steel processes, shipping fuels and some heavy transport can use hydrogen or derivatives, but sector suitability and conversion losses must be assessed rather than assumed.
15. **Derivative boundary:** Hydrogen, ammonia, methanol and synthetic fuels are related but different products with different conversion steps, handling requirements and end uses; a hydrogen target is not automatically a derivative-output target.
16. **Water-context boundary:** Electrolysis requires water and upstream treatment, but project-level water stress depends on source, quality, location, competing demand and management; no universal water-impact value should be inferred.
17. **Safety-and-logistics boundary:** Hydrogen production, compression, liquefaction, storage, pipelines, ports and end use create distinct engineering and safety requirements; production capacity does not prove delivered usable fuel.
18. **Mission-target-outcome boundary:** A mission target expresses intended future scale, while allocation, manufacturing award, commissioning, output and emissions outcome are separate evidence stages.
19. **SIGHT-dual-pillar boundary:** The SIGHT programme distinguishes support for electrolyser manufacturing from support for green-hydrogen production; manufacturing capability and hydrogen output are related but not identical.
20. **Current evidence boundary:** Installed capacity, generation, project cost, mission target, achieved output, electrolyser scale, hydrogen classification and certification status require a dated MNRE, power-system or applicable standards source.

Renewable Energy and Green Hydrogen: TARGET, STATUS, LABEL, CERTIFICATION AND USE-CASE TRAPS

- Do not quote installed capacity as electricity generation.
- Do not merge renewable and non-fossil categories.
- Do not call hydrogen a primary renewable energy source.
- Do not treat variable nameplate capacity as firm supply.
- Do not omit transmission, flexibility and storage from integration.
- Do not call storage an independent source of energy.
- Do not merge target, pipeline, installation and generation.

- Do not rewrite awarded or allocated capacity as production.
- Do not call every electrolytic pathway green.
- Do not merge pathway, standard, label and certification.
- Do not use colour shorthand as a complete lifecycle assessment.
- Do not infer renewable attributes without the applicable rules.
- Do not prescribe hydrogen where direct electrification is preferable.
- Do not describe every sector as hard to abate.
- Do not merge hydrogen with ammonia or synthetic fuels.
- Do not invent a universal electrolyser water impact.
- Do not infer delivered fuel from production capacity.
- Do not turn an announced mission target into an outcome.
- Do not merge electrolyser manufacturing with hydrogen production.
- Do not invent capacity, generation, cost, target or certification values.

Renewable Energy and Green Hydrogen: RENEWABLE-TO-HYDROGEN ANSWER SPINE

SEPARATE INSTALLED CAPACITY GENERATION AND RELIABLE SUPPLY
 -> CLASSIFY RENEWABLE NON-FOSSIL ELECTRICITY SOURCE AND HYDROGEN CARRIER
 -> TRACE FORECASTING TRANSMISSION FLEXIBILITY STORAGE AND DELIVERY
 -> TRACE ELECTROLYSIS THEN STANDARD CERTIFICATION AND LIFECYCLE BOUNDARY
 -> APPLY DIRECT-ELECTRIFICATION-FIRST AND HARD-TO-ABATE FIT
 -> SEPARATE TARGET AWARD COMMISSION PRODUCTION AND CLIMATE OUTCOME
 -> CONCLUDE WITH DATED MNRE POWER-SYSTEM AND STANDARD EVIDENCE

Renewable Energy and Green Hydrogen: LIVE CAPACITY, GENERATION, COST, TARGET, OUTPUT AND CERTIFICATION EVIDENCE BOUNDARY

MNRE supplied substantive mission architecture and a dated installed-capacity table. No installed-capacity, generation, cost, target-achievement, electrolyser, hydrogen-output, classification or certification value is asserted in the authored anchors.

COMPLETE TOPIC ASCII MASTER FLOW DIAGRAM

High-yield use: Follow the panels as one topic-specific conceptual atlas: root question, classifications, processes or arguments, comparisons, objections and a final answer-writing spine. This text-native master is separate from both graphical flowchart artifacts.

ASCII MASTER FLOW - PANEL 1/12: Power metric firewall

INSTALLED CAPACITY -> nameplate power capability
GENERATION -> electrical energy produced over time
CAPACITY SHARE -> portfolio capability, not output share
RELIABLE SUPPLY -> timing, flexibility and network matter
RULE -> never convert megawatts into generation without evidence

ASCII MASTER FLOW - PANEL 2/12: Energy category map

RENEWABLE -> solar wind hydro biomass geothermal
NON-FOSSIL -> renewable sources plus other non-fossil sources
ELECTRICITY -> generated energy output
HYDROGEN -> manufactured energy carrier
RULE -> source, output and carrier are different categories

ASCII MASTER FLOW - PANEL 3/12: Grid integration rail

VARIABLE GENERATION -> forecast resource-dependent output
TRANSMISSION -> move power from resource to demand
FLEXIBLE DEMAND AND BALANCING -> match system conditions
STORAGE -> shift energy and provide selected services
DELIVERY -> reliability is a system outcome

ASCII MASTER FLOW - PANEL 4/12: Project status ladder

TARGET OR ANNOUNCEMENT -> intended future scale
ALLOCATION OR AWARD -> contractual or policy commitment
CONSTRUCTION -> physical implementation stage
COMMISSIONING -> asset enters service
GENERATION OR PRODUCTION -> measured operating output

ASCII MASTER FLOW - PANEL 5/12: Electrolysis pathway

ELECTRICITY SOURCE -> attribute must be evidenced
WATER AND TREATMENT -> project-specific input context
ELECTROLYSER -> water split into hydrogen and oxygen
HYDROGEN OUTPUT -> chemical product
GREEN CLAIM -> standard and certification layer still required

ASCII MASTER FLOW - PANEL 6/12: Hydrogen claim stack

PRODUCTION PATHWAY -> how hydrogen is made
LIFECYCLE BOUNDARY -> included emissions stages
OFFICIAL STANDARD -> qualifying conditions
CERTIFICATION -> documented conformity
MARKET LABEL -> cannot replace the layers below

ASCII MASTER FLOW - PANEL 7/12: Use-case decision tree

CAN CLEAN ELECTRICITY BE USED DIRECTLY -> prefer direct route
MOLECULE OR HIGH HEAT NEEDED -> test hydrogen fit
SECTOR AND DUTY CYCLE -> identify technical constraint
CONVERSION LOSS AND INFRASTRUCTURE -> disclose trade-off
VERDICT -> hydrogen is selective, not universal

ASCII MASTER FLOW - PANEL 8/12: Derivative conversion map

HYDROGEN -> base energy carrier and feedstock
AMMONIA -> nitrogen-based derivative
METHANOL OR SYNTHETIC FUEL -> carbon-containing derivative
CONVERSION AND DELIVERY -> extra energy and infrastructure
RULE -> product targets and outputs remain separate

ASCII MASTER FLOW - PANEL 9/12: Water and site screen

SOURCE -> freshwater treated water or other verified supply
QUALITY -> pretreatment requirement
LOCATION -> basin and local scarcity context
COMPETING DEMAND -> ecological and social claims
VERDICT -> project evidence, not a universal water number

ASCII MASTER FLOW - PANEL 10/12: Hydrogen logistics chain

PRODUCTION -> hydrogen leaves electrolyser
CONDITIONING -> compression liquefaction or conversion
STORAGE AND TRANSPORT -> vessel pipeline tanker or port
END USE -> equipment and safety compatibility
OUTCOME -> delivered service differs from production capacity

ASCII MASTER FLOW - PANEL 11/12: Mission and SIGHT map

MISSION TARGET -> intended future production scale
SIGHT MANUFACTURING -> electrolyser capability support
SIGHT PRODUCTION -> hydrogen output support
COMMISSIONED OUTPUT -> later measured evidence
CLIMATE OUTCOME -> separate lifecycle result

ASCII MASTER FLOW - PANEL 12/12: Energy-transition answer spine

DEFINE -> capacity generation reliability source and carrier
TRACE -> grid integration electrolysis certification and delivery
SCREEN -> direct electrification before selective hydrogen use
SEPARATE -> target award commission output and outcome
VERIFY -> dated MNRE power-system and standards evidence