

SOLVED PRACTICE WORKBOOK

Lakes / India Lakes and Wetlands - Learner-v2 Refreshed

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing



Original deterministic study visual; labels are explanatory, not textual quotations.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / WORKBOOK INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

Lakes / India Lakes and Wetlands - Solved Practice Workbook	6
BASIC MCQS / REMEDIATION	6
Q1. Which statement correctly explains Lake-wetland boundary?	6
Q2. Which option is the safest spatial interpretation of Lake-wetland boundary?	6
Q3. Which statement preserves the process boundary for Lake-wetland boundary?	6
Q4. Which option avoids the main UPSC trap concerning Lake-wetland boundary?	6
Q5. Which statement correctly explains Genetic classification?	7
Q6. Which option is the safest spatial interpretation of Genetic classification?	7
Q7. Which statement preserves the process boundary for Genetic classification?	7
Q8. Which option avoids the main UPSC trap concerning Genetic classification?	7
Q9. Which statement correctly explains Water-budget equation?	8
Q10. Which option is the safest spatial interpretation of Water-budget equation?	8
Q11. Which statement preserves the process boundary for Water-budget equation?	8
Q12. Which option avoids the main UPSC trap concerning Water-budget equation?	8
Q13. Which statement correctly explains Residence and mixing?	9
Q14. Which option is the safest spatial interpretation of Residence and mixing?	9
Q15. Which statement preserves the process boundary for Residence and mixing?	9
Q16. Which option avoids the main UPSC trap concerning Residence and mixing?	9
Q17. Which statement correctly explains Oligotrophic-eutrophic states?	10
Q18. Which option is the safest spatial interpretation of Oligotrophic-eutrophic states?	10
Q19. Which statement preserves the process boundary for Oligotrophic-eutrophic states?	10
Q20. Which option avoids the main UPSC trap concerning Oligotrophic-eutrophic states?	10
Q21. Which statement correctly explains Eutrophication chain?	11
Q22. Which option is the safest spatial interpretation of Eutrophication chain?	11
Q23. Which statement preserves the process boundary for Eutrophication chain?	11
Q24. Which option avoids the main UPSC trap concerning Eutrophication chain?	11
Q25. Which statement correctly explains Natural lake succession?	12
Q26. Which option is the safest spatial interpretation of Natural lake succession?	12
Q27. Which statement preserves the process boundary for Natural lake succession?	12

Q28. Which option avoids the main UPSC trap concerning Natural lake succession?	12
Q29. Which statement correctly explains Human-induced shrinkage?	13
Q30. Which option is the safest spatial interpretation of Human-induced shrinkage?	13
Q31. Which statement preserves the process boundary for Human-induced shrinkage?	13
Q32. Which option avoids the main UPSC trap concerning Human-induced shrinkage?	13
Q33. Which statement correctly explains Wetland functions?	14
Q34. Which option is the safest spatial interpretation of Wetland functions?	14
Q35. Which statement preserves the process boundary for Wetland functions?	14
Q36. Which option avoids the main UPSC trap concerning Wetland functions?	14
Q37. Which statement correctly explains Hydroperiod and connectivity?	15
Q38. Which option is the safest spatial interpretation of Hydroperiod and connectivity?	15
Q39. Which statement preserves the process boundary for Hydroperiod and connectivity?	15
Q40. Which option avoids the main UPSC trap concerning Hydroperiod and connectivity?	15
Q41. Which statement correctly explains Indian origin examples?	16
Q42. Which option is the safest spatial interpretation of Indian origin examples?	16
Q43. Which statement preserves the process boundary for Indian origin examples?	16
Q44. Which option avoids the main UPSC trap concerning Indian origin examples?	16
Q45. Which statement correctly explains River-lake map hooks?	17
Q46. Which option is the safest spatial interpretation of River-lake map hooks?	17
Q47. Which statement preserves the process boundary for River-lake map hooks?	17
Q48. Which option avoids the main UPSC trap concerning River-lake map hooks?	17
Q49. Which statement correctly explains Urban reclamation impacts?	18
Q50. Which option is the safest spatial interpretation of Urban reclamation impacts?	18
Q51. Which statement preserves the process boundary for Urban reclamation impacts?	18
Q52. Which option avoids the main UPSC trap concerning Urban reclamation impacts?	18
Q53. Which statement correctly explains Threat-pathway diagnosis?	19
Q54. Which option is the safest spatial interpretation of Threat-pathway diagnosis?	19
Q55. Which statement preserves the process boundary for Threat-pathway diagnosis?	19
Q56. Which option avoids the main UPSC trap concerning Threat-pathway diagnosis?	19
Q57. Which statement correctly explains Restoration hierarchy?	20
Q58. Which option is the safest spatial interpretation of Restoration hierarchy?	20
Q59. Which statement preserves the process boundary for Restoration hierarchy?	20

Q60. Which option avoids the main UPSC trap concerning Restoration hierarchy?	20
Q61. Which statement correctly explains Ramsar wise use?	21
Q62. Which option is the safest spatial interpretation of Ramsar wise use?	21
Q63. Which statement preserves the process boundary for Ramsar wise use?	21
Q64. Which option avoids the main UPSC trap concerning Ramsar wise use?	21
Q65. Which statement correctly explains Montreux and criteria?	22
Q66. Which option is the safest spatial interpretation of Montreux and criteria?	22
Q67. Which statement preserves the process boundary for Montreux and criteria?	22
Q68. Which option avoids the main UPSC trap concerning Montreux and criteria?	22
Q69. Which statement correctly explains Indian governance?	23
Q70. Which option is the safest spatial interpretation of Indian governance?	23
Q71. Which statement preserves the process boundary for Indian governance?	23
Q72. Which option avoids the main UPSC trap concerning Indian governance?	23
Q73. Which statement correctly explains Verified PYQ routes?	24
Q74. Which option is the safest spatial interpretation of Verified PYQ routes?	24
Q75. Which statement preserves the process boundary for Verified PYQ routes?	24
Q76. Which option avoids the main UPSC trap concerning Verified PYQ routes?	24
Q77. Which statement correctly explains Current evidence boundary?	25
Q78. Which option is the safest spatial interpretation of Current evidence boundary?	25
Q79. Which statement preserves the process boundary for Current evidence boundary?	25
Q80. Which option avoids the main UPSC trap concerning Current evidence boundary?	25
PYQS AND ANSWER PRACTICE	26
VERIFIED PYQ OWNERSHIP AUDIT	26
OWNER PYQ LEDGER EXTRACTS	26
PYQ DEMAND CARD 1 - 2018 Prelims GS-I	27
PYQ DEMAND CARD 2 - 2019 Prelims GS-I	27
PYQ DEMAND CARD 3 - 2021 Prelims GS-I	27
PYQ DEMAND CARD 4 - 2023 Prelims GS-I	27
PYQ DEMAND CARD 5 - 2026 Prelims GS-I	27
ORIGINAL MAINS 1 - 10 MARKS	28
ORIGINAL MAINS 2 - 10 MARKS	28
ORIGINAL MAINS 3 - 15 MARKS	28

ORIGINAL MAINS 4 - 15 MARKS 29

ORIGINAL MAINS 5 - 20 MARKS 29

ORIGINAL MAINS 6 - 20 MARKS 29

Lakes / India Lakes and Wetlands - Solved Practice Workbook

BASIC MCQS / REMEDIATION

Q1. Which statement correctly explains Lake-wetland boundary?

A. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. B. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. C. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. D. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget.

Answer: A. Explanation: A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. The other options describe different processes, locations, scales or governance categories.

Q2. Which option is the safest spatial interpretation of Lake-wetland boundary?

A. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. B. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. C. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. D. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status.

Answer: B. Explanation: A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. The other options describe different processes, locations, scales or governance categories.

Q3. Which statement preserves the process boundary for Lake-wetland boundary?

A. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. B. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. C. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. D. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model.

Answer: C. Explanation: A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. The other options describe different processes, locations, scales or governance categories.

Q4. Which option avoids the main UPSC trap concerning Lake-wetland boundary?

A. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. B. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. C. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. D. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters.

Answer: D. Explanation: A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. The other options describe different processes, locations, scales or governance categories.

Q5. Which statement correctly explains Genetic classification?

A. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. B. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. C. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. D. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status.

Answer: A. Explanation: Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. The other options describe different processes, locations, scales or governance categories.

Q6. Which option is the safest spatial interpretation of Genetic classification?

A. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. B. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. C. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. D. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery.

Answer: B. Explanation: Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. The other options describe different processes, locations, scales or governance categories.

Q7. Which statement preserves the process boundary for Genetic classification?

A. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. B. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. C. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. D. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status.

Answer: C. Explanation: Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. The other options describe different processes, locations, scales or governance categories.

Q8. Which option avoids the main UPSC trap concerning Genetic classification?

A. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. B. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. C. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. D. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification.

Answer: D. Explanation: Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. The other options describe different processes, locations, scales or governance categories.

Q9. Which statement correctly explains Water-budget equation?

A. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. B. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. C. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. D. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery.

Answer: A. Explanation: Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. The other options describe different processes, locations, scales or governance categories.

Q10. Which option is the safest spatial interpretation of Water-budget equation?

A. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. B. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. C. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. D. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status.

Answer: B. Explanation: Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. The other options describe different processes, locations, scales or governance categories.

Q11. Which statement preserves the process boundary for Water-budget equation?

A. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. B. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. C. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. D. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse.

Answer: C. Explanation: Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. The other options describe different processes, locations, scales or governance categories.

Q12. Which option avoids the main UPSC trap concerning Water-budget equation?

A. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. B. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. C. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. D. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget.

Answer: D. Explanation: Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. The other options describe different processes, locations, scales or governance categories.

Q13. Which statement correctly explains Residence and mixing?

A. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. B. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. C. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. D. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery.

Answer: A. Explanation: Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. The other options describe different processes, locations, scales or governance categories.

Q14. Which option is the safest spatial interpretation of Residence and mixing?

A. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. B. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. C. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. D. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories.

Answer: B. Explanation: Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. The other options describe different processes, locations, scales or governance categories.

Q15. Which statement preserves the process boundary for Residence and mixing?

A. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. B. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. C. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. D. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse.

Answer: C. Explanation: Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. The other options describe different processes, locations, scales or governance categories.

Q16. Which option avoids the main UPSC trap concerning Residence and mixing?

A. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. B. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. C. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. D. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model.

Answer: D. Explanation: Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. The other options describe different processes, locations, scales or governance categories.

Q17. Which statement correctly explains Oligotrophic-eutrophic states?

A. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. B. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. C. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. D. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery.

Answer: A. Explanation: Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. The other options describe different processes, locations, scales or governance categories.

Q18. Which option is the safest spatial interpretation of Oligotrophic-eutrophic states?

A. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. B. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. C. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. D. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories.

Answer: B. Explanation: Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. The other options describe different processes, locations, scales or governance categories.

Q19. Which statement preserves the process boundary for Oligotrophic-eutrophic states?

A. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. B. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. C. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. D. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories.

Answer: C. Explanation: Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. The other options describe different processes, locations, scales or governance categories.

Q20. Which option avoids the main UPSC trap concerning Oligotrophic-eutrophic states?

A. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. B. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. C. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. D. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status.

Answer: D. Explanation: Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. The other options describe different processes, locations, scales or governance categories.

Q21. Which statement correctly explains Eutrophication chain?

A. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. B. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. C. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. D. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories.

Answer: A. Explanation: Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. The other options describe different processes, locations, scales or governance categories.

Q22. Which option is the safest spatial interpretation of Eutrophication chain?

A. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. B. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. C. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. D. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone.

Answer: B. Explanation: Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. The other options describe different processes, locations, scales or governance categories.

Q23. Which statement preserves the process boundary for Eutrophication chain?

A. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. B. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. C. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. D. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone.

Answer: C. Explanation: Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. The other options describe different processes, locations, scales or governance categories.

Q24. Which option avoids the main UPSC trap concerning Eutrophication chain?

A. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. B. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. C. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. D. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery.

Answer: D. Explanation: Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. The other options describe different processes, locations, scales or governance categories.

Q25. Which statement correctly explains Natural lake succession?

A. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. B. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. C. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. D. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories.

Answer: A. Explanation: Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. The other options describe different processes, locations, scales or governance categories.

Q26. Which option is the safest spatial interpretation of Natural lake succession?

A. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. B. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. C. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. D. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone.

Answer: B. Explanation: Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. The other options describe different processes, locations, scales or governance categories.

Q27. Which statement preserves the process boundary for Natural lake succession?

A. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. B. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. C. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. D. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system.

Answer: C. Explanation: Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. The other options describe different processes, locations, scales or governance categories.

Q28. Which option avoids the main UPSC trap concerning Natural lake succession?

A. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. B. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. C. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. D. Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse.

Answer: D. Explanation: Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse. The other options describe different processes, locations, scales or governance categories.

Q29. Which statement correctly explains Human-induced shrinkage?

A. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. B. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. C. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. D. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent.

Answer: A. Explanation: Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. The other options describe different processes, locations, scales or governance categories.

Q30. Which option is the safest spatial interpretation of Human-induced shrinkage?

A. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. B. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. C. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. D. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system.

Answer: B. Explanation: Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. The other options describe different processes, locations, scales or governance categories.

Q31. Which statement preserves the process boundary for Human-induced shrinkage?

A. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. B. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. C. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. D. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses.

Answer: C. Explanation: Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. The other options describe different processes, locations, scales or governance categories.

Q32. Which option avoids the main UPSC trap concerning Human-induced shrinkage?

A. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. B. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. C. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. D. Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories.

Answer: D. Explanation: Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories. The other options describe different processes, locations, scales or governance categories.

Q33. Which statement correctly explains Wetland functions?

A. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. B. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. C. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. D. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone.

Answer: A. Explanation: Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. The other options describe different processes, locations, scales or governance categories.

Q34. Which option is the safest spatial interpretation of Wetland functions?

A. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. B. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. C. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. D. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities.

Answer: B. Explanation: Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. The other options describe different processes, locations, scales or governance categories.

Q35. Which statement preserves the process boundary for Wetland functions?

A. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. B. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. C. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. D. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses.

Answer: C. Explanation: Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. The other options describe different processes, locations, scales or governance categories.

Q36. Which option avoids the main UPSC trap concerning Wetland functions?

A. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. B. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. C. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. D. Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent.

Answer: D. Explanation: Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent. The other options describe different processes, locations, scales or governance categories.

Q37. Which statement correctly explains Hydroperiod and connectivity?

A. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. B. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoon, Sambhar saline inland and Bhoj an artificial reservoir system. C. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. D. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses.

Answer: A. Explanation: Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. The other options describe different processes, locations, scales or governance categories.

Q38. Which option is the safest spatial interpretation of Hydroperiod and connectivity?

A. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. B. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. C. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. D. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies.

Answer: B. Explanation: Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. The other options describe different processes, locations, scales or governance categories.

Q39. Which statement preserves the process boundary for Hydroperiod and connectivity?

A. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. B. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. C. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. D. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities.

Answer: C. Explanation: Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. The other options describe different processes, locations, scales or governance categories.

Q40. Which option avoids the main UPSC trap concerning Hydroperiod and connectivity?

A. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. B. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. C. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. D. Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone.

Answer: D. Explanation: Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone. The other options describe different processes, locations, scales or governance categories.

Q41. Which statement correctly explains Indian origin examples?

A. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. B. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. C. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. D. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies.

Answer: A. Explanation: Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. The other options describe different processes, locations, scales or governance categories.

Q42. Which option is the safest spatial interpretation of Indian origin examples?

A. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. B. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. C. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. D. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities.

Answer: B. Explanation: Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. The other options describe different processes, locations, scales or governance categories.

Q43. Which statement preserves the process boundary for Indian origin examples?

A. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. B. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. C. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. D. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies.

Answer: C. Explanation: Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. The other options describe different processes, locations, scales or governance categories.

Q44. Which option avoids the main UPSC trap concerning Indian origin examples?

A. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. B. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. C. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. D. Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system.

Answer: D. Explanation: Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system. The other options describe different processes, locations, scales or governance categories.

Q45. Which statement correctly explains River-lake map hooks?

A. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. B. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. C. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. D. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies.

Answer: A. Explanation: Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. The other options describe different processes, locations, scales or governance categories.

Q46. Which option is the safest spatial interpretation of River-lake map hooks?

A. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. B. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. C. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. D. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies.

Answer: B. Explanation: Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. The other options describe different processes, locations, scales or governance categories.

Q47. Which statement preserves the process boundary for River-lake map hooks?

A. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. B. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. C. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. D. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone.

Answer: C. Explanation: Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. The other options describe different processes, locations, scales or governance categories.

Q48. Which option avoids the main UPSC trap concerning River-lake map hooks?

A. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. B. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. C. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. D. Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses.

Answer: D. Explanation: Wular is linked to the Jhelum, Kolleru lies between the Krishna and Godavari delta systems but is not directly fed by the Krishna, and Loktak's phumdis are distinctive floating biomass-soil masses. The other options describe different processes, locations, scales or governance categories.

Q49. Which statement correctly explains Urban reclamation impacts?

A. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. B. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. C. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. D. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies.

Answer: A. Explanation: Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. The other options describe different processes, locations, scales or governance categories.

Q50. Which option is the safest spatial interpretation of Urban reclamation impacts?

A. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. B. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. C. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. D. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone.

Answer: B. Explanation: Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. The other options describe different processes, locations, scales or governance categories.

Q51. Which statement preserves the process boundary for Urban reclamation impacts?

A. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. B. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. C. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. D. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change.

Answer: C. Explanation: Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. The other options describe different processes, locations, scales or governance categories.

Q52. Which option avoids the main UPSC trap concerning Urban reclamation impacts?

A. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. B. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. C. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. D. Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities.

Answer: D. Explanation: Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities. The other options describe different processes, locations, scales or governance categories.

Q53. Which statement correctly explains Threat-pathway diagnosis?

A. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. B. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. C. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. D. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone.

Answer: A. Explanation: Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. The other options describe different processes, locations, scales or governance categories.

Q54. Which option is the safest spatial interpretation of Threat-pathway diagnosis?

A. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. B. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. C. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. D. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health.

Answer: B. Explanation: Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. The other options describe different processes, locations, scales or governance categories.

Q55. Which statement preserves the process boundary for Threat-pathway diagnosis?

A. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. B. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. C. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. D. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned.

Answer: C. Explanation: Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. The other options describe different processes, locations, scales or governance categories.

Q56. Which option avoids the main UPSC trap concerning Threat-pathway diagnosis?

A. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. B. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. C. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. D. Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies.

Answer: D. Explanation: Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies. The other options describe different processes, locations, scales or governance categories.

Q57. Which statement correctly explains Restoration hierarchy?

A. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. B. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. C. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. D. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health.

Answer: A. Explanation: Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. The other options describe different processes, locations, scales or governance categories.

Q58. Which option is the safest spatial interpretation of Restoration hierarchy?

A. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. B. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. C. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. D. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change.

Answer: B. Explanation: Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. The other options describe different processes, locations, scales or governance categories.

Q59. Which statement preserves the process boundary for Restoration hierarchy?

A. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. B. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. C. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. D. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments.

Answer: C. Explanation: Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. The other options describe different processes, locations, scales or governance categories.

Q60. Which option avoids the main UPSC trap concerning Restoration hierarchy?

A. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. B. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. C. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. D. Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone.

Answer: D. Explanation: Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone. The other options describe different processes, locations, scales or governance categories.

Q61. Which statement correctly explains Ramsar wise use?

A. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. B. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. C. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. D. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned.

Answer: A. Explanation: Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. The other options describe different processes, locations, scales or governance categories.

Q62. Which option is the safest spatial interpretation of Ramsar wise use?

A. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. B. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. C. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. D. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned.

Answer: B. Explanation: Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. The other options describe different processes, locations, scales or governance categories.

Q63. Which statement preserves the process boundary for Ramsar wise use?

A. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. B. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. C. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. D. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned.

Answer: C. Explanation: Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. The other options describe different processes, locations, scales or governance categories.

Q64. Which option avoids the main UPSC trap concerning Ramsar wise use?

A. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. B. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. C. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. D. Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health.

Answer: D. Explanation: Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health. The other options describe different processes, locations, scales or governance categories.

Q65. Which statement correctly explains Montreux and criteria?

A. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. B. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. C. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. D. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned.

Answer: A. Explanation: A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. The other options describe different processes, locations, scales or governance categories.

Q66. Which option is the safest spatial interpretation of Montreux and criteria?

A. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. B. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. C. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. D. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters.

Answer: B. Explanation: A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. The other options describe different processes, locations, scales or governance categories.

Q67. Which statement preserves the process boundary for Montreux and criteria?

A. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. B. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. C. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. D. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification.

Answer: C. Explanation: A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. The other options describe different processes, locations, scales or governance categories.

Q68. Which option avoids the main UPSC trap concerning Montreux and criteria?

A. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. B. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. C. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. D. A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change.

Answer: D. Explanation: A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change. The other options describe different processes, locations, scales or governance categories.

Q69. Which statement correctly explains Indian governance?

A. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. B. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. C. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. D. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted.

Answer: A. Explanation: Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. The other options describe different processes, locations, scales or governance categories.

Q70. Which option is the safest spatial interpretation of Indian governance?

A. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. B. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. C. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. D. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted.

Answer: B. Explanation: Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. The other options describe different processes, locations, scales or governance categories.

Q71. Which statement preserves the process boundary for Indian governance?

A. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. B. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. C. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. D. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget.

Answer: C. Explanation: Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. The other options describe different processes, locations, scales or governance categories.

Q72. Which option avoids the main UPSC trap concerning Indian governance?

A. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. B. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. C. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. D. Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments.

Answer: D. Explanation: Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments. The other options describe different processes, locations, scales or governance categories.

Q73. Which statement correctly explains Verified PYQ routes?

A. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. B. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. C. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. D. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters.

Answer: A. Explanation: Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. The other options describe different processes, locations, scales or governance categories.

Q74. Which option is the safest spatial interpretation of Verified PYQ routes?

A. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. B. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. C. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification. D. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget.

Answer: B. Explanation: Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. The other options describe different processes, locations, scales or governance categories.

Q75. Which statement preserves the process boundary for Verified PYQ routes?

A. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. B. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. C. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. D. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification.

Answer: C. Explanation: Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. The other options describe different processes, locations, scales or governance categories.

Q76. Which option avoids the main UPSC trap concerning Verified PYQ routes?

A. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. B. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. C. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. D. Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned.

Answer: D. Explanation: Direct Geography routes cover human-caused lake shrinkage, artificial lakes, reservoir names, saline Rajasthan lakes, river-lake matching and the provisional Lake Turkana demand; wetland-governance Mains questions are cross-owned. The other options describe different processes, locations, scales or governance categories.

Q77. Which statement correctly explains Current evidence boundary?

A. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. B. A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters. C. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. D. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification.

Answer: A. Explanation: The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. The other options describe different processes, locations, scales or governance categories.

Q78. Which option is the safest spatial interpretation of Current evidence boundary?

A. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. B. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. C. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. D. Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification.

Answer: B. Explanation: The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. The other options describe different processes, locations, scales or governance categories.

Q79. Which statement preserves the process boundary for Current evidence boundary?

A. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. B. Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget. C. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. D. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model.

Answer: C. Explanation: The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. The other options describe different processes, locations, scales or governance categories.

Q80. Which option avoids the main UPSC trap concerning Current evidence boundary?

A. Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status. B. Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery. C. Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model. D. The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted.

Answer: D. Explanation: The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted. The other options describe different processes, locations, scales or governance categories.

PYQS AND ANSWER PRACTICE

VERIFIED PYQ OWNERSHIP AUDIT

Verified routing retains direct Geography objective routes from 2018, 2019, 2021 and 2023 plus a provisional 2026 Lake Turkana route. The 2021 urban-water-body Mains demand is routed to Environment and Ecology and is not claimed as a direct Geography PYQ.

OWNER PYQ LEDGER EXTRACTS

2026 PYQ Integration

Status: 2026 question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-PRELIMS-2026.md. **Answer-key rule:** The 2026 Prelims and CSAT Set-A keys held locally are **provisional**; no option or answer is recorded or inferred in this integration.

- **Year represented:** 2026
- **Paper(s):** Prelims GS-I
- **Routed question demands:** 1

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2026	Prelims GS-I	39	Lake Turkana geography, desert-lake status, and UNESCO heritage	Objective question; provisional 2026 Set-A key present locally, answer not inferred	Provisional 2026 Set-A key present locally (Ans-2026-GS1-Provisional); key is provisional - no answer letter recorded or inferred here	Cover the named fact/concept and its likely statement-level distinctions.

What this owner must now support

- Lake Turkana geography, desert-lake status, and UNESCO heritage

This block integrates the 2026 examinable demand and paper metadata. It is kept separate from the 2018-2023 and 2024-2025 blocks and does not convert a provisionally-keyed, answer-free objective question into a solved answer.

Historical PYQ Integration (2018-2023)

Status: Question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-PRELIMS-2018-2023.md. **Answer-key rule:** The official 2018-2023 Prelims/CSAT keys are not held locally; no option or answer has been inferred.

- **Years represented:** 2018, 2019, 2021, 2023
- **Paper(s):** Prelims GS-I
- **Routed question demands:** 5

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2018	Prelims GS-I	13	Aral Sea Lake Baikal shrinkage due to human activities	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2018	Prelims GS-I	77	Artificial lake identification among given Indian water bodies	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2019	Prelims GS-I	42	Common features of Aliyar Isapur and Kangsabati	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2021	Prelims GS-I	54	Saline lakes Rajasthan Didwana Kuchaman Sargol Khatu	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2023	Prelims GS-I	1	Indian rivers feeding lakes Wular Kolleru Kanwar	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.

What this owner must now support

- Aral Sea Lake Baikal shrinkage due to human activities
- Artificial lake identification among given Indian water bodies
- Common features of Aliyar Isapur and Kangsabati
- Saline lakes Rajasthan Didwana Kuchaman Sargol Khatu
- Indian rivers feeding lakes Wular Kolleru Kanwar

The table integrates the examinable demand and paper metadata. It does not turn an unkeyed objective question into a solved answer, and it does not claim that lexical presence alone proves full conceptual sufficiency.

PYQ DEMAND CARD 1 - 2018 Prelims GS-I

Demand: Human-induced shrinkage of major world lakes and identification of an artificial Indian lake.

Status: Verified routed objective demands; official keys unavailable locally.

Model solution: Separate diversion-driven Aral shrinkage from unrelated water bodies, and classify Kodaikanal as artificial while preserving official options and unverified-key status.

PYQ DEMAND CARD 2 - 2019 Prelims GS-I

Demand: Common feature of Aliyar, Isapur and Kangsabati.

Status: Verified routed objective demand; official key unavailable locally.

Model solution: They are reservoir or project water bodies. The route tests artificial storage rather than natural lake genesis; do not manufacture an official answer letter.

PYQ DEMAND CARD 3 - 2021 Prelims GS-I

Demand: Saline lakes of Rajasthan.

Status: Verified routed objective demand; official key unavailable locally.

Model solution: Use Didwana, Kuchaman, Sargol and Khatu as arid closed-drainage saline-lake cues while keeping the official options unchanged.

PYQ DEMAND CARD 4 - 2023 Prelims GS-I

Demand: Indian rivers feeding or associated with Wular, Kolleru and Kanwar lakes.

Status: Verified routed objective demand; official key unavailable locally.

Model solution: Wular is Jhelum-linked; Kolleru lies between the Krishna and Godavari delta systems but is not directly Krishna-fed; Kanwar or Kabar Tal is a floodplain wetland.

PYQ DEMAND CARD 5 - 2026 Prelims GS-I

Demand: Lake Turkana geography, desert-lake status and UNESCO heritage.

Status: Provisional routed demand; no answer letter recorded or inferred.

Model solution: Use only the neutral routing theme until the provisional key and official status evidence are independently verified; do not solve by memory.

ORIGINAL MAINS 1 - 10 MARKS

Question: Classify lakes by origin and explain why mixed-origin qualifications matter. Answer in about 150 words.

Model thesis: Genetic classification identifies the basin-forming process, but later hydrology and human modification can overprint the original form.

Claim -> named evidence -> analysis -> qualification:

- A lake is standing water in an inland basin, while wetland is a broader hydro-ecological category including marshes, floodplains, peatlands, mangroves and shallow coastal waters.
- Lake origin can be tectonic, glacial, volcanic, fluvial, coastal, solutional, impact, aeolian, landslide-dammed or artificial; mixed controls require qualification.
- Wular is tectonic-influenced, Lonar impact-origin, Kanwar or Kabar Tal fluvial-floodplain, Chilika lagoonal, Sambhar saline inland and Bhoj an artificial reservoir system.

Qualified conclusion: Genetic classification identifies the basin-forming process, but later hydrology and human modification can overprint the original form.

ORIGINAL MAINS 2 - 10 MARKS

Question: Explain lake-level change through a water-budget framework. Answer in about 150 words.

Model thesis: Storage responds to multiple inflows and losses, so attribution requires scale, period and connectivity rather than one visible driver.

Claim -> named evidence -> analysis -> qualification:

- Lake storage changes with precipitation, inflow and groundwater inputs minus evaporation, outflow and seepage; level change cannot be assigned to one driver without a budget.
- Depth, area, residence time, temperature, wind and inflow density influence stratification and turnover; tropical and shallow lakes need not follow a simple temperate seasonal model.
- Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories.

Qualified conclusion: Storage responds to multiple inflows and losses, so attribution requires scale, period and connectivity rather than one visible driver.

ORIGINAL MAINS 3 - 15 MARKS

Question: Differentiate natural lake succession from eutrophication and rapid human-induced shrinkage. Answer in about 250 words.

Model thesis: The three pathways differ in mechanism, tempo, indicators and remedy despite sometimes sharing a smaller open-water area.

Claim -> named evidence -> analysis -> qualification:

- Oligotrophic lakes are relatively nutrient-poor and clear, while eutrophic systems are nutrient-rich and productive; trophic state is condition, not basin origin or legal status.
- Nutrient loading can drive algal growth, reduced light, decomposition and oxygen depletion; internal loading, flushing and food-web responses complicate recovery.
- Sediment and organic accumulation can gradually make lakes shallower and convert open water to marsh or terrestrial habitat; this differs from rapid water-budget collapse.
- Diversion, damming, groundwater extraction, catchment change and warming-driven evaporation can shrink lakes; Aral Sea and Lake Chad illustrate different combinations and trajectories.

Qualified conclusion: The three pathways differ in mechanism, tempo, indicators and remedy despite sometimes sharing a smaller open-water area.

ORIGINAL MAINS 4 - 15 MARKS

Question: Explain the environmental implications of reclaiming urban water bodies. Answer in about 250 words.

Model thesis: Reclamation removes hydrological storage and connectivity while concentrating flood, pollution, heat and equity burdens.

Claim -> named evidence -> analysis -> qualification:

- Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone.
- Filling or constricting water bodies removes storage and drainage space, fragments habitat, worsens flood peaks and water quality and can shift risk toward poorer low-lying communities.
- Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies.

Qualified conclusion: Reclamation removes hydrological storage and connectivity while concentrating flood, pollution, heat and equity burdens.

ORIGINAL MAINS 5 - 20 MARKS

Question: Assess India's wetland conservation architecture from Ramsar designation to site restoration. Answer in about 300 words.

Model thesis: International recognition, domestic regulation, programme finance, local implementation and measured ecological outcomes are distinct governance stages.

Claim -> named evidence -> analysis -> qualification:

- Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone.
- Ramsar designation recognises international importance and wise-use obligations; it does not automatically create a National Park, prohibit all human use or prove ecological health.
- A site can qualify by meeting at least one Ramsar criterion; the Montreux Record highlights listed sites where ecological character has changed, is changing or is likely to change.
- Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments.
- The MoEFCC-linked Wetlands of India portal is a dynamic official knowledge repository; a fresh Ramsar country-profile fetch returned access restriction, so no new September 2026 count is asserted.

Qualified conclusion: International recognition, domestic regulation, programme finance, local implementation and measured ecological outcomes are distinct governance stages.

ORIGINAL MAINS 6 - 20 MARKS

Question: Design a basin-to-wetland restoration and monitoring strategy for a degraded Indian lake. Answer in about 300 words.

Model thesis: Diagnose catchment, hydrology, nutrients, sediment, biodiversity and use, then sequence source control, reconnection, adaptive management and transparent indicators.

Claim -> named evidence -> analysis -> qualification:

- Wetlands store and slow water, trap sediment and nutrients, support biodiversity and livelihoods and sometimes recharge or discharge groundwater; every function is site and connectivity dependent.
- Duration, depth, timing and frequency of inundation plus river, groundwater and coastal connections control ecological character more precisely than the label wetland alone.
- Catchment sewage, nutrients, sediment, encroachment, invasive species, altered inflow, extraction and shoreline hardening act through different mechanisms and require different remedies.
- Protect catchment and inflow, stop pollution and encroachment, restore hydrological connectivity, manage sediment and invasives, then monitor ecological response rather than beautification alone.

- Wetlands Rules 2017 establish State or Union Territory Wetland Authorities and a notification-regulation framework; NPCA and other programmes are separate implementation instruments.

Qualified conclusion: Diagnose catchment, hydrology, nutrients, sediment, biodiversity and use, then sequence source control, reconnection, adaptive management and transparent indicators.