

SOLVED PRACTICE WORKBOOK

Islands and Coral Reefs / India Islands-Great Nicobar - Learner-v2 Refreshed

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing

Islands and Coral Reefs / India Islands-Great Nicobar REFRESHED TEACHING NAVIGATION — BASIC/CORE FIRST	
01 FOUNDATION — ISLAND ORIGIN CLASSES Continental islands share continental crustal or shelf affinity and may	02 FOUNDATION — VOLCANIC AND CORAL ISLAND FORMATION Evidence chain: Volcanic islands · Coral islands Qualified use: Use
03 FOUNDATION — CORAL POLYP AND REEF METABOLISM Evidence chain: Coral polyp symbiosis Qualified use: Link symbiosis to	04 FOUNDATION — CORAL GROWTH CONDITIONS Evidence chain: Coral-growth controls Qualified use: Use a
05 CORE — FRINGING REEF ANATOMY A narrow lagoon does not make a barrier reef.	06 CORE — BARRIER REEF ANATOMY Evidence chain: Barrier reef Qualified use: Compare directly with
07 CORE — ATOLL AND LAGOON Evidence chain: Atoll Qualified use: Use plan and cross-section views.	08 CORE — DARWIN AND DALY MODELS Evidence chain: Darwin subsidence model · Daly glacial-control model
09 CORE — BLEACHING, MORTALITY AND RECOVERY Evidence chain: Bleaching boundary Qualified use: Separate trigger,	10 CORE — REEF ECOSYSTEM SERVICES AND LIMITS Reef service bundle: Reefs support biodiversity, fisheries, tourism,
11 CORE — ANDAMAN-NICOBAR TECTONIC ARC Evidence chain: Andaman-Nicobar origin Qualified use: Map arc,	12 CORE — LAKSHADWEEP CORAL SYSTEM Evidence chain: Lakshadweep origin · India island-channel map
13 SYNTHESIS — GREAT NICOBAR BIOSPHERE VALUE Evidence chain: Great Nicobar biosphere status Qualified use: Use	14 SYNTHESIS — PROJECT COMPONENTS AND APPROVAL STATUS Great Nicobar project components: Official 2026 PIB material
15 SYNTHESIS — PYQ REEF ROUTE AND ISLAND APPRAISAL Evidence: a reef crest dissipates wave energy before it reaches the	

Original deterministic study visual; labels are explanatory, not textual quotations.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / WORKBOOK INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

Islands and Coral Reefs / India Islands-Great Nicobar - Solved Practice Workbook 5

BASIC MCQS / REMEDIATION 5

Q1. Which statement correctly explains Island classification?	5
Q2. Which option is the safest spatial interpretation of Island classification?	5
Q3. Which statement preserves the process boundary for Island classification?	5
Q4. Which option avoids the main UPSC trap concerning Island classification?	5
Q5. Which statement correctly explains Continental islands?	6
Q6. Which option is the safest spatial interpretation of Continental islands?	6
Q7. Which statement preserves the process boundary for Continental islands?	6
Q8. Which option avoids the main UPSC trap concerning Continental islands?	6
Q9. Which statement correctly explains Volcanic islands?	7
Q10. Which option is the safest spatial interpretation of Volcanic islands?	7
Q11. Which statement preserves the process boundary for Volcanic islands?	7
Q12. Which option avoids the main UPSC trap concerning Volcanic islands?	7
Q13. Which statement correctly explains Coral islands?	8
Q14. Which option is the safest spatial interpretation of Coral islands?	8
Q15. Which statement preserves the process boundary for Coral islands?	8
Q16. Which option avoids the main UPSC trap concerning Coral islands?	8
Q17. Which statement correctly explains Coral polyp symbiosis?	9
Q18. Which option is the safest spatial interpretation of Coral polyp symbiosis?	9
Q19. Which statement preserves the process boundary for Coral polyp symbiosis?	9
Q20. Which option avoids the main UPSC trap concerning Coral polyp symbiosis?	9
Q21. Which statement correctly explains Coral-growth controls?	10
Q22. Which option is the safest spatial interpretation of Coral-growth controls?	10
Q23. Which statement preserves the process boundary for Coral-growth controls?	10
Q24. Which option avoids the main UPSC trap concerning Coral-growth controls?	10
Q25. Which statement correctly explains Fringing reef?	11
Q26. Which option is the safest spatial interpretation of Fringing reef?	11
Q27. Which statement preserves the process boundary for Fringing reef?	11

Q28. Which option avoids the main UPSC trap concerning Fringing reef?	11
Q29. Which statement correctly explains Barrier reef?	12
Q30. Which option is the safest spatial interpretation of Barrier reef?	12
Q31. Which statement preserves the process boundary for Barrier reef?	12
Q32. Which option avoids the main UPSC trap concerning Barrier reef?	12
Q33. Which statement correctly explains Atoll?	13
Q34. Which option is the safest spatial interpretation of Atoll?	13
Q35. Which statement preserves the process boundary for Atoll?	13
Q36. Which option avoids the main UPSC trap concerning Atoll?	13
Q37. Which statement correctly explains Darwin subsidence model?	14
Q38. Which option is the safest spatial interpretation of Darwin subsidence model?	14
Q39. Which statement preserves the process boundary for Darwin subsidence model?	14
Q40. Which option avoids the main UPSC trap concerning Darwin subsidence model?	14
Q41. Which statement correctly explains Daly glacial-control model?	15
Q42. Which option is the safest spatial interpretation of Daly glacial-control model?	15
Q43. Which statement preserves the process boundary for Daly glacial-control model?	15
Q44. Which option avoids the main UPSC trap concerning Daly glacial-control model?	15
Q45. Which statement correctly explains Bleaching boundary?	16
Q46. Which option is the safest spatial interpretation of Bleaching boundary?	16
Q47. Which statement preserves the process boundary for Bleaching boundary?	16
Q48. Which option avoids the main UPSC trap concerning Bleaching boundary?	16
Q49. Which statement correctly explains Reef service bundle?	17
Q50. Which option is the safest spatial interpretation of Reef service bundle?	17
Q51. Which statement preserves the process boundary for Reef service bundle?	17
Q52. Which option avoids the main UPSC trap concerning Reef service bundle?	17
Q53. Which statement correctly explains Andaman-Nicobar origin?	18
Q54. Which option is the safest spatial interpretation of Andaman-Nicobar origin?	18
Q55. Which statement preserves the process boundary for Andaman-Nicobar origin?	18
Q56. Which option avoids the main UPSC trap concerning Andaman-Nicobar origin?	18
Q57. Which statement correctly explains Lakshadweep origin?	19
Q58. Which option is the safest spatial interpretation of Lakshadweep origin?	19
Q59. Which statement preserves the process boundary for Lakshadweep origin?	19

Q60. Which option avoids the main UPSC trap concerning Lakshadweep origin?	19
Q61. Which statement correctly explains India island-channel map?	20
Q62. Which option is the safest spatial interpretation of India island-channel map?	20
Q63. Which statement preserves the process boundary for India island-channel map?	20
Q64. Which option avoids the main UPSC trap concerning India island-channel map?	20
Q65. Which statement correctly explains Great Nicobar biosphere status?	21
Q66. Which option is the safest spatial interpretation of Great Nicobar biosphere status?	21
Q67. Which statement preserves the process boundary for Great Nicobar biosphere status?	21
Q68. Which option avoids the main UPSC trap concerning Great Nicobar biosphere status?	21
Q69. Which statement correctly explains Great Nicobar project components?	22
Q70. Which option is the safest spatial interpretation of Great Nicobar project components?	22
Q71. Which statement preserves the process boundary for Great Nicobar project components?	22
Q72. Which option avoids the main UPSC trap concerning Great Nicobar project components?	22
Q73. Which statement correctly explains Great Nicobar status boundary?	23
Q74. Which option is the safest spatial interpretation of Great Nicobar status boundary?	23
Q75. Which statement preserves the process boundary for Great Nicobar status boundary?	23
Q76. Which option avoids the main UPSC trap concerning Great Nicobar status boundary?	23
Q77. Which statement correctly explains Island appraisal framework?	24
Q78. Which option is the safest spatial interpretation of Island appraisal framework?	24
Q79. Which statement preserves the process boundary for Island appraisal framework?	24
Q80. Which option avoids the main UPSC trap concerning Island appraisal framework?	24
PYQS AND ANSWER PRACTICE	25
VERIFIED PYQ OWNERSHIP AUDIT	25
OWNER PYQ LEDGER EXTRACTS	25
PYQ DEMAND CARD 1 - 2018 Prelims GS-I	25
PYQ DEMAND CARD 2 - 2019 GS-I	25
ORIGINAL MAINS 1 - 10 MARKS	26
ORIGINAL MAINS 2 - 10 MARKS	26
ORIGINAL MAINS 3 - 15 MARKS	26
ORIGINAL MAINS 4 - 15 MARKS	27
ORIGINAL MAINS 5 - 20 MARKS	27
ORIGINAL MAINS 6 - 20 MARKS	27

Islands and Coral Reefs / India Islands-Great Nicobar - Solved Practice Workbook

BASIC MCQS / REMEDIATION

Q1. Which statement correctly explains Island classification?

A. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. B. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. C. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. D. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin.

Answer: A. Explanation: Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. The other options describe different processes, locations, scales or governance categories.

Q2. Which option is the safest spatial interpretation of Island classification?

A. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. B. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. C. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. D. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct.

Answer: B. Explanation: Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. The other options describe different processes, locations, scales or governance categories.

Q3. Which statement preserves the process boundary for Island classification?

A. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. B. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. C. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. D. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity.

Answer: C. Explanation: Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. The other options describe different processes, locations, scales or governance categories.

Q4. Which option avoids the main UPSC trap concerning Island classification?

A. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. B. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. C. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. D. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion.

Answer: D. Explanation: Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. The other options describe different processes, locations, scales or governance categories.

Q5. Which statement correctly explains Continental islands?

A. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. B. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. C. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. D. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity.

Answer: A. Explanation: Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. The other options describe different processes, locations, scales or governance categories.

Q6. Which option is the safest spatial interpretation of Continental islands?

A. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. B. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. C. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. D. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity.

Answer: B. Explanation: Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. The other options describe different processes, locations, scales or governance categories.

Q7. Which statement preserves the process boundary for Continental islands?

A. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. B. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. C. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. D. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary.

Answer: C. Explanation: Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. The other options describe different processes, locations, scales or governance categories.

Q8. Which option avoids the main UPSC trap concerning Continental islands?

A. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. B. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. C. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. D. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin.

Answer: D. Explanation: Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. The other options describe different processes, locations, scales or governance categories.

Q9. Which statement correctly explains Volcanic islands?

A. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. B. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. C. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. D. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity.

Answer: A. Explanation: Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. The other options describe different processes, locations, scales or governance categories.

Q10. Which option is the safest spatial interpretation of Volcanic islands?

A. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. B. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. C. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. D. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity.

Answer: B. Explanation: Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. The other options describe different processes, locations, scales or governance categories.

Q11. Which statement preserves the process boundary for Volcanic islands?

A. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. B. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. C. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. D. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary.

Answer: C. Explanation: Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. The other options describe different processes, locations, scales or governance categories.

Q12. Which option avoids the main UPSC trap concerning Volcanic islands?

A. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. B. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. C. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. D. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity.

Answer: D. Explanation: Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. The other options describe different processes, locations, scales or governance categories.

Q13. Which statement correctly explains Coral islands?

A. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. B. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. C. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. D. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land.

Answer: A. Explanation: Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. The other options describe different processes, locations, scales or governance categories.

Q14. Which option is the safest spatial interpretation of Coral islands?

A. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. B. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. C. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. D. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary.

Answer: B. Explanation: Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. The other options describe different processes, locations, scales or governance categories.

Q15. Which statement preserves the process boundary for Coral islands?

A. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. B. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. C. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. D. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface.

Answer: C. Explanation: Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. The other options describe different processes, locations, scales or governance categories.

Q16. Which option avoids the main UPSC trap concerning Coral islands?

A. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. B. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. C. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. D. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct.

Answer: D. Explanation: Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. The other options describe different processes, locations, scales or governance categories.

Q17. Which statement correctly explains Coral polyp symbiosis?

A. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. B. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. C. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. D. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef.

Answer: A. Explanation: Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. The other options describe different processes, locations, scales or governance categories.

Q18. Which option is the safest spatial interpretation of Coral polyp symbiosis?

A. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. B. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. C. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. D. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land.

Answer: B. Explanation: Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. The other options describe different processes, locations, scales or governance categories.

Q19. Which statement preserves the process boundary for Coral polyp symbiosis?

A. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. B. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. C. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. D. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef.

Answer: C. Explanation: Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. The other options describe different processes, locations, scales or governance categories.

Q20. Which option avoids the main UPSC trap concerning Coral polyp symbiosis?

A. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. B. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. C. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. D. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity.

Answer: D. Explanation: Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. The other options describe different processes, locations, scales or governance categories.

Q21. Which statement correctly explains Coral-growth controls?

A. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. B. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. C. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. D. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef.

Answer: A. Explanation: Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. The other options describe different processes, locations, scales or governance categories.

Q22. Which option is the safest spatial interpretation of Coral-growth controls?

A. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. B. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. C. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. D. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface.

Answer: B. Explanation: Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. The other options describe different processes, locations, scales or governance categories.

Q23. Which statement preserves the process boundary for Coral-growth controls?

A. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. B. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. C. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. D. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface.

Answer: C. Explanation: Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. The other options describe different processes, locations, scales or governance categories.

Q24. Which option avoids the main UPSC trap concerning Coral-growth controls?

A. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. B. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. C. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. D. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary.

Answer: D. Explanation: Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. The other options describe different processes, locations, scales or governance categories.

Q25. Which statement correctly explains Fringing reef?

A. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. B. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. C. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. D. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef.

Answer: A. Explanation: A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. The other options describe different processes, locations, scales or governance categories.

Q26. Which option is the safest spatial interpretation of Fringing reef?

A. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. B. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. C. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. D. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface.

Answer: B. Explanation: A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. The other options describe different processes, locations, scales or governance categories.

Q27. Which statement preserves the process boundary for Fringing reef?

A. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. B. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. C. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. D. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics.

Answer: C. Explanation: A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. The other options describe different processes, locations, scales or governance categories.

Q28. Which option avoids the main UPSC trap concerning Fringing reef?

A. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. B. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. C. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. D. A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land.

Answer: D. Explanation: A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land. The other options describe different processes, locations, scales or governance categories.

Q29. Which statement correctly explains Barrier reef?

A. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. B. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. C. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. D. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics.

Answer: A. Explanation: A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. The other options describe different processes, locations, scales or governance categories.

Q30. Which option is the safest spatial interpretation of Barrier reef?

A. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. B. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. C. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. D. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics.

Answer: B. Explanation: A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. The other options describe different processes, locations, scales or governance categories.

Q31. Which statement preserves the process boundary for Barrier reef?

A. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. B. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. C. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. D. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics.

Answer: C. Explanation: A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. The other options describe different processes, locations, scales or governance categories.

Q32. Which option avoids the main UPSC trap concerning Barrier reef?

A. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. B. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. C. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. D. A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef.

Answer: D. Explanation: A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef. The other options describe different processes, locations, scales or governance categories.

Q33. Which statement correctly explains Atoll?

A. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. B. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. C. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. D. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics.

Answer: A. Explanation: An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. The other options describe different processes, locations, scales or governance categories.

Q34. Which option is the safest spatial interpretation of Atoll?

A. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. B. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. C. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. D. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure.

Answer: B. Explanation: An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. The other options describe different processes, locations, scales or governance categories.

Q35. Which statement preserves the process boundary for Atoll?

A. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. B. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. C. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. D. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure.

Answer: C. Explanation: An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. The other options describe different processes, locations, scales or governance categories.

Q36. Which option avoids the main UPSC trap concerning Atoll?

A. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. B. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. C. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. D. An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface.

Answer: D. Explanation: An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface. The other options describe different processes, locations, scales or governance categories.

Q37. Which statement correctly explains Darwin subsidence model?

A. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. B. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. C. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. D. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure.

Answer: A. Explanation: Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. The other options describe different processes, locations, scales or governance categories.

Q38. Which option is the safest spatial interpretation of Darwin subsidence model?

A. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. B. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. C. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. D. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure.

Answer: B. Explanation: Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. The other options describe different processes, locations, scales or governance categories.

Q39. Which statement preserves the process boundary for Darwin subsidence model?

A. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. B. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. C. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. D. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls.

Answer: C. Explanation: Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. The other options describe different processes, locations, scales or governance categories.

Q40. Which option avoids the main UPSC trap concerning Darwin subsidence model?

A. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. B. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. C. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. D. Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef.

Answer: D. Explanation: Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef. The other options describe different processes, locations, scales or governance categories.

Q41. Which statement correctly explains Daly glacial-control model?

A. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. B. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. C. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. D. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls.

Answer: A. Explanation: Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. The other options describe different processes, locations, scales or governance categories.

Q42. Which option is the safest spatial interpretation of Daly glacial-control model?

A. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. B. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. C. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. D. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls.

Answer: B. Explanation: Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. The other options describe different processes, locations, scales or governance categories.

Q43. Which statement preserves the process boundary for Daly glacial-control model?

A. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. B. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. C. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. D. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls.

Answer: C. Explanation: Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. The other options describe different processes, locations, scales or governance categories.

Q44. Which option avoids the main UPSC trap concerning Daly glacial-control model?

A. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. B. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. C. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. D. Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics.

Answer: D. Explanation: Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics. The other options describe different processes, locations, scales or governance categories.

Q45. Which statement correctly explains Bleaching boundary?

A. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. B. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. C. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. D. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive.

Answer: A. Explanation: Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. The other options describe different processes, locations, scales or governance categories.

Q46. Which option is the safest spatial interpretation of Bleaching boundary?

A. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. B. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. C. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. D. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive.

Answer: B. Explanation: Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. The other options describe different processes, locations, scales or governance categories.

Q47. Which statement preserves the process boundary for Bleaching boundary?

A. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. B. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. C. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. D. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone.

Answer: C. Explanation: Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. The other options describe different processes, locations, scales or governance categories.

Q48. Which option avoids the main UPSC trap concerning Bleaching boundary?

A. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. B. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. C. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. D. Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead.

Answer: D. Explanation: Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead. The other options describe different processes, locations, scales or governance categories.

Q49. Which statement correctly explains Reef service bundle?

A. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. B. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. C. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. D. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls.

Answer: A. Explanation: Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. The other options describe different processes, locations, scales or governance categories.

Q50. Which option is the safest spatial interpretation of Reef service bundle?

A. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. B. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. C. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. D. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group.

Answer: B. Explanation: Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. The other options describe different processes, locations, scales or governance categories.

Q51. Which statement preserves the process boundary for Reef service bundle?

A. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. B. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. C. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. D. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone.

Answer: C. Explanation: Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. The other options describe different processes, locations, scales or governance categories.

Q52. Which option avoids the main UPSC trap concerning Reef service bundle?

A. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. B. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. C. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. D. Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure.

Answer: D. Explanation: Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure. The other options describe different processes, locations, scales or governance categories.

Q53. Which statement correctly explains Andaman-Nicobar origin?

A. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. B. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. C. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. D. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive.

Answer: A. Explanation: The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. The other options describe different processes, locations, scales or governance categories.

Q54. Which option is the safest spatial interpretation of Andaman-Nicobar origin?

A. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. B. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. C. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. D. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone.

Answer: B. Explanation: The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. The other options describe different processes, locations, scales or governance categories.

Q55. Which statement preserves the process boundary for Andaman-Nicobar origin?

A. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. B. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. C. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. D. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone.

Answer: C. Explanation: The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. The other options describe different processes, locations, scales or governance categories.

Q56. Which option avoids the main UPSC trap concerning Andaman-Nicobar origin?

A. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. B. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. C. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. D. The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls.

Answer: D. Explanation: The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls. The other options describe different processes, locations, scales or governance categories.

Q57. Which statement correctly explains Lakshadweep origin?

A. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. B. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. C. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. D. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components.

Answer: A. Explanation: Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. The other options describe different processes, locations, scales or governance categories.

Q58. Which option is the safest spatial interpretation of Lakshadweep origin?

A. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. B. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. C. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. D. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components.

Answer: B. Explanation: Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. The other options describe different processes, locations, scales or governance categories.

Q59. Which statement preserves the process boundary for Lakshadweep origin?

A. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. B. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. C. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. D. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation.

Answer: C. Explanation: Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. The other options describe different processes, locations, scales or governance categories.

Q60. Which option avoids the main UPSC trap concerning Lakshadweep origin?

A. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. B. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. C. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. D. Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive.

Answer: D. Explanation: Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive. The other options describe different processes, locations, scales or governance categories.

Q61. Which statement correctly explains India island-channel map?

A. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. B. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. C. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. D. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components.

Answer: A. Explanation: The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. The other options describe different processes, locations, scales or governance categories.

Q62. Which option is the safest spatial interpretation of India island-channel map?

A. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. B. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. C. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. D. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation.

Answer: B. Explanation: The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. The other options describe different processes, locations, scales or governance categories.

Q63. Which statement preserves the process boundary for India island-channel map?

A. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. B. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. C. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. D. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation.

Answer: C. Explanation: The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. The other options describe different processes, locations, scales or governance categories.

Q64. Which option avoids the main UPSC trap concerning India island-channel map?

A. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. B. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. C. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. D. The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group.

Answer: D. Explanation: The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group. The other options describe different processes, locations, scales or governance categories.

Q65. Which statement correctly explains Great Nicobar biosphere status?

A. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. B. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. C. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. D. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards.

Answer: A. Explanation: Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. The other options describe different processes, locations, scales or governance categories.

Q66. Which option is the safest spatial interpretation of Great Nicobar biosphere status?

A. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. B. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. C. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. D. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards.

Answer: B. Explanation: Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. The other options describe different processes, locations, scales or governance categories.

Q67. Which statement preserves the process boundary for Great Nicobar biosphere status?

A. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. B. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. C. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. D. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin.

Answer: C. Explanation: Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. The other options describe different processes, locations, scales or governance categories.

Q68. Which option avoids the main UPSC trap concerning Great Nicobar biosphere status?

A. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. B. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. C. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. D. Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone.

Answer: D. Explanation: Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone. The other options describe different processes, locations, scales or governance categories.

Q69. Which statement correctly explains Great Nicobar project components?

A. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. B. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. C. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. D. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards.

Answer: A. Explanation: Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. The other options describe different processes, locations, scales or governance categories.

Q70. Which option is the safest spatial interpretation of Great Nicobar project components?

A. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. B. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. C. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. D. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin.

Answer: B. Explanation: Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. The other options describe different processes, locations, scales or governance categories.

Q71. Which statement preserves the process boundary for Great Nicobar project components?

A. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. B. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. C. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. D. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity.

Answer: C. Explanation: Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. The other options describe different processes, locations, scales or governance categories.

Q72. Which option avoids the main UPSC trap concerning Great Nicobar project components?

A. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. B. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. C. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. D. Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components.

Answer: D. Explanation: Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components. The other options describe different processes, locations, scales or governance categories.

Q73. Which statement correctly explains Great Nicobar status boundary?

A. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. B. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. C. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. D. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards.

Answer: A. Explanation: A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. The other options describe different processes, locations, scales or governance categories.

Q74. Which option is the safest spatial interpretation of Great Nicobar status boundary?

A. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. B. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. C. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. D. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin.

Answer: B. Explanation: A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. The other options describe different processes, locations, scales or governance categories.

Q75. Which statement preserves the process boundary for Great Nicobar status boundary?

A. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. B. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin. C. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. D. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity.

Answer: C. Explanation: A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. The other options describe different processes, locations, scales or governance categories.

Q76. Which option avoids the main UPSC trap concerning Great Nicobar status boundary?

A. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. B. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. C. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. D. A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation.

Answer: D. Explanation: A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation. The other options describe different processes, locations, scales or governance categories.

Q77. Which statement correctly explains Island appraisal framework?

A. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. B. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. C. Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion. D. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin.

Answer: A. Explanation: Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. The other options describe different processes, locations, scales or governance categories.

Q78. Which option is the safest spatial interpretation of Island appraisal framework?

A. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity. B. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. C. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. D. Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin.

Answer: B. Explanation: Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. The other options describe different processes, locations, scales or governance categories.

Q79. Which statement preserves the process boundary for Island appraisal framework?

A. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. B. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. C. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. D. Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity.

Answer: C. Explanation: Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. The other options describe different processes, locations, scales or governance categories.

Q80. Which option avoids the main UPSC trap concerning Island appraisal framework?

A. Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct. B. Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity. C. Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary. D. Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards.

Answer: D. Explanation: Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards. The other options describe different processes, locations, scales or governance categories.

PYQS AND ANSWER PRACTICE

VERIFIED PYQ OWNERSHIP AUDIT

Verified direct routes are the 2018 Prelims coral-reef distribution and biodiversity demand and the 2019 GS-I global-warming impact on coral life. Barren Island, biorock and island-nation sea-level questions retain their separate routed owners and are not duplicated as direct PYQs.

OWNER PYQ LEDGER EXTRACTS

Historical PYQ Integration (2018-2023)

Status: Question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2018-2023.md, _PYQ-ROUTING-PRELIMS-2018-2023.md. **Answer-key rule:** The official 2018-2023 Prelims/CSAT keys are not held locally; no option or answer has been inferred.

- **Years represented:** 2018, 2019
- **Paper(s):** GS-I, Prelims GS-I
- **Routed question demands:** 2

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2018	Prelims GS-I	87	Coral reef global distribution tropical waters and biodiversity	Objective question; official key unavailable locally	Routed; key unavailable locally	Cover the named fact/concept and its likely statement-level distinctions.
2019	GS-I	4	Global warming impact on the coral life system	Assess with examples · 10 marks · 150 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.

What this owner must now support

- Coral reef global distribution tropical waters and biodiversity
- Global warming impact on the coral life system

The table integrates the examinable demand and paper metadata. It does not turn an unkeyed objective question into a solved answer, and it does not claim that lexical presence alone proves full conceptual sufficiency.

PYQ DEMAND CARD 1 - 2018 Prelims GS-I

Demand: Coral reef global distribution in tropical waters and its biodiversity significance.

Status: Verified routed objective demand; official key unavailable in the local ledger.

Model solution: Test each statement independently: reef-building corals are concentrated mainly in warm, shallow tropical-subtropical seas, but distribution is not universal; the Coral Triangle and Great Barrier Reef are major centres; reefs support high taxonomic diversity. Preserve the official option order and do not invent an answer letter.

PYQ DEMAND CARD 2 - 2019 GS-I

Demand: Assess the impact of global warming on the coral life system with examples. (150 words)

Status: Verified routed direct Mains demand.

Model solution: Explain marine heat stress and bleaching, then trace mortality, habitat simplification, fisheries, tourism, carbonate sediment and coastal protection. Use Indian reef settings as examples without unsupported event counts. Qualify that bleaching can recover if stress is brief and local pressures are reduced.

ORIGINAL MAINS 1 - 10 MARKS

Question: Classify islands by origin and explain why present shape alone is inadequate. Answer in about 150 words.

Model thesis: Continental, volcanic, coral and depositional origins reflect different crustal and sedimentary histories that can converge on similar present shapes.

Claim -> named evidence -> analysis -> qualification:

- Islands may be continental fragments or shelf islands, oceanic volcanic islands, coral islands or depositional islands; classification must state the origin criterion.
- Continental islands share continental crustal or shelf affinity and may be separated by drowning, faulting or erosion; proximity to a continent alone does not prove origin.
- Oceanic volcanic islands grow where magma builds edifices above sea level at plate boundaries or hotspots; volcanic origin does not imply current eruptive activity.
- Coral islands are low accumulations of reef-derived carbonate sediment built and reworked by organisms, waves and currents; the living reef and the island landform are related but distinct.

Qualified conclusion: Continental, volcanic, coral and depositional origins reflect different crustal and sedimentary histories that can converge on similar present shapes.

ORIGINAL MAINS 2 - 10 MARKS

Question: Differentiate fringing reefs, barrier reefs and atolls using a map-view sketch. Answer in about 150 words.

Model thesis: Distance from land, lagoon width and the presence or absence of a central high island separate the three forms.

Claim -> named evidence -> analysis -> qualification:

- A fringing reef lies close to shore with no lagoon or only a narrow shallow lagoon, making it the closest reef type to the land.
- A barrier reef lies farther offshore and is separated from land by a broader, deeper lagoon; offshore position and lagoon width distinguish it from a fringing reef.
- An atoll is a roughly ring-shaped reef or reef-island system enclosing a lagoon, generally without a central high island at the surface.

Qualified conclusion: Distance from land, lagoon width and the presence or absence of a central high island separate the three forms.

ORIGINAL MAINS 3 - 15 MARKS

Question: Explain Darwin's reef-subsidence sequence and assess its limits. Answer in about 250 words.

Model thesis: Subsidence with upward-outward coral growth explains a powerful sequence, but sea-level oscillation, antecedent topography, ecology and tectonics require qualification.

Claim -> named evidence -> analysis -> qualification:

- Darwin's model links fringing reef to barrier reef to atoll as a volcanic foundation slowly subsides while coral growth keeps pace near sea level; it is a process model, not a rule for every reef.
- Daly emphasised lowered glacial sea level, wave planation and post-glacial flooding as controls on reef platforms; it supplements rather than erases biological growth and tectonics.

Qualified conclusion: Subsidence with upward-outward coral growth explains a powerful sequence, but sea-level oscillation, antecedent topography, ecology and tectonics require qualification.

ORIGINAL MAINS 4 - 15 MARKS

Question: Compare the geological and ecological character of Andaman-Nicobar and Lakshadweep. Answer in about 250 words.

Model thesis: A tectonic island arc and low coral-atoll system create different relief, hazards and resource limits, though both contain vulnerable reefs and coasts.

Claim -> named evidence -> analysis -> qualification:

- The Andaman and Nicobar Islands are emergent parts of a tectonic island arc connected to the Sunda-Andaman subduction system; the group is not simply a chain of coral atolls.
- Lakshadweep consists of low coral islands, reefs and atolls on submarine ridges in the Arabian Sea; reef-derived land and freshwater lenses make the islands physically sensitive.
- The Ten Degree Channel separates the Andaman group from the Nicobar group, while the Nine Degree Channel separates Minicoy from the main Lakshadweep group.

Qualified conclusion: A tectonic island arc and low coral-atoll system create different relief, hazards and resource limits, though both contain vulnerable reefs and coasts.

ORIGINAL MAINS 5 - 20 MARKS

Question: Assess how marine heat stress can transform coral-reef ecology, island security and livelihoods. Answer in about 300 words.

Model thesis: Bleaching affects habitat, fisheries, tourism, carbonate sediment and wave attenuation, with outcomes shaped by duration, local stress and recovery capacity.

Claim -> named evidence -> analysis -> qualification:

- Reef-building corals are animals that secrete calcium-carbonate skeletons and commonly host photosynthetic zooxanthellae, linking clear sunlit water to reef productivity.
- Most reef-building corals favour warm, shallow, clear, well-lit, normally saline and oxygenated water with limited sediment stress; local tolerances vary.
- Coral bleaching is the loss of symbiotic algae or pigments under stress, often marine heat; bleaching raises mortality risk but does not mean every colony is already dead.
- Reefs support biodiversity, fisheries, tourism, carbonate sediment and wave-energy attenuation, but they cannot eliminate extreme surge, tsunami or poor land-use exposure.

Qualified conclusion: Bleaching affects habitat, fisheries, tourism, carbonate sediment and wave attenuation, with outcomes shaped by duration, local stress and recovery capacity.

ORIGINAL MAINS 6 - 20 MARKS

Question: Construct a balanced appraisal framework for the Great Nicobar project. Answer in about 300 words.

Model thesis: Separate official components and approval status from projected benefits, then test cumulative ecology, hazards, rights, carrying capacity, alternatives, safeguards and monitoring.

Claim -> named evidence -> analysis -> qualification:

- Great Nicobar is in UNESCO's World Network of Biosphere Reserves, added in 2013; biosphere-reserve recognition does not make the entire island an inviolate no-use zone.
- Official 2026 PIB material describes an international container transshipment port, airport, township and power infrastructure as the proposed integrated project components.
- A Rajya Sabha answer dated 12 February 2026 stated that Stage-II or final forest approval had not been granted and project activity depended on final approval; a factsheet is not proof of completed mitigation.
- Island decisions must combine tectonic and tsunami exposure, reefs and nesting beaches, freshwater and sediment limits, indigenous rights, cumulative carrying capacity, alternatives and monitored safeguards.

Qualified conclusion: Separate official components and approval status from projected benefits, then test cumulative ecology, hazards, rights, carrying capacity, alternatives, safeguards and monitoring.