

THE EARTH'S CRUST, ROCKS / INDIA GEOLOGICAL STRUCTURE

CRUST, LITHOSPHERE AND THE → IGNEOUS, SEDIMENTARY AND METAMORPHIC → FROM CONTINENTAL DRIFT TO → INDIAN PLATE JOURNEY AND → INDIAN ROCK SYSTEMS, BASINS → HIMALAYA, FORELAND, COASTS, ISLANDS

Read the thick cyan rail from Stage 00 to the final core synthesis. Each card uses a concept-appropriate structure; the grey E card is optional enrichment only and never repairs missing core content.

PRIMARY CORE FLOW SUBORDINATE EXTRA APPROVAL / REVIEW

Approval: FALSE • Pending user review • source generation g13 and all prior artifacts unchanged

CORE BEFORE EXTRA • prior artefacts unchanged • exact same master drives poster and tiles

00

STAGE 00 CRUST, LITHOSPHERE AND THE ROCK-CYCLE NETWORK

CRUST, LITHOSPHERE AND THE ROCK-CYCLE NETWORK EARTH MATERIAL SYSTEM MINERAL COMPOSITIONAL SHELL CRUST + RIGID UPPERMOST MANTLE WEAKER MECHANICAL LAYER BELOW ROCK-CYCLE NETWORK MAGMA →CRYSTALLISATION→ IGNEOUS WEATHERING + TRANSPORT

←---- MELTING -- METAMORPHIC <-- SEDIMENTARY HEAT + PRESSURE THE CYCLE IS A NETWORK

EARTH MATERIAL SYSTEM mineral → rock → lithology → petrology → geology

Crust = compositional shell

Lithosphere = crust + rigid uppermost mantle

Asthenosphere = weaker mechanical layer below

ROCK-CYCLE NETWORK magma →crystallisation→ IGNEOUS weathering + transport

CORE CLAIM

- EARTH MATERIAL SYSTEM mineral → rock → lithology → petrology → geology
- Crust = compositional shell
- Lithosphere = crust + rigid uppermost mantle

MECHANISM

- Asthenosphere = weaker mechanical layer below
- ROCK-CYCLE NETWORK magma →crystallisation→ IGNEOUS weathering + transport
- <---- melting -- METAMORPHIC <-- SEDIMENTARY heat + pressure compaction + cementation uplift and exposure reconnect all paths

CONSEQUENCE / LIMIT

- The cycle is a network: no rock family has one compulsory next stage.
- MUST REMEMBER: Crustal analysis connects seismic evidence, compositional and rheological layers, rock cycle, plate boundaries and
- Wilson-cycle logic to India's cratons, mobile belts, Gondwana basins, Deccan volcanics, Himalaya and Indo-Gangetic foredeep.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: The crust is Earth's outer compositional shell, whereas the lithosphere is the stronger mechanical layer comprising the crust plus the rigid uppermost mantle.

01

STAGE 01 IGNEOUS, SEDIMENTARY AND METAMORPHIC DIAGNOSTIC MATRIX

IGNEOUS, SEDIMENTARY AND METAMORPHIC DIAGNOSTIC MATRIX FIELD CLUES MAGMA/LAVA COOLING CRYSTALS, GLASS, VESICLES INTRUSIVE SLOW COOLING COARSE TEXTURE EXTRUSIVE FAST COOLING FINE OR GLASSY TEXTURE

| FAMILY                             | PROCESS                                                               | FIELD CLUES                             |
|------------------------------------|-----------------------------------------------------------------------|-----------------------------------------|
| Sedimentary                        | deposit + lithify                                                     | beds, fossils, ripples                  |
| granite-rhyolite = felsic          | diorite-andesite = intermediate gabbro-basalt = mafic                 |                                         |
| FIREWALLS bedding is not foliation | loess and moraine are deposits until lithified porosity is void space | permeability is connected flow capacity |

CORE CLAIM

- FIELD CLUES
- magma/lava cooling
- crystals, glass, vesicles intrusive
- slow cooling
- coarse texture extrusive

MECHANISM

- deposit + lithify
- beds, fossils, ripples
- solid-state change
- grade, new minerals foliated
- differential stress

CONSEQUENCE / LIMIT

- granite-rhyolite = felsic
- diorite-andesite = intermediate gabbro-basalt = mafic
- FIREWALLS bedding is not foliation
- loess and moraine are deposits until lithified porosity is void space
- permeability is connected flow capacity

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Igneous rocks record the cooling history and composition of magma or lava: slow intrusive cooling favours coarse crystals, while rapid extrusive cooling favours fine, glassy or vesicular textures.

02

STAGE 02 FROM CONTINENTAL DRIFT TO PLATE TECTONICS AND WILSON-CYCLE CLOSURE

FROM CONTINENTAL DRIFT TO PLATE TECTONICS AND WILSON-CYCLE CLOSURE WEGENER'S DRIFT CLAIM SHELF-EDGE FIT MATCHING ROCKS AND FOSSILS LATER PALAEOMAGNETIC SUPPORT LIMITATION NO ADEQUATE DRIVING MECHANISM SEA-FLOOR SPREADING RIDGE CREATION MAGNETIC STRIPES

WEGENER'S DRIFT CLAIM

shelf-edge fit → matching rocks and fossils

palaeoclimate → later palaeomagnetic support limitation: no adequate driving mechanism

SEA-FLOOR SPREADING ridge creation → magnetic stripes → older/deeper floor outward trench destruction

CORE CLAIM

- WEGENER'S DRIFT CLAIM
- shelf-edge fit → matching rocks and fossils
- palaeoclimate → later palaeomagnetic support limitation: no adequate driving mechanism

MECHANISM

- SEA-FLOOR SPREADING ridge creation → magnetic stripes → older/deeper floor outward trench destruction
- PLATE TECTONICS divergence subduction transform creates crust destroys oceanic conserves crust ridge/rift trench + arc
- shallow quakes rift → narrow sea → ocean → subduction → collision → suture

CONSEQUENCE / LIMIT

- Wilson cycle is an analogy, not a compulsory destiny for every ocean.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Plate boundaries are diagnosed by motion and products: divergence creates crust, subduction destroys oceanic crust, continent collision thickens crust, and transform motion conserves crust while generating shallow earthquakes.

02

## STAGE 02 FROM CONTINENTAL DRIFT TO PLATE TECTONICS AND WILSON-CYCLE CLOSURE

FROM CONTINENTAL DRIFT TO PLATE TECTONICS AND WILSON-CYCLE CLOSURE

WEGENER'S DRIFT CLAIM

SHELF-EDGE FIT

MATCHING ROCKS AND FOSSILS

LATER PALAEOMAGNETIC SUPPORT LIMITATION

NO ADEQUATE DRIVING MECHANISM

SEA-FLOOR SPREADING RIDGE CREATION

MAGNETIC STRIPES

## WEGENER'S DRIFT CLAIM

shelf-edge fit → matching rocks and fossils

palaeoclimate → later palaeomagnetic support limitation: no adequate driving mechanism

SEA-FLOOR SPREADING ridge creation → magnetic stripes → older/deeper floor outward trench destruction

## CORE CLAIM

- WEGENER'S DRIFT CLAIM
- shelf-edge fit → matching rocks and fossils
- palaeoclimate → later palaeomagnetic support limitation: no adequate driving mechanism

## MECHANISM

- SEA-FLOOR SPREADING ridge creation → magnetic stripes → older/deeper floor outward trench destruction
- PLATE TECTONICS divergence subduction transform creates crust destroys oceanic conserves crust ridge/rift trench + arc
- shallow quakes rift → narrow sea → ocean → subduction → collision → suture

## CONSEQUENCE / LIMIT

- Wilson cycle is an analogy, not a compulsory destiny for every ocean.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Plate boundaries are diagnosed by motion and products: divergence creates crust, subduction destroys oceanic crust, continent collision thickens crust, and transform motion conserves crust while generating shallow earthquakes.

03

## STAGE 03 INDIAN PLATE JOURNEY AND THE THREE-PART GEOLOGICAL SKELETON

INDIAN PLATE JOURNEY AND THE THREE-PART GEOLOGICAL SKELETON

GONDWANA RIFTING

NORTHWARD INDIAN PLATE DRIFT

TETHYS CLOSURE

INDIA-EURASIA COLLISION ANCIENT PENINSULA HIMALAYAN FOLD-THRUST BELT FORELAND BASIN

NORTH-SOUTH EXAM CROSS-SECTION

SIWALIK HIMALAYA

## FORELAND ALLUVIUM

Gondwana rifting → northward Indian Plate drift → Tethys closure

India-Eurasia collision ancient Peninsula Himalayan fold-thrust belt foreland basin cratons + belts

shortening + thickening flexure + sediment stable framework continuing uplift/seismicity Indo-Ganga-Brahmaputra

NORTH-SOUTH EXAM CROSS-SECTION

Tethyan / Greater / Lesser / Siwalik Himalaya → foreland alluvium

## CORE CLAIM

- Gondwana rifting → northward Indian Plate drift → Tethys closure
- India-Eurasia collision ancient Peninsula Himalayan fold-thrust belt foreland basin cratons + belts
- shortening + thickening flexure + sediment stable framework continuing uplift/seismicity Indo-Ganga-Brahmaputra

## MECHANISM

- NORTH-SOUTH EXAM CROSS-SECTION
- Tethyan / Greater / Lesser / Siwalik Himalaya → foreland alluvium
- Peninsular cratons, rifts, basins and Deccan cover

## CONSEQUENCE / LIMIT

- EVIDENCE LADDER superposition → cross-cutting → unconformity → fossil correlation
- radiometric event age → palaeomagnetism → geophysics
- Stable Peninsula means relatively stable, not uniform, flat or aseismic.

MECHANISM / VERDICT — Stable Peninsula means relatively stable, not uniform, flat or aseismic.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: India's geological skeleton consists of an ancient Peninsular shield, an active Himalayan fold-thrust belt and a sediment-filled Indo-Ganga-Brahmaputra foreland basin linked by collision, flexure, erosion and deposition.

04

## STAGE 04 INDIAN ROCK SYSTEMS, BASINS AND RESOURCE ASSOCIATIONS

INDIAN ROCK SYSTEMS, BASINS AND RESOURCE ASSOCIATIONS

INDIAN EXPRESSION

SAFE ASSOCIATION

GNEISS + SUPRACRUSTALS

PROCESS-SPECIFIC ORE

CUDDAPAH, VINDHYAN

STONE; BOUNDED ORES

FAULTED INLAND BASINS

INDIAN EXPRESSION

SAFE ASSOCIATION

gneiss + supracrustals

process-specific ore

Cuddapah, Vindhyan

## CORE CLAIM

- INDIAN EXPRESSION
- SAFE ASSOCIATION
- gneiss + supracrustals
- process-specific ore
- Cuddapah, Vindhyan

## MECHANISM

- coal, not universal
- Marine basins
- coasts and offshore
- petroleum potential
- Deccan Trap

## CONSEQUENCE / LIMIT

- GONDWANA BASINS: Damodar
- PETROLEUM SYSTEM
- source → maturation → migration → reservoir → seal → trap → timing
- DECCAN ARCHITECTURE
- flow top / vesicles / fractures / weathered contact / dense flow interior

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: source → maturation → migration → reservoir → seal → trap → timing.

05

## STAGE 05 HIMALAYA, FORELAND, COASTS, ISLANDS AND STRUCTURAL CONTROLS

HIMALAYA, FORELAND, COASTS, ISLANDS AND STRUCTURAL CONTROLS

HIMALAYA COLLISION OROGEN

SUTURE FRAMEWORK

FORELAND FLEXURE AND FILL

BHANGAR/KHADAR ALLUVIAL EXPRESSIONS

PENINSULAR STRUCTURES

COASTS AND ISLANDS

NARMADA-SON AND TAPI RIFTS

HIMALAYA collision orogen: HFT/MFT → MBT → MCT → suture framework

FORELAND FLEXURE AND FILL

Bhabar → Terai → bhangar/khadar alluvial expressions

PENINSULAR STRUCTURES

- gneiss + supracrustals
- process-specific ore
- Cuddapah, Vindhyan

- coasts and offshore
- petroleum potential
- Deccan Trap

- source → maturation → migration → reservoir → seal → trap → timing
- DECCAN ARCHITECTURE
- flow top / vesicles / fractures / weathered contact / dense flow interior

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: source → maturation → migration → reservoir → seal → trap → timing.

05

STAGE 05 HIMALAYA, FORELAND, COASTS, ISLANDS AND STRUCTURAL CONTROLS

HIMALAYA, FORELAND, COASTS, ISLANDS AND STRUCTURAL CONTROLS HIMALAYA COLLISION OROGEN SUTURE FRAMEWORK FORELAND FLEXURE AND FILL BHANGAR/KHADAR ALLUVIAL EXPRESSIONS PENINSULAR STRUCTURES COASTS AND ISLANDS NARMADA-SON AND TAPI RIFTS

HIMALAYA collision orogen: HFT/MFT → MBT → MCT → suture framework

FORELAND FLEXURE AND FILL

Bhabar → Terai → bhangar/khadar alluvial expressions

PENINSULAR STRUCTURES

CORE CLAIM

- HIMALAYA collision orogen: HFT/MFT → MBT → MCT → suture framework
- FORELAND FLEXURE AND FILL
- Bhabar → Terai → bhangar/khadar alluvial expressions
- PENINSULAR STRUCTURES
- COASTS AND ISLANDS

MECHANISM

- west: rifted-margin sectors
- Cambay and Kachchh
- east: deltaic sediment basins
- Godavari rift basin
- Andaman: active island arc joints, faults, bedding

CONSEQUENCE / LIMIT

- + erosion + base level + human action modify expression
- Rift = extensional zone
- graben = down-dropped block
- Lineament = mapped linear feature, not automatically an active fault.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: A rift is an extensional crustal zone, a graben is a down-dropped fault block, and a lineament is a mapped linear feature that is not automatically an active fault.

06

STAGE 06 INDIA SEISMIC EXPRESSION AND GEOLOGY-TO-RISK TRANSLATION

INDIA SEISMIC EXPRESSION AND GEOLOGY-TO-RISK TRANSLATION TECTONIC AND INHERITED STRUCTURE NE ANDAMAN ARC KACHCHH PENINSULA ACTIVE COLLISION SUBDUCTION INHERITED FAULTS/RIFTS STRONG SHAKING QUAKE SITE FILTER ALLUVIUM, BASIN DEPTH, GROUNDWATER, SLOPE, CONSTRUCTION EXPOSURE + VULNERABILITY - CAPACITY DISASTER RISK

TECTONIC AND INHERITED STRUCTURE

Himalaya / NE Andaman arc Kachchh / Peninsula active collision

subduction inherited faults/rifts strong shaking quake + tsunami intraplate reactivation

SITE FILTER: alluvium, basin depth, groundwater, slope, construction

CORE CLAIM

- TECTONIC AND INHERITED STRUCTURE
- Himalaya / NE Andaman arc Kachchh / Peninsula active collision
- subduction inherited faults/rifts strong shaking quake + tsunami intraplate reactivation

MECHANISM

- SITE FILTER: alluvium, basin depth, groundwater, slope, construction
- EXPOSURE + VULNERABILITY - CAPACITY
- DISASTER RISK

CONSEQUENCE / LIMIT

- BIS Zones II-V are broad design generalisations, not predictions.
- Geological association must be followed by site evidence and engineering.
- RESPONSE: map → investigate → code → inspect → retrofit → prepare.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: India's seismicity reflects active Himalayan and Andaman plate boundaries plus reactivation of inherited structures such as Kachchh and selected Peninsular faults; seismic zoning is a design generalisation, not earthquake prediction.

07

STAGE 07 MAP-ANSWER AND MAINS SPINE FOR INDIA'S GEOLOGICAL ARCHITECTURE

MAP-ANSWER AND MAINS SPINE FOR INDIA'S GEOLOGICAL ARCHITECTURE HOW DOES GEOLOGICAL STRUCTURE SHAPE INDIA'S SURFACE GEOGRAPHY? 1. DEFINE AGE + COMPOSITION + ROCK ARCHITECTURE + TECTONIC STRUCTURES 2. DRAW FORELAND PLAIN PENINSULAR SHIELD CROSS-SECTION 3. SEQUENCE

QUESTION: How does geological structure shape India's surface geography?

1. DEFINE: age + composition + rock architecture + tectonic structures

2. DRAW: Himalaya → foreland plain → Peninsular shield cross-section

3. SEQUENCE: Gondwana rift → drift → collision → uplift → sediment fill

CORE CLAIM

- QUESTION: How does geological structure shape India's surface geography?
- 1. DEFINE: age + composition + rock architecture + tectonic structures
- 2. DRAW: Himalaya → foreland plain → Peninsular shield cross-section
- 3. SEQUENCE: Gondwana rift → drift → collision → uplift → sediment fill

MECHANISM

- 4. MAP NAMED UNITS cratons
- Purana basins
- Gondwana basins
- 5. LINK PROCESS TO CONSEQUENCE structure → relief/drainage/water/resource/seismic expression

CONSEQUENCE / LIMIT

- 6. QUALIFY association is not reserve; stable is not aseismic; alluvium has structure
- 7. VERDICT inherited geology is filtered through tectonics, climate, erosion and use
- Answer order: thesis → map → evidence → mechanism → India example
- limitation → graded conclusion.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: 7. VERDICT inherited geology is filtered through tectonics, climate, erosion and use.

07

STAGE 07

MAP-ANSWER AND MAINS SPINE FOR INDIA'S GEOLOGICAL ARCHITECTURE

MAP-ANSWER AND MAINS SPINE FOR INDIA'S GEOLOGICAL ARCHITECTURE

HOW DOES GEOLOGICAL STRUCTURE SHAPE INDIA'S SURFACE GEOGRAPHY?

1. DEFINE

AGE + COMPOSITION + ROCK ARCHITECTURE + TECTONIC STRUCTURES

2. DRAW

FORELAND PLAIN

PENINSULAR SHIELD CROSS-SECTION

3. SEQUENCE

QUESTION: How does geological structure shape India's surface geography?

1. DEFINE: age + composition + rock architecture + tectonic structures

2. DRAW: Himalaya → foreland plain → Peninsular shield cross-section

3. SEQUENCE: Gondwana rift → drift → collision → uplift → sediment fill

CORE CLAIM

QUESTION: How does geological structure shape India's surface geography?

1. DEFINE: age + composition + rock architecture + tectonic structures

2. DRAW: Himalaya → foreland plain → Peninsular shield cross-section

3. SEQUENCE: Gondwana rift → drift → collision → uplift → sediment fill

MECHANISM

4. MAP NAMED UNITS cratons

Purana basins

Gondwana basins

5. LINK PROCESS TO CONSEQUENCE structure → relief/drainage/water/resource/seismic expression

CONSEQUENCE / LIMIT

6. QUALIFY association is not reserve; stable is not aseismic; alluvium has structure

7. VERDICT inherited geology is filtered through tectonics, climate, erosion and use

Answer order: thesis → map → evidence → mechanism → India example

limitation → graded conclusion.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: 7. VERDICT inherited geology is filtered through tectonics, climate, erosion and use.

08

STAGE 08

EVIDENCE LADDER AND CONFIDENCE CONTROL

EVIDENCE LADDER AND CONFIDENCE CONTROL

EVIDENCE LADDER

FROM SOURCE BOOK

STANDARD KNOWLEDGE

CURRENT AFFAIRS.

2. SEDIMENTARY CHARACTERISTICS

DERIVED FROM PRE-EXISTING ROCK (IGNEOUS

3. QUARTZITE SANDSTONE HARD; SOURCE ROCK EASILY IDENTIFIED

| CORE CLAIM                                                                | MECHANISM                                                                  | CONSEQUENCE / LIMIT                                                            |
|---------------------------------------------------------------------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| EVIDENCE LADDER                                                           | 2. Sedimentary characteristics: derived from pre-existing rock (igneous... | VERDICT: Source type controls the strength and limits of the historical claim. |
| 1. = from source book = inference / standard knowledge = current affairs. | 3. Quartzite Sandstone Hard; source rock easily identified                 | EVIDENCE LADDER                                                                |

CORE CLAIM

EVIDENCE LADDER

1. = from source book = inference / standard knowledge = current affairs.

MECHANISM

2. Sedimentary characteristics: derived from pre-existing rock (igneous...

3. Quartzite Sandstone Hard; source rock easily identified

CONSEQUENCE / LIMIT

VERDICT: Source type controls the strength and limits of the historical claim.

EVIDENCE LADDER

MECHANISM / VERDICT — VERDICT: Source type controls the strength and limits of the historical claim.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Source type controls the strength and limits of the historical claim.

09

STAGE 09

EXAMINER TRAPS AND CONTESTED BOUNDARIES

EXAMINER TRAPS AND CONTESTED BOUNDARIES

CLOSE DISTINCTIONS

1. EVIDENCE TAGS

[FACT] DIRECTLY RETRIEVED OR OFFICIALLY VERIFIED

2. CAUSAL METHOD INITIAL CONDITION

ENERGY/FORCE OR DRIVER →

3. [LIMIT] NO VOLATILE RESERVE PERCENTAGE, UNSUPPORTED PLATE RATE

QUALIFICATION EARNS MARKS; FALSE CERTAINTY IS A HARD FAILURE.

| CORE CLAIM                                                            | MECHANISM                                                                 | CONSEQUENCE / LIMIT                                                                                                        |
|-----------------------------------------------------------------------|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| CLOSE DISTINCTIONS                                                    | 3. [LIMIT] No volatile reserve percentage, unsupported plate rate,...     | continental crust is generally granitic and less dense, oceanic crust basaltic and denser, and a shield, craton, platform, |
| 1. Evidence tags: [FACT] directly retrieved or officially verified... | VERDICT: Qualification earns marks; false certainty is a hard failure.    |                                                                                                                            |
| 2. Causal method Initial condition → energy/force or driver →...      | CLOSE DISTINCTION: Crust is compositional while lithosphere is mechanical |                                                                                                                            |

CORE CLAIM

CLOSE DISTINCTIONS

1. Evidence tags: [FACT] directly retrieved or officially verified...

2. Causal method Initial condition → energy/force or driver →...

MECHANISM

3. [LIMIT] No volatile reserve percentage, unsupported plate rate,...

VERDICT: Qualification earns marks; false certainty is a hard failure.

CLOSE DISTINCTION: Crust is compositional while lithosphere is mechanical

CONSEQUENCE / LIMIT

continental crust is generally granitic and less dense, oceanic crust basaltic and denser, and a shield, craton, platform,

MECHANISM / VERDICT — VERDICT: Qualification earns marks; false certainty is a hard failure.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Qualification earns marks; false certainty is a hard failure.

10

STAGE 10

INTEGRATED ANSWER SPINE AND QUALIFIED CONCLUSION

INTEGRATED ANSWER SPINE AND QUALIFIED CONCLUSION

ANSWER SPINE

1. LEARNER-V2 GENERATION G2 PART A - PHYSICAL GEOGRAPHY

2. PRACTICE CONTRACT EVERY SOLVED ITEM HAS DEMAND DECODING

3. GEOLOGICAL SURVEY OF INDIA/PIB - FIELD SEASON 2025-26

CLAIM, NAMED EVIDENCE, ANALYSIS AND QUALIFICATION LEAD TO A

EVIDENCE LIMIT

PRESENT RELIEF IS A MULTI-STAGE TECTONIC-DENUDATIONAL PRODUCT; ROCK AGE

ANSWER SPINE

THE EARTH'S CRUST, ROCKS / INDIA GEOLOGICAL STRUCTURE • TILE 4/5 • same master rows 7218-10452 of 12858 • continues below



- CLOSE DISTINCTIONS
- 1. Evidence tags: [FACT] directly retrieved or officially verified...
- 2. Causal method Initial condition → energy/force or driver →...

- 3. [LIMIT] No volatile reserve percentage, unsupported plate rate,...
- VERDICT: Qualification earns marks; false certainty is a hard failure.
- CLOSE DISTINCTION: Crust is compositional while lithosphere is mechanical

- continental crust is generally granitic and less dense, oceanic crust basaltic and denser, and a shield, craton, platform,

MECHANISM / VERDICT — VERDICT: Qualification earns marks; false certainty is a hard failure.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Qualification earns marks; false certainty is a hard failure.

10

STAGE 10

INTEGRATED ANSWER SPINE AND QUALIFIED CONCLUSION

INTEGRATED ANSWER SPINE AND QUALIFIED CONCLUSIONANSWER SPINE1. LEARNER-V2 GENERATION G2 PART A - PHYSICAL GEOGRAPHY2. PRACTICE CONTRACT EVERY SOLVED ITEM HAS DEMAND DECODING3. GEOLOGICAL SURVEY OF INDIA/PIB - FIELD SEASON 2025-26

CLAIM, NAMED EVIDENCE, ANALYSIS AND QUALIFICATION LEAD TO AEVIDENCE LIMITPRESENT RELIEF IS A MULTI-STAGE TECTONIC-DENUDATIONAL PRODUCT; ROCK AGE

ANSWER SPINE

1. Learner-v2 generation g2 Part A - Physical Geography Prelims GS-I +

2. Practice contract Every solved item has demand decoding, a detailed

3. Geological Survey of India/PIB - Field Season 2025-26 conclusion and

CORE CLAIM

ANSWER SPINE

1. Learner-v2 generation g2 Part A - Physical Geography Prelims GS-I +...

2. Practice contract Every solved item has demand decoding, a detailed...

MECHANISM

3. Geological Survey of India/PIB - Field Season 2025-26 conclusion and...

VERDICT: Claim, named evidence, analysis and qualification lead to a graded...

EVIDENCE LIMIT: Present relief is a multi-stage tectonic-denudational product

CONSEQUENCE / LIMIT

rock age, orogeny, mineralisation and surface form need not coincide, so geological association supports probability rather than deterministic

MECHANISM / VERDICT — VERDICT: Claim, named evidence, analysis and qualification lead to a graded...

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Claim, named evidence, analysis and qualification lead to a graded.

11

STAGE 11

EVIDENCE LADDER AND CONFIDENCE CONTROL — DEEP-REVIEW SYNTHESIS 2

EVIDENCE LADDER AND CONFIDENCE CONTROL — DEEP-REVIEW SYNTHESIS 2EVIDENCE LADDERFROM SOURCE BOOKSTANDARD KNOWLEDGECURRENT AFFAIRS.2. SEDIMENTARY CHARACTERISTICSDERIVED FROM PRE-EXISTING ROCK (IGNEOUS)

3. QUARTZITE SANDSTONE HARD; SOURCE ROCK EASILY IDENTIFIED

EVIDENCE LADDER

1. = from source book = inference / standard knowledge = current affairs.

2. Sedimentary characteristics: derived from pre-existing rock (igneous

3. Quartzite Sandstone Hard; source rock easily identified

VERDICT: Source type controls the strength and limits of the historical claim.

CORE CLAIM

EVIDENCE LADDER

1. = from source book = inference / standard knowledge = current affairs.

MECHANISM

2. Sedimentary characteristics: derived from pre-existing rock (igneous...

3. Quartzite Sandstone Hard; source rock easily identified

CONSEQUENCE / LIMIT

VERDICT: Source type controls the strength and limits of the historical claim.

EVIDENCE LADDER

MECHANISM / VERDICT — VERDICT: Source type controls the strength and limits of the historical claim.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: A sedimentary basin offers petroleum potential only when source, maturation, migration, reservoir, seal, trap and timing form a complete preserved system, whether onshore or offshore.

E

EXTRA

SUBORDINATE ENRICHMENT — ONLY AFTER THE COMPLETE CORE

OPTIONAL ADVANCED ENRICHMENT47. OLDER INDIAN ROCK-SYSTEM SCHEMESUSEFUL ONLY WHEN DECLARED48. FIELD IDENTIFICATION AND METAMORPHIC NUANCE49. CRATONS, MOBILE BELTS AND ORE SYSTEMS50. BASIN ARCHITECTURE BEYOND THE NAME LIST

51. DECCAN HYDROGEOLOGY AND LANDSCAPE REFINEMENT52. HIMALAYAN STRUCTURAL COMPLEXITY BEYOND A CLASSROOM SECTION

OPTIONAL SOURCE DEPTH

47. Older Indian rock-system schemes: useful only when declared

48. Field identification and metamorphic nuance

49. Cratons, mobile belts and ore systems

50. Basin architecture beyond the name list

ADVANCED DEBATE

51. Deccan hydrogeology and landscape refinement

52. Himalayan structural complexity beyond a classroom section

53. Foreland, sediment routing and basin response

54. Hard-rock aquifers and engineering investigations

LEGACY / NUANCE

55. Mineral security without geological overclaim

56. Map and answer architecture

Granite, diorite and gabbro provide coarse intrusive end-members; rhyolite, andesite and basalt are broad extrusive partners.

Slate cleavage, schistosity and gneissic banding are fabrics, not sedimentary beds.

OPTIONAL STATUS — This optional depth is unnecessary for a competent core answer; use it only for added nuance after the complete core has been written.