

ASCII MASTER FLOW – PANEL 1/12: Equatorial climate map

EQUATOR -> persistent high solar receipt

AMAZON + CONGO -> major continental lowlands

MALAYSIA + EAST INDIES -> maritime expression

HIGHLANDS / MARGINS -> altitude or monsoon modification

MUST REMEMBER: Equatorial Af climate follows year-round high sun, ITCZ convection, humid air and weak annual thermal range, producing frequent rainfall, evergreen stratification, intense chemical weathering and leached soils in Amazon, Congo and Maritime Southeast Asia.

ASCII MASTER FLOW – PANEL 2/12: Convection day cycle

MORNING SUN -> moist surface heating

NOON ASCENT -> expanding and cooling air

AFTERNOON -> cumulonimbus thunderstorm

EVENING -> rain-cooled air; cycle can recur

ASCII MASTER FLOW – PANEL 3/12: Temperature-range firewall

ANNUAL RANGE -> usually very small

DIURNAL RANGE -> larger than annual range

CAUSE -> weak seasonality near Equator

CAUTION -> means do not cap daily extremes

ASCII MASTER FLOW – PANEL 4/12: Rainfall identity

RAIN ALL MONTHS -> supports Af reading

TRUE DRY SEASON -> test Am or Aw instead

TOTAL -> source notes often 150-250 cm

RULE -> distribution outranks one annual number

ASCII MASTER FLOW – PANEL 5/12: Rainforest vertical profile

EMERGENTS -> crowns above main roof

CANOPY -> dense light-capturing layer

UNDERSTOREY -> shade-tolerant growth

FLOOR -> dark, humid, rapid decay

ASCII MASTER FLOW – PANEL 6/12: Nutrient-cycle loop

LITTER -> rapid warm-wet decomposition

ROOT MAT -> rapid nutrient uptake

BIOMASS -> principal nutrient capital

HEAVY RAIN -> leaching after clearance

ASCII MASTER FLOW – PANEL 7/12: Fallow decision

SMALL CLEARING + LONG FALLOW -> recovery

SHORTENED FALLOW -> declining biomass

STEEP SLOPE + REPEATED FIRE -> erosion risk

TENURE + LIVELIHOOD -> management outcome

ASCII MASTER FLOW – PANEL 8/12: Humid-tropics economy

PLANTATION -> capital + labour + export crop

MIXED FOREST -> selective logging difficulty

RIVER / ROAD ACCESS -> extraction geography

RULE -> climate enables; institutions decide

ASCII MASTER FLOW – PANEL 9/12: India analogue map

WESTERN GHATS -> windward evergreen belt
NORTH-EAST -> wet evergreen / semi-evergreen
EASTERN HIMALAYAN FOOTHILLS -> transition
ANDAMAN-NICOBAR -> insular rainforest

ASCII MASTER FLOW – PANEL 10/12: Official evidence firewall

FSI REPORT -> dated biennial assessment

FOREST COVER -> canopy-based mapped class

FOREST TYPE -> ecological classification

LEGAL STATUS -> separate administrative category

CLOSE DISTINCTION: Equatorial does not mean everywhere exactly on the Equator, convectional rainfall is not continuous all-day rain, and luxuriant biomass does not imply nutrient-rich soil because rapid cycling stores nutrients mainly in biomass.

ASCII MASTER FLOW – PANEL 11/12: Verified PYQ pair

2021 -> rainforest vegetation structure

2023 -> nutrients and decomposition

LEDGER -> official answer letters withheld

METHOD -> teach distinction; do not invent key

EVIDENCE LIMIT: Deforestation alters energy, moisture and nutrient cycles but rainfall
feedback magnitude varies by scale and region; Indian evergreen forests are analogues with
monsoonal/topographic differences, not Af replicas.

ASCII MASTER FLOW – PANEL 12/12: Equatorial answer spine

LOCATE -> equatorial lowland belt

DERIVE -> heat, convergence, convection, rain

LINK -> layers, nutrients and land use

QUALIFY -> India analogue and source limits