

HOT WET EQUATORIAL CLIMATE


EQUATORIAL CLIMATE MAP → CONVECTION DAY CYCLE → TEMPERATURE-RANGE FIREWALL → RAINFALL IDENTITY → RAINFOREST VERTICAL PROFILE → NUTRIENT-CYCLE LOOP


Read the thick cyan rail from Stage 00 to the final core synthesis. Each card uses a concept-appropriate structure; the grey E card is optional enrichment only and never repairs missing core content.

PRIMARY CORE FLOW SUBORDINATE EXTRA APPROVAL / REVIEW

Approval: FALSE • Pending user review • active generation g2 • explicit approval of this exact generation is required • all prior artifacts unchanged

CORE BEFORE EXTRA • prior artefacts unchanged • exact same master drives poster and tiles





05

STAGE 05

NUTRIENT-CYCLE LOOP

NUTRIENT-CYCLE LOOP

RAPID WARM-WET DECOMPOSITION

ROOT MAT

RAPID NUTRIENT UPTAKE

PRINCIPAL NUTRIENT CAPITAL

HEAVY RAIN

LEACHING AFTER CLEARANCE

LITTER → rapid warm-wet decomposition

ROOT MAT → rapid nutrient uptake

BIOMASS → principal nutrient capital

HEAVY RAIN → leaching after clearance

DEFINITION / COMPONENTS

• LITTER → rapid warm-wet decomposition

• ROOT MAT → rapid nutrient uptake

TRIGGER / MECHANISM

• BIOMASS → principal nutrient capital

• HEAVY RAIN → leaching after clearance

EFFECT / INTERVENTION

• LITTER → rapid warm-wet decomposition

• ROOT MAT → rapid nutrient uptake

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: BIOMASS → principal nutrient capital; HEAVY RAIN → leaching after clearance.

06

STAGE 06

FALLOW DECISION

FALLOW DECISION

SMALL CLEARING + LONG FALLOW

SHORTENED FALLOW

DECLINING BIOMASS

STEEP SLOPE + REPEATED FIRE

EROSION RISK

TENURE + LIVELIHOOD

MANAGEMENT OUTCOME

SMALL CLEARING + LONG FALLOW → recovery

SHORTENED FALLOW → declining biomass

STEEP SLOPE + REPEATED FIRE → erosion risk

TENURE + LIVELIHOOD → management outcome

DEFINITION / COMPONENTS

• SMALL CLEARING + LONG FALLOW → recovery

• SHORTENED FALLOW → declining biomass

TRIGGER / MECHANISM


• STEEP SLOPE + REPEATED FIRE → erosion risk

• TENURE + LIVELIHOOD → management outcome

EFFECT / INTERVENTION

• SMALL CLEARING + LONG FALLOW → recovery

• SHORTENED FALLOW → declining biomass



09

STAGE 09 OFFICIAL EVIDENCE FIREWALL

OFFICIAL EVIDENCE FIREWALL FSI REPORT DATED BIENNIAL ASSESSMENT FOREST COVER CANOPY-BASED MAPPED CLASS FOREST TYPE ECOLOGICAL CLASSIFICATION LEGAL STATUS

DEFINITION / COMPONENTS	TRIGGER / MECHANISM	EFFECT / INTERVENTION
FSI REPORT → dated biennial assessment	FOREST TYPE → ecological classification	FSI REPORT → dated biennial assessment
FOREST COVER → canopy-based mapped class	LEGAL STATUS → separate administrative category	FOREST COVER → canopy-based mapped class
DEFINITION / COMPONENTS - FSI REPORT → dated biennial assessment - FOREST COVER → canopy-based mapped class	TRIGGER / MECHANISM - FOREST TYPE → ecological classification - LEGAL STATUS → separate administrative category	EFFECT / INTERVENTION - FSI REPORT → dated biennial assessment - FOREST COVER → canopy-based mapped class

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: FOREST TYPE → ecological classification; LEGAL STATUS → separate administrative category.

10

STAGE 10 VERIFIED PYQ PAIR

VERIFIED PYQ PAIR RAINFOREST VEGETATION STRUCTURE NUTRIENTS AND DECOMPOSITION OFFICIAL ANSWER LETTERS WITHHELD TEACH DISTINCTION; DO NOT INVENT KEY

CLASSIFICATION	DIAGNOSTIC BASIS	PROCESS LINK	EXAM TRAP
2021 → rainforest vegetation structure	LEDGER → official answer letters withheld	2021 → rainforest vegetation structure	LEDGER → official answer letters withheld
2023 → nutrients and decomposition	METHOD → teach distinction; do not invent key	2023 → nutrients and decomposition	METHOD → teach distinction; do not invent key
CLASSIFICATION 2021 → rainforest vegetation structure 2023 → nutrients and decomposition	DIAGNOSTIC BASIS - LEDGER → official answer letters withheld - METHOD → teach distinction; do not invent key	PROCESS LINK 2021 → rainforest vegetation structure 2023 → nutrients and decomposition	EXAM TRAP - LEDGER → official answer letters withheld - METHOD → teach distinction; do not invent key

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: METHOD → teach distinction; do not invent key.

11

STAGE 11 EQUATORIAL ANSWER SPINE

EQUATORIAL ANSWER SPINE EQUATORIAL LOWLAND BELT HEAT, CONVERGENCE, CONVECTION, RAIN LAYERS, NUTRIENTS AND LAND USE INDIA ANALOGUE AND SOURCE LIMITS

LOCATE → equatorial lowland belt

DERIVE → heat, convergence, convection, rain

LINK → layers, nutrients and land use

QUALIFY → India analogue and source limits

DEFINITION / COMPONENTS

- LOCATE → equatorial lowland belt
- DERIVE → heat, convergence, convection, rain

TRIGGER / MECHANISM

- LINK → layers, nutrients and land use
- QUALIFY → India analogue and source limits

EFFECT / INTERVENTION

- LOCATE → equatorial lowland belt
- DERIVE → heat, convergence, convection, rain

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: LINK → layers, nutrients and land use; QUALIFY → India analogue and source limits.

E

EXTRA SUBORDINATE ENRICHMENT — ONLY AFTER THE COMPLETE CORE

OPTIONAL ADVANCED ENRICHMENT DO NOT GENERALISE MOST INDIAN EVERGREEN BELTS ARE MONSOONAL, WHILE LIMITED AF INDIA'S CLOSEST EQUIVALENT IS TROPICAL WET EVERGREEN FOREST IN MAIN REGIONS WINDWARD WESTERN GHATS MALABAR , NORTH-EAST INDIA , ANDAMAN & NICOBAR ISLANDS MALABAR VEGETATION RANGES FROM MOIST TROPICAL EVERGREEN TO MIXED

OPTIONAL PROCESS DEPTH - Do not generalise: most Indian evergreen belts are monsoonal, while limited Af classification depends on the map/dataset. - India's closest equivalent is tropical wet evergreen forest in very high-rainfall belts. - Main regions: windward Western Ghats / Malabar , North-East India , Andaman & Nicobar Islands . - Malabar vegetation ranges from moist tropical evergreen to mixed broad-leaved and monsoon deciduous types.	DATA / INSTITUTION LIMIT - Andaman-Nicobar has tropical evergreen/semi-evergreen and littoral forests with high endemism. - The archipelago combines forest and reef biodiversity with high seismicity and Barren Island volcanism. - Western Ghats + North-East India are biodiversity-hotspot landscapes. - Jhum is shifting cultivation; degradation rises when fallow cycles shorten.	CONTEMPORARY PARALLEL - NOT: India has a true equatorial Af climate in the south → India lacks true Af; it has equatorial-type evergreen forests in wet monsoon belts. - NOT: The leeward Deccan side of the Western Ghats has evergreen rainforest → Evergreen forest is on the windward western slope - the leeward side is drier. - NOT: Andaman forests are ordinary dry deciduous forests → A&N contains tropical evergreen,
---	--	--

OPTIONAL STATUS — This optional depth is unnecessary for a competent core answer; use it only for added nuance after the complete core has been written.