

MEDITERRANEAN CLIMATE

FIVE-REGION WORLD MAP → SEASONAL PRESSURE SWITCH → CLIMATE IDENTITY FIREWALL → LOCAL-WIND MATRIX → SCLEROPHYLL DESIGN → REGIONAL SCRUB NAMES

Read the thick cyan rail from Stage 00 to the final core synthesis. Each card uses a concept-appropriate structure; the grey E card is optional enrichment only and never repairs missing core content.

PRIMARY CORE FLOW SUBORDINATE EXTRA APPROVAL / REVIEW

Approval: FALSE • Pending user review • active generation g2 • explicit approval of this exact generation is required • all prior artifacts unchanged

CORE BEFORE EXTRA • prior artefacts unchanged • exact same master drives poster and tiles

00

STAGE 00

FIVE-REGION WORLD MAP

FIVE-REGION WORLD MAPMEDITERRANEAN BASINLARGEST EXPRESSIONCALIFORNIA + CENTRAL CHILEWEST COASTSSOUTH-WEST SOUTH AFRICASOUTH AUSTRALIAFIFTH REGION

MEDITERRANEAN BASIN → largest expression

CALIFORNIA + CENTRAL CHILE → west coasts

CAPE → south-west South Africa

SW / SOUTH AUSTRALIA → fifth region

SYSTEM / DEFINITION

MEDITERRANEAN BASIN → largest expression
CALIFORNIA + CENTRAL CHILE → west coasts

PROCESS / MECHANISM

CAPE → south-west South Africa
SW / SOUTH AUSTRALIA → fifth region

SPATIAL / INDIA PATTERN

MEDITERRANEAN BASIN → largest expression
CALIFORNIA + CENTRAL CHILE → west coasts

HAZARD / LIMIT / RESPONSE

CAPE → south-west South Africa
SW / SOUTH AUSTRALIA → fifth region

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CAPE → south-west South Africa; SW / SOUTH AUSTRALIA → fifth region.

01

STAGE 01

SEASONAL PRESSURE SWITCH

SEASONAL PRESSURE SWITCHSUBTROPICAL HIGH SHIFTS POLEWARDCLEAR SKY AND DROUGHTWESTERLIES SHIFT EQUATORWARDFRONTAL RAIN ARRIVES

SYSTEM / DEFINITION

SUMMER → subtropical high shifts poleward
SUBSIDENCE → clear sky and drought

PROCESS / MECHANISM

WINTER → westerlies shift equatorward
DEPRESSIONS → frontal rain arrives

SPATIAL / INDIA PATTERN

SUMMER → subtropical high shifts poleward
SUBSIDENCE → clear sky and drought

HAZARD / LIMIT / RESPONSE

WINTER → westerlies shift equatorward
DEPRESSIONS → frontal rain arrives

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: WINTER → westerlies shift equatorward; DEPRESSIONS → frontal rain arrives.

02

STAGE 02

CLIMATE IDENTITY FIREWALL

CLIMATE IDENTITY FIREWALLSUMMER DRYWINTER WETSUMMER WETWINTER DRIEREASTERN MARGINRAIN THROUGH MUCH OF YEARRAINFALL SEASON OUTRANKS LATITUDE ALONE

DEFINITION / COMPONENTS	TRIGGER / MECHANISM	EFFECT / INTERVENTION
MEDITERRANEAN → summer dry / winter wet	EASTERN MARGIN → rain through much of year	MEDITERRANEAN → summer dry / winter wet
MONSOON → summer wet / winter drier	RULE → rainfall season outranks latitude alone	MONSOON → summer wet / winter drier

DEFINITION / COMPONENTS	TRIGGER / MECHANISM	EFFECT / INTERVENTION
MEDITERRANEAN → summer dry / winter wet	EASTERN MARGIN → rain through much of year	MEDITERRANEAN → summer dry / winter wet
MONSOON → summer wet / winter drier	RULE → rainfall season outranks latitude alone	MONSOON → summer wet / winter drier

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: EASTERN MARGIN → rain through much of year.

03

STAGE 03

LOCAL-WIND MATRIX

LOCAL-WIND MATRIXHOT, DUSTY, SAHARA ORIGINCOLD, RHONE-VALLEY OUTFLOWCOLD, ADRIATIC DOWNSLOPE WINDLOCAL MEDITERRANEAN WINDS ARE NOT ALL HOT

CLASSIFICATION	DIAGNOSTIC BASIS	PROCESS LINK	EXAM TRAP
SIROCCO → hot, dusty, Sahara origin	BORA → cold, Adriatic downslope wind	SIROCCO → hot, dusty, Sahara origin	BORA → cold, Adriatic downslope wind
MISTRAL → cold, Rhone-valley outflow	TRAP → local Mediterranean winds are not all hot	MISTRAL → cold, Rhone-valley outflow	TRAP → local Mediterranean winds are not all hot

CLASSIFICATION	DIAGNOSTIC BASIS	PROCESS LINK	EXAM TRAP
SIROCCO → hot, dusty, Sahara origin	BORA → cold, Adriatic downslope wind	SIROCCO → hot, dusty, Sahara origin	BORA → cold, Adriatic downslope wind

03

MOONSOON → summer wet / winter drier

ROLE → rainfall season outbreaks latitude drive

MOONSOON → summer wet / winter drier

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: EASTERN MARGIN → rain through much of year.

04

STAGE 03

LOCAL-WIND MATRIX

LOCAL-WIND MATRIX

HOT, DUSTY, SAHARA ORIGIN

COLD, RHONE-VALLEY OUTFLOW

COLD, ADRIATIC DOWNSLOPE WIND

LOCAL MEDITERRANEAN WINDS ARE NOT ALL HOT

CLASSIFICATION	DIAGNOSTIC BASIS	PROCESS LINK	EXAM TRAP
SIROCCO → hot, dusty, Sahara origin	BORA → cold, Adriatic downslope wind	SIROCCO → hot, dusty, Sahara origin	BORA → cold, Adriatic downslope wind
MISTRAL → cold, Rhone-valley outflow	TRAP → local Mediterranean winds are not all hot	MISTRAL → cold, Rhone-valley outflow	TRAP → local Mediterranean winds are not all hot

CLASSIFICATION

- SIROCCO → hot, dusty, Sahara origin
- MISTRAL → cold, Rhone-valley outflow

DIAGNOSTIC BASIS

- BORA → cold, Adriatic downslope wind
- TRAP → local Mediterranean winds are not all hot

PROCESS LINK

- SIROCCO → hot, dusty, Sahara origin
- MISTRAL → cold, Rhone-valley outflow

EXAM TRAP

- BORA → cold, Adriatic downslope wind
- TRAP → local Mediterranean winds are not all hot

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: TRAP → local Mediterranean winds are not all hot.

05

STAGE 04

SCLEROPHYLL DESIGN

SCLEROPHYLL DESIGN

SMALL, HARD, WAXY OR LEATHERY

DEEP ACCESS TO STORED MOISTURE

DROUGHT AND FIRE PROTECTION

SCRUB OR OPEN WOODLAND

LEAF → small, hard, waxy or leathery

ROOT → deep access to stored moisture

BARK → drought and fire protection

STRUCTURE → scrub or open woodland

CLASSIFICATION	DIAGNOSTIC BASIS	PROCESS LINK	EXAM TRAP
LEAF → small, hard, waxy or leathery	BARK → drought and fire protection	LEAF → small, hard, waxy or leathery	BARK → drought and fire protection
ROOT → deep access to stored moisture	STRUCTURE → scrub or open woodland	ROOT → deep access to stored moisture	STRUCTURE → scrub or open woodland

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: BARK → drought and fire protection; STRUCTURE → scrub or open woodland.

06

STAGE 05

REGIONAL SCRUB NAMES

REGIONAL SCRUB NAMES

MEDITERRANEAN BASIN

FORM CONVERGES

SPECIES REMAIN REGIONAL

SYSTEM / DEFINITION	PROCESS / MECHANISM	SPATIAL / INDIA PATTERN	HAZARD / LIMIT / RESPONSE
MAQUIS → Mediterranean basin	MALLEE → Australia	MAQUIS → Mediterranean basin	MALLEE → Australia
CHAPARRAL → California	FORM CONVERGES → species remain regional	CHAPARRAL → California	FORM CONVERGES → species remain regional

SYSTEM / DEFINITION

- MAQUIS → Mediterranean basin
- CHAPARRAL → California

PROCESS / MECHANISM

- MALLEE → Australia
- FORM CONVERGES → species remain regional

SPATIAL / INDIA PATTERN

- MAQUIS → Mediterranean basin
- CHAPARRAL → California

HAZARD / LIMIT / RESPONSE

- MALLEE → Australia
- FORM CONVERGES → species remain regional

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: MALLEE → Australia; FORM CONVERGES → species remain regional.

STAGE 06

GROWTH-SEASON CALENDAR

GROWTH-SEASON CALENDAR

RAIN RETURNS AFTER DROUGHT

MOISTURE BUT COOLER GROWTH

BEST MOISTURE-TEMPERATURE OVERLAP

DROUGHT AND FIRE STRESS

AUTUMN → rain returns after drought

WINTER → moisture but cooler growth

SPRING → best moisture-temperature overlap

SUMMER → drought and fire stress

SYSTEM / DEFINITION	PROCESS / MECHANISM	SPATIAL / INDIA PATTERN	HAZARD / LIMIT / RESPONSE
AUTUMN → rain returns after drought	SPRING → best moisture-temperature overlap	AUTUMN → rain returns after drought	SPRING → best moisture-temperature overlap
WINTER → moisture but cooler growth	SUMMER → drought and fire stress	WINTER → moisture but cooler growth	SUMMER → drought and fire stress

MEDITERRANEAN CLIMATE • TILE 2/4 • same master rows 2466-5700 of 10632 • continues below

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: MALLEE → Australia; FORM CONVERGES → species remain regional.

06

STAGE 06 GROWTH-SEASON CALENDAR

GROWTH-SEASON CALENDAR

RAIN RETURNS AFTER DROUGHT

MOISTURE BUT COOLER GROWTH

BEST MOISTURE-TEMPERATURE OVERLAP

DROUGHT AND FIRE STRESS

AUTUMN → rain returns after drought

WINTER → moisture but cooler growth

SPRING → best moisture-temperature overlap

SUMMER → drought and fire stress

SYSTEM / DEFINITION

- AUTUMN → rain returns after drought
- WINTER → moisture but cooler growth

PROCESS / MECHANISM

- SPRING → best moisture-temperature overlap
- SUMMER → drought and fire stress

SPATIAL / INDIA PATTERN

- AUTUMN → rain returns after drought
- WINTER → moisture but cooler growth

HAZARD / LIMIT / RESPONSE

- SPRING → best moisture-temperature overlap
- SUMMER → drought and fire stress

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: SPRING → best moisture-temperature overlap; SUMMER → drought and fire stress.

07

STAGE 07 AGRICULTURAL SYSTEM

AGRICULTURAL SYSTEM

WINTER RAIN

CEREALS AND SOIL RECHARGE

DEEP-ROOTED TREES

SURVIVE DRY SUMMER

SUN + IRRIGATION

FRUIT AND VEGETABLES

HIGH-VALUE EXPORT HORTICULTURE

WINTER RAIN → cereals and soil recharge

DEEP-ROOTED TREES → survive dry summer

SUN + IRRIGATION → fruit and vegetables

MARKETS → high-value export horticulture

DEFINITION / COMPONENTS

- WINTER RAIN → cereals and soil recharge
- DEEP-ROOTED TREES → survive dry summer

TRIGGER / MECHANISM

- SUN + IRRIGATION → fruit and vegetables
- MARKETS → high-value export horticulture

EFFECT / INTERVENTION

- WINTER RAIN → cereals and soil recharge
- DEEP-ROOTED TREES → survive dry summer

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: SUN + IRRIGATION → fruit and vegetables; MARKETS → high-value export horticulture.

08

STAGE 08 WILDFIRE CHAIN

WILDFIRE CHAIN

WET SEASON

BIOMASS AND FINE FUEL

SUMMER DROUGHT

FUEL DESICCATION

HEAT + WIND + IGNITION

RAPID SPREAD

LAND MANAGEMENT

WET SEASON → biomass and fine fuel

SUMMER DROUGHT → fuel desiccation

HEAT + WIND + IGNITION → rapid spread

LAND MANAGEMENT → exposure and recovery

DEFINITION / COMPONENTS

- WET SEASON → biomass and fine fuel
- SUMMER DROUGHT → fuel desiccation

TRIGGER / MECHANISM

- HEAT + WIND + IGNITION → rapid spread
- LAND MANAGEMENT → exposure and recovery

EFFECT / INTERVENTION

- WET SEASON → biomass and fine fuel
- SUMMER DROUGHT → fuel desiccation

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: HEAT + WIND + IGNITION → rapid spread.

09

STAGE 09 INDIA ANALOGUE MAP

INDIA ANALOGUE MAP

TEMPERATE FRUIT VALLEYS

KULLU AND SHIMLA APPLE BELTS

SUITABLE HILL ORCHARDS

GRAPE BELT, NOT CS CLIMATE

KASHMIR → temperate fruit valleys

HIMACHAL → Kullu and Shimla apple belts

UTTARAKHAND → suitable hill orchards

MAHARASHTRA → grape belt, not Cs climate

SYSTEM / DEFINITION

- KASHMIR → temperate fruit valleys
- HIMACHAL → Kullu and Shimla apple belts

PROCESS / MECHANISM

- UTTARAKHAND → suitable hill orchards
- MAHARASHTRA → grape belt, not Cs climate

SPATIAL / INDIA PATTERN

- KASHMIR → temperate fruit valleys
- HIMACHAL → Kullu and Shimla apple belts

HAZARD / LIMIT / RESPONSE

- UTTARAKHAND → suitable hill orchards
- MAHARASHTRA → grape belt, not Cs climate

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: UTTARAKHAND → suitable hill orchards; MAHARASHTRA → grape belt, not Cs climate.

09

STAGE 09 INDIA ANALOGUE MAP

INDIA ANALOGUE MAP TEMPERATE FRUIT VALLEYS KULLU AND SHIMLA APPLE BELTS SUITABLE HILL ORCHARDS GRAPE BELT, NOT CS CLIMATE

KASHMIR → temperate fruit valleys

HIMACHAL → Kullu and Shimla apple belts

UTTARAKHAND → suitable hill orchards

MAHARASHTRA → grape belt, not Cs climate

SYSTEM / DEFINITION

- KASHMIR → temperate fruit valleys
- HIMACHAL → Kullu and Shimla apple belts

PROCESS / MECHANISM

- UTTARAKHAND → suitable hill orchards
- MAHARASHTRA → grape belt, not Cs climate

SPATIAL / INDIA PATTERN

- KASHMIR → temperate fruit valleys
- HIMACHAL → Kullu and Shimla apple belts

HAZARD / LIMIT / RESPONSE

- UTTARAKHAND → suitable hill orchards
- MAHARASHTRA → grape belt, not Cs climate

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: UTTARAKHAND → suitable hill orchards; MAHARASHTRA → grape belt, not Cs climate.

10

STAGE 10 APPLE VIABILITY LADDER

APPLE VIABILITY LADDER WINTER CHILL CULTIVAR-SPECIFIC DORMANCY FROST, HAIL, ASPECT AND WATER GRADING AND STORAGE ROADS, COLD CHAIN AND TIMING

WINTER CHILL → cultivar-specific dormancy

SITE → frost, hail, aspect and water

HARVEST → grading and storage

MARKET → roads, cold chain and timing

DEFINITION / COMPONENTS

- WINTER CHILL → cultivar-specific dormancy
- SITE → frost, hail, aspect and water

TRIGGER / MECHANISM

- HARVEST → grading and storage
- MARKET → roads, cold chain and timing

EFFECT / INTERVENTION

- WINTER CHILL → cultivar-specific dormancy
- SITE → frost, hail, aspect and water

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: HARVEST → grading and storage; MARKET → roads, cold chain and timing.

11

STAGE 11 MEDITERRANEAN ANSWER SPINE

MEDITERRANEAN ANSWER SPINE WESTERN MARGINS AT 30-45 DEGREES SUMMER HIGH WINTER WESTERLIES SCLEROPHYLL, CROPS AND FIRE INDIA IS AN ORCHARD ANALOGUE ONLY

LOCATE → western margins at 30-45 degrees

DERIVE → summer high / winter westerlies

LINK → sclerophyll, crops and fire

QUALIFY → India is an orchard analogue only

DEFINITION / COMPONENTS

- LOCATE → western margins at 30-45 degrees
- DERIVE → summer high / winter westerlies

TRIGGER / MECHANISM

- LINK → sclerophyll, crops and fire
- QUALIFY → India is an orchard analogue only

EFFECT / INTERVENTION

- LOCATE → western margins at 30-45 degrees
- DERIVE → summer high / winter westerlies

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: QUALIFY → India is an orchard analogue only.

E

EXTRA SUBORDINATE ENRICHMENT — ONLY AFTER THE COMPLETE CORE

OPTIONAL ADVANCED ENRICHMENT INDIA HAS NO TRUE MEDITERRANEAN (CS) CLIMATE . HIMALAYAN TEMPERATE HORTICULTURE IS INDIA'S MEDITERRANEAN-STYLE ORCHARD ANALOGUE. HIMALAYAS ARE KNOWN FOR APPLE, PEACH, CHERRY, PEAR, MULBERRY APPLE IS A TEMPERATE FRUIT CROP .

APPLE SUITABILITY DEPENDS ON WINTER CHILLING, FROST/HAIL EXPOSURE, GROWING-SEASON

NUMERICAL THRESHOLDS VARY BY CULTIVAR AND ORCHARD ALTITUDE; USE

APPLE ORCHARDS SHOULD BE FREE FROM HAILSTORMS AND FROST.

OPTIONAL PROCESS DEPTH

- India has no true Mediterranean (Cs) climate .
- Himalayan temperate horticulture is India's Mediterranean-style orchard analogue.
- Himalayas are known for apple, peach, cherry, pear, mulberry, walnut, almond and apricot orchards.
- Apple is a temperate fruit crop .

DATA / INSTITUTION LIMIT

- Apple suitability depends on winter chilling, frost/hail exposure, growing-season temperature and water.
- Numerical thresholds vary by cultivar and orchard altitude; use them only with the source context.
- Apple orchards should be free from hailstorms and frost.
- Main apple areas: Kullu, Shimla, Kashmir Valley, hilly Uttarakhand .

CONTEMPORARY PARALLEL

- Apple is perishable and requires quick, efficient transport.
- Nashik and adjoining Maharashtra districts form a major grape/wine belt; Sangli is also important for grapes.
- NOT: India has a Mediterranean climate in Kashmir → India lacks true Cs; Kashmir is a temperate horticultural analogue.
- NOT: Indian grapes are grown mainly in the Himalayas → Main viticulture belt is Nashik–Sangli, Maharashtra.

OPTIONAL STATUS — This optional depth is unnecessary for a competent core answer; use it only for added nuance after the complete core has been written.