

WARM TEMPERATE EASTERN MARGIN CHINA TYPE


EASTERN-MARGIN WORLD MAP → PRESSURE-REVERSAL MECHANISM → THREE SUB-TYPES COMPARISON → EAST-WEST RAINFALL ASYMMETRY → TYPHOON TRACK MAP → AGRICULTURE-HAZARD DUALITY

Read the thick cyan rail from Stage 00 to the final core synthesis. Each card uses a concept-appropriate structure; the grey E card is optional enrichment only and never repairs missing core content.

PRIMARY CORE FLOW SUBORDINATE EXTRA APPROVAL / REVIEW

Approval: FALSE • Pending user review • active generation g3 • explicit approval of this exact generation is required • all prior artifacts unchanged

CORE BEFORE EXTRA • prior artefacts unchanged • exact same master drives poster and tiles



03

• CHINA TYPE → temperate monsoonal, harshest winter (large Asian landmass)

• GULF TYPE → slight-monsoonal, SE USA, moderate winter

• NATAL TYPE → non-monsoonal, southern hemisphere, mildest winter

• CAUSE → winter severity depends on size of adjoining continental mass

• CHINA TYPE → temperate monsoonal, harshest winter (large Asian landmass)

• GULF TYPE → slight-monsoonal, SE USA, moderate winter

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CAUSE → winter severity depends on size of adjoining continental mass.

STAGE 03EAST-WEST RAINFALL ASYMMETRY

EAST-WEST RAINFALL ASYMMETRY

EASTERN MARGIN

SUMMER RAIN FROM ONSHORE FLOW, NO SUMMER DROUGHT

WESTERN MARGIN

SUMMER DROUGHT UNDER SUBTROPICAL HIGH, WINTER RAIN

SAME LATITUDE, OPPOSITE PRESSURE-WIND REGIME

HIGHEST-VALUE COMPARISON

IN THE WARM TEMPERATE LATITUDE BELT

DEFINITION / COMPONENTS	TRIGGER / MECHANISM	EFFECT / INTERVENTION
EASTERN MARGIN → summer rain from onshore flow, no summer drought	MECHANISM → same latitude, opposite pressure-wind regime	EASTERN MARGIN → summer rain from onshore flow, no summer drought
WESTERN MARGIN → summer drought under subtropical high, winter rain	HIGHEST-VALUE COMPARISON → in the warm temperate latitude belt	WESTERN MARGIN → summer drought under subtropical high, winter rain

DEFINITION / COMPONENTS

EASTERN MARGIN → summer rain from onshore flow, no summer drought

WESTERN MARGIN → summer drought under subtropical high, winter rain

TRIGGER / MECHANISM

MECHANISM → same latitude, opposite pressure-wind regime

HIGHEST-VALUE COMPARISON → in the warm temperate latitude belt

EFFECT / INTERVENTION

EASTERN MARGIN → summer rain from onshore flow, no summer drought

WESTERN MARGIN → summer drought under subtropical high, winter rain

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: HIGHEST-VALUE COMPARISON → in the warm temperate latitude belt.

04

STAGE 04TYPHOON TRACK MAP

TYPHOON TRACK MAP

WARM WESTERN PACIFIC OCEAN, LOW-LATITUDE GENESIS

WESTWARD TOWARD SOUTH CHINA SEA COASTS

LATE SUMMER, JULY TO SEPTEMBER PEAK

WIND, SURGE AND FLOOD ON DENSELY SETTLED COASTAL PLAINS

ORIGIN → warm western Pacific Ocean, low-latitude genesis

TRACK → westward toward South China Sea coasts

SEASON → late summer, July to September peak

IMPACT → wind, surge and flood on densely settled coastal plains

SYSTEM / DEFINITION	PROCESS / MECHANISM	SPATIAL / INDIA PATTERN	HAZARD / LIMIT / RESPONSE
ORIGIN → warm western Pacific Ocean, low-latitude genesis TRACK → westward toward South China Sea coasts	SEASON → late summer, July to September peak IMPACT → wind, surge and flood on densely settled coastal plains	ORIGIN → warm western Pacific Ocean, low-latitude genesis TRACK → westward toward South China Sea coasts	SEASON → late summer, July to September peak IMPACT → wind, surge and flood on densely settled coastal plains

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: IMPACT → wind, surge and flood on densely settled coastal plains.

05

STAGE 05AGRICULTURE-HAZARD DUALITY

AGRICULTURE-HAZARD DUALITY

SUMMER INFLOW

WARM MOIST AIR GIVES LONG WET GROWING SEASON

RICE, TEA, SUGAR-CANE, MAIZE

DENSE RURAL POPULATION

SAME MECHANISM

BRINGS TYPHOONS, FLOODS AND SURGES

RICHNESS AND HAZARD ARISE FROM THE SAME MARITIME SOURCE

SUMMER INFLOW → warm moist air gives long wet growing season

RESULT → rice, tea, sugar-cane, maize: dense rural population

SAME MECHANISM → brings typhoons, floods and surges

PARADOX → richness and hazard arise from the same maritime source

DEFINITION / COMPONENTS	TRIGGER / MECHANISM	EFFECT / INTERVENTION
SUMMER INFLOW → warm moist air gives long wet growing season RESULT → rice, tea, sugar-cane, maize: dense rural population	SAME MECHANISM → brings typhoons, floods and surges PARADOX → richness and hazard arise from the same maritime source	SUMMER INFLOW → warm moist air gives long wet growing season RESULT → rice, tea, sugar-cane, maize: dense rural population

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: PARADOX → richness and hazard arise from the same maritime source.

06

STAGE 06INDIA HUMID EASTERN-MARGIN MAP

INDIA HUMID EASTERN-MARGIN MAP

BENGAL PLAIN

WEST BENGAL PLAIN, ABOUT 150 CM BAY-OF-BENGAL MONSOON

BRAHMAPUTRA VALLEY

ASSAM, HOT SUB-HUMID TO PERHUMID

NE INDIA (R.L. SINGH)

NE EXCEPT TRIPURA, SIKKIM, NW W. BENGAL

ABOVE 200 CM IN HUMID NE; JULY 25-33 C

BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon

BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal

RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

SYSTEM / DEFINITION	PROCESS / MECHANISM	SPATIAL / INDIA PATTERN	HAZARD / LIMIT / RESPONSE
BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid	NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C	BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid	NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

WARM TEMPERATE EASTERN MARGIN CHINA TYPE • TILE 2/4 • same master rows 2505-5739 of 10748 • continues below

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: PARADOX → richness and hazard arise from the same maritime source.

06

STAGE 06 INDIA HUMID EASTERN-MARGIN MAP

INDIA HUMID EASTERN-MARGIN MAP BENGAL PLAIN WEST BENGAL PLAIN, ABOUT 150 CM BAY-OF-BENGAL MONSOON BRAHMAPUTRA VALLEY ASSAM, HOT SUB-HUMID TO PERHUMID NE INDIA (R.L. SINGH) NE EXCEPT TRIPURA, SIKKIM, NW W. BENGAL ABOVE 200 CM IN HUMID NE; JULY 25-33 C

BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon

BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal

RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

SYSTEM / DEFINITION

- BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon
- BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

PROCESS / MECHANISM

- NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal
- RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

SPATIAL / INDIA PATTERN

- BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon
- BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

HAZARD / LIMIT / RESPONSE

- NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal
- RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C.

07

STAGE 07 MONSOON-BRANCH DISCRIMINATOR

MONSOON-BRANCH DISCRIMINATOR WHICH MONSOON BRANCH SERVES NE INDIA? BAY OF BENGAL BRANCH CORRECT FOR BENGAL-BRAHMAPUTRA REGION ARABIAN SEA BRANCH SERVES WESTERN COAST, NOT NE INDIA EXAM TRAP THIS IS A STANDARD CLOSE-OPTION PRELIMS DISCRIMINATOR

QUESTION: which monsoon branch serves NE India?

BAY OF BENGAL BRANCH → correct for Bengal-Brahmaputra region

ARABIAN SEA BRANCH → serves western coast, NOT NE India

EXAM TRAP → this is a standard close-option Prelims discriminator

DEFINITION / COMPONENTS

- QUESTION: which monsoon branch serves NE India?
- BAY OF BENGAL BRANCH → correct for Bengal-Brahmaputra region

TRIGGER / MECHANISM

- ARABIAN SEA BRANCH → serves western coast, NOT NE India
- EXAM TRAP → this is a standard close-option Prelims discriminator

EFFECT / INTERVENTION

- QUESTION: which monsoon branch serves NE India?
- BAY OF BENGAL BRANCH → correct for Bengal-Brahmaputra region

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: EXAM TRAP → this is a standard close-option Prelims discriminator.

08

STAGE 08 FLOOD-FERTILITY PARADOX

FLOOD-FERTILITY PARADOX HEAVY MONSOON RAIN ANNUAL FLOODING OF BRAHMAPUTRA FLOODPLAIN ALLUVIAL FERTILITY RENEWS RICE-TEA ECONOMY EACH YEAR BANK EROSION, DISPLACEMENT, CROP LOSS, INFRASTRUCTURE DAMAGE

FLOOD MANAGEMENT MUST PRESERVE FERTILITY, NOT EXCLUDE WATER

HEAVY MONSOON RAIN → annual flooding of Brahmaputra floodplain

POSITIVE → alluvial fertility renews rice-tea economy each year

NEGATIVE → bank erosion, displacement, crop loss, infrastructure damage

CONCLUSION → flood management must preserve fertility, not exclude water

DEFINITION / COMPONENTS

- HEAVY MONSOON RAIN → annual flooding of Brahmaputra floodplain
- POSITIVE → alluvial fertility renews rice-tea economy each year

TRIGGER / MECHANISM

- NEGATIVE → bank erosion, displacement, crop loss, infrastructure damage
- CONCLUSION → flood management must preserve fertility, not exclude water

EFFECT / INTERVENTION

- HEAVY MONSOON RAIN → annual flooding of Brahmaputra floodplain
- POSITIVE → alluvial fertility renews rice-tea economy each year

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CONCLUSION → flood management must preserve fertility, not exclude water.

09

STAGE 09 TEA-INDUSTRY VULNERABILITY

TEA-INDUSTRY VULNERABILITY CENTRAL TO INDIA'S TEA OUTPUT, WORLD'S 2ND-LARGEST PRODUCER ERRATIC RAINFALL, DROUGHT, FLOOD SECOND-FLUSH CROP LOSSES HUMID EASTERN-MARGIN MONSOON REGIME VARIABILITY CLIMATE CHANGE LINKS TO NE LIVELIHOODS AND EXPORT CROP

DEFINITION / COMPONENTS

ASSAM → central to India's tea output, world's 2nd-largest producer
RISK → erratic rainfall, drought, flood: second-flush crop losses

TRIGGER / MECHANISM

CAUSE → humid eastern-margin monsoon regime variability
SIGNIFICANCE → climate change links to NE livelihoods and export crop

EFFECT / INTERVENTION

ASSAM → central to India's tea output, world's 2nd-largest producer
RISK → erratic rainfall, drought, flood: second-flush crop losses

DEFINITION / COMPONENTS

- ASSAM → central to India's tea output, world's 2nd-largest producer
- RISK → erratic rainfall, drought, flood: second-flush crop losses

TRIGGER / MECHANISM

- CAUSE → humid eastern-margin monsoon regime variability
- SIGNIFICANCE → climate change links to NE livelihoods and export crop

EFFECT / INTERVENTION

- ASSAM → central to India's tea output, world's 2nd-largest producer
- RISK → erratic rainfall, drought, flood: second-flush crop losses

09

STAGE 09 TEA-INDUSTRY VULNERABILITY

TEA-INDUSTRY VULNERABILITY CENTRAL TO INDIA'S TEA OUTPUT, WORLD'S 2ND-LARGEST PRODUCER ERRATIC RAINFALL, DROUGHT, FLOOD SECOND-FLUSH CROP LOSSES HUMID EASTERN-MARGIN MONSOON REGIME VARIABILITY CLIMATE CHANGE LINKS TO NE LIVELIHOODS AND EXPORT CROP

DEFINITION / COMPONENTS	TRIGGER / MECHANISM	EFFECT / INTERVENTION
ASSAM → central to India's tea output, world's 2nd-largest producer	CAUSE → humid eastern-margin monsoon regime variability	ASSAM → central to India's tea output, world's 2nd-largest producer
RISK → erratic rainfall, drought, flood: second-flush crop losses	SIGNIFICANCE → climate change links to NE livelihoods and export crop	RISK → erratic rainfall, drought, flood: second-flush crop losses
DEFINITION / COMPONENTS • ASSAM → central to India's tea output, world's 2nd-largest producer • RISK → erratic rainfall, drought, flood: second-flush crop losses	TRIGGER / MECHANISM • CAUSE → humid eastern-margin monsoon regime variability • SIGNIFICANCE → climate change links to NE livelihoods and export crop	EFFECT / INTERVENTION • ASSAM → central to India's tea output, world's 2nd-largest producer • RISK → erratic rainfall, drought, flood: second-flush crop losses

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: SIGNIFICANCE → climate change links to NE livelihoods and export crop.

10

STAGE 10 TREWARTHA CLASSIFICATION NOTE

TREWARTHA CLASSIFICATION NOTE HUMID MESOTHERMAL AND TROPICAL-HUMID TYPES IN INDIA H CLASS UNDIFFERENTIATED HIGHLAND FOR ELEVATED REGIONS NE BELT SPANS SEVERAL CODES DEPENDING ON ELEVATION AND SCHEME DO NOT FORCE ENTIRE REGION INTO ONE CWG OR

CLASSIFICATION	DIAGNOSTIC BASIS	PROCESS LINK	EXAM TRAP
TREWARTHA → humid mesothermal and tropical-humid types in India	NE BELT → spans several codes depending on elevation and scheme	TREWARTHA → humid mesothermal and tropical-humid types in India	NE BELT → spans several codes depending on elevation and scheme
H CLASS → undifferentiated highland for elevated regions	CAUTION → do not force entire region into one Cwg or Amw code	H CLASS → undifferentiated highland for elevated regions	CAUTION → do not force entire region into one Cwg or Amw code
CLASSIFICATION • TREWARTHA → humid mesothermal and tropical-humid types in India • H CLASS → undifferentiated highland for elevated regions	DIAGNOSTIC BASIS • NE BELT → spans several codes depending on elevation and scheme • CAUTION → do not force entire region into one Cwg or Amw code	PROCESS LINK • TREWARTHA → humid mesothermal and tropical-humid types in India • H CLASS → undifferentiated highland for elevated regions	EXAM TRAP • NE BELT → spans several codes depending on elevation and scheme • CAUTION → do not force entire region into one Cwg or Amw code

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CAUTION → do not force entire region into one Cwg or Amw code.

11

STAGE 11 CHINA-TYPE ANSWER SPINE

CHINA-TYPE ANSWER SPINE WARM TEMPERATE EASTERN MARGIN WITH SUMMER-RAIN REGIME EAST VS WEST MARGIN AT SAME LATITUDE (HIGHEST-VALUE CONTRAST) PRESSURE REVERSAL, SUB-TYPES, AGRICULTURE-HAZARD DUALITY

INDIA'S BENGAL-NE AS THE CHINA-TYPE ANALOGUE WITH FLOOD-FERTILITY PARADOX



DEFINITION / COMPONENTS	TRIGGER / MECHANISM	EFFECT / INTERVENTION
DEFINE → warm temperate eastern margin with summer-rain regime	EXPLAIN → pressure reversal, sub-types, agriculture-hazard duality	DEFINE → warm temperate eastern margin with summer-rain regime
COMPARE → east vs west margin at same latitude (highest-value contrast)	APPLY → India's Bengal-NE as the China-type analogue with flood-fertility paradox	COMPARE → east vs west margin at same latitude (highest-value contrast)

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: APPLY → India's Bengal-NE as the China-type analogue with flood-fertility paradox.

E

EXTRA SUBORDINATE ENRICHMENT — ONLY AFTER THE COMPLETE CORE

OPTIONAL ADVANCED ENRICHMENT HUMID NORTH-EAST (R.L. SINGH) NE INDIA (EXCEPT TRIPURA) + SIKKIM + NW WEST JULY TEMP 25–33°C, JANUARY 10–25°C IN THE HUMID BENGAL & ASSAM PLAIN (KHULLAR) ~150 CM FROM THE BAY-OF-BENGAL MONSOON BRANCH ; RICE TREWARTHA'S INDIA SCHEME ADDS AN H HIGHLAND CLASS. NE INDIA RAIN COMES FROM THE ARABIAN-SEA BRANCH

OPTIONAL PROCESS DEPTH	DATA / INSTITUTION LIMIT	CONTEMPORARY PARALLEL
Humid North-East (R.L. Singh): NE India (except Tripura) + Sikkim + NW West Bengal; 200 cm rain.	NOT: NE India rain comes from the Arabian-Sea branch → it is the Bay-of-Bengal branch .	Subject: Geography · Tier: Advanced (India-applied) · GS Paper: GS-I Grounded in: D.R.
July temp 25–33°C, January 10–25°C in the Humid NE.	NOT: Tripura is part of the "Humid North-East" division → R.L. Singh's division excludes Tripura .	Khullar, India: A Comprehensive Geography + Majid Husain, India geography + verified CA.
Bengal & Assam Plain (Khullar): ~150 cm from the Bay-of-Bengal monsoon branch ; rice economy.	The Brahmaputra valley's flood-fertility paradox: how the same monsoon regime that sustains rice and	= from source book · CAUTION: = inference / standard knowledge · = current affairs.
Trewartha's India scheme adds an H highland class.	Climate change and India's tea belt: erratic rainfall, droughts and floods threatening a key export	The Humid North-East (Majid Husain / R.L.

OPTIONAL STATUS — This optional depth is unnecessary for a competent core answer; use it only for added nuance after the complete core has been written.