


SOLVED PRACTICE WORKBOOK

General-Mental-Ability-Integrated-Map - CSAT Solved Practice Workbook

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing

LEARNING PATH



Deterministic fallback visual: move from precise concepts through argument and critique to exam application.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / WORKBOOK INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

General-Mental-Ability-Integrated-Map - Solved Practice Workbook 6

BASIC MCQS / REMEDIATION 6

Diagnostic set - Questions 1-16	6
Q1. Find the last digit of a large power.	6
Q2. Find the last digit of a large power.	6
Q3. Find the last digit of a large power.	6
Q4. Find the last digit of a large power.	6
Q5. Compare two discount offers.	6
Q6. Compare two discount offers.	6
Q7. Compare two discount offers.	6
Q8. Compare two discount offers.	6
Q9. Two workers complete a job together.	7
Q10. Two workers complete a job together.	7
Q11. Two workers complete a job together.	7
Q12. Two workers complete a job together.	7
Q13. Decide whether two statements uniquely fix x.	7
Q14. Decide whether two statements uniquely fix x.	7
Q15. Decide whether two statements uniquely fix x.	7
Q16. Decide whether two statements uniquely fix x.	7
Graded set - Questions 17-32	7
Q17. Arrange six people under adjacency constraints.	7
Q18. Arrange six people under adjacency constraints.	8
Q19. Arrange six people under adjacency constraints.	8
Q20. Arrange six people under adjacency constraints.	8
Q21. Choose a response to an angry citizen.	8
Q22. Choose a response to an angry citizen.	8
Q23. Choose a response to an angry citizen.	8
Q24. Choose a response to an angry citizen.	8
Q25. Identify the author's necessary assumption.	8

Q26. Identify the author's necessary assumption.	8
Q27. Identify the author's necessary assumption.	8
Q28. Identify the author's necessary assumption.	9
Q29. Read a chart with percentages and totals.	9
Q30. Read a chart with percentages and totals.	9
Q31. Read a chart with percentages and totals.	9
Q32. Read a chart with percentages and totals.	9
Remedial and timed set - Questions 33-48	9
Q33. A train crosses a platform.	9
Q34. A train crosses a platform.	9
Q35. A train crosses a platform.	9
Q36. A train crosses a platform.	9
Q37. A number leaves specified remainders.	10
Q38. A number leaves specified remainders.	10
Q39. A number leaves specified remainders.	10
Q40. A number leaves specified remainders.	10
Q41. A marked price receives two discounts.	10
Q42. A marked price receives two discounts.	10
Q43. A marked price receives two discounts.	10
Q44. A marked price receives two discounts.	10
Q45. A coded inequality asks which relation follows.	10
Q46. A coded inequality asks which relation follows.	11
Q47. A coded inequality asks which relation follows.	11
Q48. A coded inequality asks which relation follows.	11
PYQS AND ANSWER PRACTICE	11
Complete step-by-step solutions	11
Q1. Find the last digit of a large power.	11
Q2. Find the last digit of a large power.	11
Q3. Find the last digit of a large power.	11
Q4. Find the last digit of a large power.	11
Q5. Compare two discount offers.	12
Q6. Compare two discount offers.	12

Q7. Compare two discount offers.	12
Q8. Compare two discount offers.	12
Q9. Two workers complete a job together.	12
Q10. Two workers complete a job together.	12
Q11. Two workers complete a job together.	12
Q12. Two workers complete a job together.	12
Q13. Decide whether two statements uniquely fix x.	13
Q14. Decide whether two statements uniquely fix x.	13
Q15. Decide whether two statements uniquely fix x.	13
Q16. Decide whether two statements uniquely fix x.	13
Q17. Arrange six people under adjacency constraints.	13
Q18. Arrange six people under adjacency constraints.	13
Q19. Arrange six people under adjacency constraints.	13
Q20. Arrange six people under adjacency constraints.	14
Q21. Choose a response to an angry citizen.	14
Q22. Choose a response to an angry citizen.	14
Q23. Choose a response to an angry citizen.	14
Q24. Choose a response to an angry citizen.	14
Q25. Identify the author's necessary assumption.	14
Q26. Identify the author's necessary assumption.	14
Q27. Identify the author's necessary assumption.	15
Q28. Identify the author's necessary assumption.	15
Q29. Read a chart with percentages and totals.	15
Q30. Read a chart with percentages and totals.	15
Q31. Read a chart with percentages and totals.	15
Q32. Read a chart with percentages and totals.	15
Q33. A train crosses a platform.	15
Q34. A train crosses a platform.	16
Q35. A train crosses a platform.	16
Q36. A train crosses a platform.	16
Q37. A number leaves specified remainders.	16
Q38. A number leaves specified remainders.	16

Q39. A number leaves specified remainders.	16
Q40. A number leaves specified remainders.	16
Q41. A marked price receives two discounts.	16
Q42. A marked price receives two discounts.	17
Q43. A marked price receives two discounts.	17
Q44. A marked price receives two discounts.	17
Q45. A coded inequality asks which relation follows.	17
Q46. A coded inequality asks which relation follows.	17
Q47. A coded inequality asks which relation follows.	17
Q48. A coded inequality asks which relation follows.	17
Verified PYQ routing ledger	18
Final error-log checklist	18

General-Mental-Ability-Integrated-Map - Solved Practice Workbook

Identity: csat-08: learner-v2:g1 | Approval: false

BASIC MCQS / REMEDIATION

Diagnostic set - Questions 1-16

Q1. Find the last digit of a large power.

Which canonical owner should be opened first?

A. Topic 02 - Number Systems B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q2. Find the last digit of a large power.

Which representation is most useful?

A. Keep everything mentally B. Remainder/unit-digit cycle C. Write an unrelated essay D. Guess before classifying

Q3. Find the last digit of a large power.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Check the cycle length D. Change the question

Q4. Find the last digit of a large power.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Q5. Compare two discount offers.

Which canonical owner should be opened first?

A. Topic 03 - Arithmetic B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q6. Compare two discount offers.

Which representation is most useful?

A. Keep everything mentally B. Percentage multipliers C. Write an unrelated essay D. Guess before classifying

Q7. Compare two discount offers.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Recompute from a common base D. Change the question

Q8. Compare two discount offers.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Q9. Two workers complete a job together.

Which canonical owner should be opened first?

A. Topic 04 - Rates B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q10. Two workers complete a job together.

Which representation is most useful?

A. Keep everything mentally B. Work-rate table C. Write an unrelated essay D. Guess before classifying

Q11. Two workers complete a job together.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Add rates, not days D. Change the question

Q12. Two workers complete a job together.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Q13. Decide whether two statements uniquely fix x.

Which canonical owner should be opened first?

A. Topic 05 - Data Sufficiency B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q14. Decide whether two statements uniquely fix x.

Which representation is most useful?

A. Keep everything mentally B. Statement-by-statement case test C. Write an unrelated essay D. Guess before classifying

Q15. Decide whether two statements uniquely fix x.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Search for a second valid value D. Change the question

Q16. Decide whether two statements uniquely fix x.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Graded set - Questions 17-32

Q17. Arrange six people under adjacency constraints.

Which canonical owner should be opened first?

A. Topic 06 - Logical Reasoning B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q18. Arrange six people under adjacency constraints.

Which representation is most useful?

A. Keep everything mentally B. Slot/grid diagram C. Write an unrelated essay D. Guess before classifying

Q19. Arrange six people under adjacency constraints.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Test every constraint D. Change the question

Q20. Arrange six people under adjacency constraints.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Q21. Choose a response to an angry citizen.

Which canonical owner should be opened first?

A. Topic 07 - Communication B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q22. Choose a response to an angry citizen.

Which representation is most useful?

A. Keep everything mentally B. Fact-interest-response table C. Write an unrelated essay D. Guess before classifying

Q23. Choose a response to an angry citizen.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Check legality, empathy and feasibility D. Change the question

Q24. Choose a response to an angry citizen.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Q25. Identify the author's necessary assumption.

Which canonical owner should be opened first?

A. Topic 01 - Reading Comprehension B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q26. Identify the author's necessary assumption.

Which representation is most useful?

A. Keep everything mentally B. Claim-evidence-hidden bridge C. Write an unrelated essay D. Guess before classifying

Q27. Identify the author's necessary assumption.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Negate the candidate D. Change the question

Q28. Identify the author's necessary assumption.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Q29. Read a chart with percentages and totals.

Which canonical owner should be opened first?

A. Topic 06 - Data Interpretation B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q30. Read a chart with percentages and totals.

Which representation is most useful?

A. Keep everything mentally B. Unit/base table C. Write an unrelated essay D. Guess before classifying

Q31. Read a chart with percentages and totals.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Recover the denominator D. Change the question

Q32. Read a chart with percentages and totals.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Remedial and timed set - Questions 33-48

Q33. A train crosses a platform.

Which canonical owner should be opened first?

A. Topic 04 - Motion B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q34. A train crosses a platform.

Which representation is most useful?

A. Keep everything mentally B. Distance-speed-time equation C. Write an unrelated essay D. Guess before classifying

Q35. A train crosses a platform.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Include both lengths D. Change the question

Q36. A train crosses a platform.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Q37. A number leaves specified remainders.

Which canonical owner should be opened first?

A. Topic 02 - Number Systems B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q38. A number leaves specified remainders.

Which representation is most useful?

A. Keep everything mentally B. Congruence table C. Write an unrelated essay D. Guess before classifying

Q39. A number leaves specified remainders.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Plug back into every modulus D. Change the question

Q40. A number leaves specified remainders.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Q41. A marked price receives two discounts.

Which canonical owner should be opened first?

A. Topic 03 - Commercial Math B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q42. A marked price receives two discounts.

Which representation is most useful?

A. Keep everything mentally B. Successive multipliers C. Write an unrelated essay D. Guess before classifying

Q43. A marked price receives two discounts.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Reverse-check the final price D. Change the question

Q44. A marked price receives two discounts.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Q45. A coded inequality asks which relation follows.

Which canonical owner should be opened first?

A. Topic 05 - Algebra/Inequalities B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Q46. A coded inequality asks which relation follows.

Which representation is most useful?

A. Keep everything mentally B. Translate code before comparing C. Write an unrelated essay D. Guess before classifying

Q47. A coded inequality asks which relation follows.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Check sign and direction D. Change the question

Q48. A coded inequality asks which relation follows.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

PYQS AND ANSWER PRACTICE

Complete step-by-step solutions

Q1. Find the last digit of a large power.

Which canonical owner should be opened first?

A. Topic 02 - Number Systems B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q2. Find the last digit of a large power.

Which representation is most useful?

A. Keep everything mentally B. Remainder/unit-digit cycle C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q3. Find the last digit of a large power.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Check the cycle length D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q4. Find the last digit of a large power.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q5. Compare two discount offers.

Which canonical owner should be opened first?

A. Topic 03 - Arithmetic B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q6. Compare two discount offers.

Which representation is most useful?

A. Keep everything mentally B. Percentage multipliers C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q7. Compare two discount offers.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Recompute from a common base D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q8. Compare two discount offers.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q9. Two workers complete a job together.

Which canonical owner should be opened first?

A. Topic 04 - Rates B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q10. Two workers complete a job together.

Which representation is most useful?

A. Keep everything mentally B. Work-rate table C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q11. Two workers complete a job together.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Add rates, not days D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q12. Two workers complete a job together.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q13. Decide whether two statements uniquely fix x.

Which canonical owner should be opened first?

A. Topic 05 - Data Sufficiency B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q14. Decide whether two statements uniquely fix x.

Which representation is most useful?

A. Keep everything mentally B. Statement-by-statement case test C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q15. Decide whether two statements uniquely fix x.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Search for a second valid value D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q16. Decide whether two statements uniquely fix x.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q17. Arrange six people under adjacency constraints.

Which canonical owner should be opened first?

A. Topic 06 - Logical Reasoning B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q18. Arrange six people under adjacency constraints.

Which representation is most useful?

A. Keep everything mentally B. Slot/grid diagram C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q19. Arrange six people under adjacency constraints.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Test every constraint D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q20. Arrange six people under adjacency constraints.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q21. Choose a response to an angry citizen.

Which canonical owner should be opened first?

A. Topic 07 - Communication B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q22. Choose a response to an angry citizen.

Which representation is most useful?

A. Keep everything mentally B. Fact-interest-response table C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q23. Choose a response to an angry citizen.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Check legality, empathy and feasibility D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q24. Choose a response to an angry citizen.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q25. Identify the author's necessary assumption.

Which canonical owner should be opened first?

A. Topic 01 - Reading Comprehension B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q26. Identify the author's necessary assumption.

Which representation is most useful?

A. Keep everything mentally B. Claim-evidence-hidden bridge C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q27. Identify the author's necessary assumption.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Negate the candidate D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q28. Identify the author's necessary assumption.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q29. Read a chart with percentages and totals.

Which canonical owner should be opened first?

A. Topic 06 - Data Interpretation B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q30. Read a chart with percentages and totals.

Which representation is most useful?

A. Keep everything mentally B. Unit/base table C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q31. Read a chart with percentages and totals.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Recover the denominator D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q32. Read a chart with percentages and totals.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q33. A train crosses a platform.

Which canonical owner should be opened first?

A. Topic 04 - Motion B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q34. A train crosses a platform.

Which representation is most useful?

A. Keep everything mentally B. Distance-speed-time equation C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q35. A train crosses a platform.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Include both lengths D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q36. A train crosses a platform.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q37. A number leaves specified remainders.

Which canonical owner should be opened first?

A. Topic 02 - Number Systems B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q38. A number leaves specified remainders.

Which representation is most useful?

A. Keep everything mentally B. Congruence table C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q39. A number leaves specified remainders.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Plug back into every modulus D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q40. A number leaves specified remainders.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q41. A marked price receives two discounts.

Which canonical owner should be opened first?

A. Topic 03 - Commercial Math B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q42. A marked price receives two discounts.

Which representation is most useful?

A. Keep everything mentally B. Successive multipliers C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q43. A marked price receives two discounts.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Reverse-check the final price D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q44. A marked price receives two discounts.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Q45. A coded inequality asks which relation follows.

Which canonical owner should be opened first?

A. Topic 05 - Algebra/Inequalities B. Topic 08 alone contains every formula C. No owner is relevant D. Choose by surface vocabulary only

Correct answer: A. Route by the dominant solving mechanism.

Q46. A coded inequality asks which relation follows.

Which representation is most useful?

A. Keep everything mentally B. Translate code before comparing C. Write an unrelated essay D. Guess before classifying

Correct answer: B. Externalise the structure that directly encodes the givens.

Q47. A coded inequality asks which relation follows.

Which verification should close the solution?

A. Skip checking B. Use outside knowledge C. Check sign and direction D. Change the question

Correct answer: C. The check is independent of the main calculation or reasoning path.

Q48. A coded inequality asks which relation follows.

What is the correct integrated sequence?

A. Execute -> guess -> classify B. Read options -> assume -> stop C. Memorise -> ignore units -> mark D. Classify -> extract -> represent -> execute -> verify -> decide

Correct answer: D. The sequence prevents method error, hidden constraints and negative-value guesses.

Verified PYQ routing ledger

Year	Q	Neutral verified demand	Locally checked Set-A key/status	Solution architecture
-	-	No direct question is duplicated here; use the cross-owner routes.	-	Route to Topics 01-07 by mechanism.

Final error-log checklist

- Was the family classified correctly?
- Were units, domains, quantifiers and constraints copied correctly?
- Was the first-principles relation written before a shortcut?
- Was the selected option independently recomputed or supported by the passage?
- Was the mistake logged and followed by a fresh remedial item?