

ASCII MASTER FLOW – PANEL 1/12: Hazard-family matrix

INDUSTRIAL -> facility / process / transport accident

CHEMICAL -> hazardous release fire or reaction

RADIOLOGICAL / NUCLEAR -> exposure / nuclear-facility context

CBRN -> umbrella; mechanisms and owners remain distinct

ASCII MASTER FLOW – PANEL 2/12: Industrial life-cycle rail

- 1 DESIGN / MATERIAL SELECTION
- 2 MANUFACTURE PROCESS STORAGE TRANSPORT
- 3 OPERATION MAINTENANCE AND CHANGE
- 4 WASTE DISPOSAL REMEDIATION AND LEARNING

ASCII MASTER FLOW – PANEL 3/12: NaTech cascade

FLOOD QUAKE CYCLONE HEAT OR LIFELINE FAILURE

-> CONTAINMENT / POWER / COOLING / ACCESS STRESS

-> FIRE EXPLOSION RELEASE OR CONTAMINATION

-> COMPOUND PUBLIC HEALTH AND ENVIRONMENTAL EMERGENCY

ASCII MASTER FLOW – PANEL 4/12: Chemical-law boundary

FACTORIES LAW -> workplace / hazardous-process field

EPA + MSIHC -> covered hazardous-chemical prevention duties

CHEMICAL ACCIDENTS RULES -> crisis-group preparedness / response

PLI ACT -> no-fault immediate civil-relief route

ASCII MASTER FLOW – PANEL 5/12: Nuclear governance boundary

ATOMIC ENERGY FRAMEWORK -> CENTRAL TECHNICAL DOMAIN

DAE -> atomic-energy and emergency coordination role

AERB -> regulatory safety review / consent functions

DM AUTHORITIES / NDRF -> public coordination and specialised support

ASCII MASTER FLOW – PANEL 6/12: On-site plan

DETECT / ALARM -> INTERNAL COMMAND

SOURCE CONTROL / SHUTDOWN OR ISOLATION

WORKER PROTECTION + ACCOUNTING

INFORM OUTSIDE AUTHORITY + REQUEST SUPPORT

ASCII MASTER FLOW – PANEL 7/12: Off-site plan

FACILITY INFORMATION -> DISTRICT / LOCAL ASSESSMENT

PUBLIC WARNING -> SHELTER / EVACUATION DECISION

TRAFFIC HEALTH ENVIRONMENT AND RESOURCE COORDINATION

MONITOR -> UPDATE -> RECOVERY

ASCII MASTER FLOW – PANEL 8/12: Actor-role matrix

OCCUPIER -> prevent control disclose and support

REGULATOR -> standards inspection consent enforcement

LOCAL / DISTRICT -> public protective action and coordination

SPECIALISED TEAMS -> technical response support

ASCII MASTER FLOW – PANEL 9/12: Protective-action ladder

DETECT / IDENTIFY / MONITOR

ASSESS AREA AND POPULATION AT RISK

AUTHORISE SHELTER EVACUATION ACCESS CONTROL

DECONTAMINATE TRIAGE REFER AND MONITOR

ASCII MASTER FLOW – PANEL 10/12: Risk communication card

WHAT HAPPENED + OFFICIAL UNCERTAINTY

WHO / WHERE + WHAT ACTION

CARE LOCATION + UPDATE CHANNEL

RUMOUR CORRECTION WITHOUT STIGMA OR SPECULATION

MUST REMEMBER: Industrial, chemical, nuclear and biological emergencies require life-...

MUST REMEMBER: Industrial, chemical, nuclear and biological emergencies require life-...

ASCII MASTER FLOW – PANEL 11/12: Recovery-accountability loop

REMEDiate SITE AND ENVIRONMENT

MONITOR HEALTH + RESTORE LIVELIHOODS

INVESTIGATE DISCLOSE RELIEF / COMPENSATION

CORRECT DESIGN REGULATION PLAN AND LAND USE

CLOSE DISTINCTION: Hazardous material is not a released dose; on-site plan is not off-...

CLOSE DISTINCTION: Hazardous material is not a released dose; on-site plan is not off-...

ASCII MASTER FLOW – PANEL 12/12: Industrial-CBRN answer spine

CLASSIFY HAZARD -> TRACE LIFE-CYCLE / NATECH FAILURE
ASSIGN LAW REGULATOR OCCUPIER LOCAL AUTHORITY AND RESPONSE
CONNECT ON-SITE / OFF-SITE PLANS TO PUBLIC AND MEDICAL ACTION
END WITH REMEDIATION LIABILITY AND VERIFIED OUTCOME
EVIDENCE LIMIT: MECHANISM / STATUS / CAUSATION: Identify enacted law, notified rule,...
EVIDENCE LIMIT: MECHANISM / STATUS / CAUSATION: Identify enacted law, notified rule,...