

INDUSTRIAL, CHEMICAL, NUCLEAR AND CBRN EMERGENCIES


HAZARD-FAMILY MATRIX → INDUSTRIAL LIFE-CYCLE RAIL → NATECH CASCADE → CHEMICAL-LAW BOUNDARY → NUCLEAR GOVERNANCE BOUNDARY → ON-SITE PLAN


Read the thick cyan rail from Stage 00 to the final core synthesis. Each card uses a concept-appropriate structure; the grey E card is optional enrichment only and never repairs missing core content.

PRIMARY CORE FLOW SUBORDINATE EXTRA APPROVAL / REVIEW

Approval: FALSE • Pending user review • source generation g3 and all prior artifacts unchanged

CORE BEFORE EXTRA • prior artefacts unchanged • exact same master drives poster and tiles





06

STAGE 06 OFF-SITE PLAN

OFF-SITE PLAN FACILITY INFORMATION LOCAL ASSESSMENT PUBLIC WARNING EVACUATION DECISION TRAFFIC HEALTH ENVIRONMENT AND RESOURCE COORDINATION



RISK CONDITION / INPUT

- FACILITY INFORMATION → DISTRICT / LOCAL ASSESSMENT
- PUBLIC WARNING → SHELTER / EVACUATION DECISION

PREVENTION / PREPAREDNESS / RESPONSE MECHANISM

- TRAFFIC HEALTH ENVIRONMENT AND RESOURCE COORDINATION
- MONITOR → UPDATE → RECOVERY

LAST-MILE / INCLUSION / OUTCOME LIMIT

- FACILITY INFORMATION → DISTRICT / LOCAL ASSESSMENT
- PUBLIC WARNING → SHELTER / EVACUATION DECISION

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: TRAFFIC HEALTH ENVIRONMENT AND RESOURCE COORDINATION; MONITOR — UPDATE — RECOVERY.

07

STAGE 07 ACTOR-ROLE MATRIX

ACTOR-ROLE MATRIX PREVENT CONTROL DISCLOSE AND SUPPORT STANDARDS INSPECTION CONSENT ENFORCEMENT PUBLIC PROTECTIVE ACTION AND COORDINATION SPECIALISED TEAMS TECHNICAL RESPONSE SUPPORT

HAZARD / ACTOR / INSTRUMENT	DECISIVE RISK OR MANDATE DISTINCTION	WARNING / IMPLEMENTATION / OUTCOME LIMIT
OCCUPIER → prevent control disclose and support	LOCAL / DISTRICT → public protective action and coordination	OCCUPIER → prevent control disclose and support
REGULATOR → standards inspection consent enforcement	SPECIALISED TEAMS → technical response support	REGULATOR → standards inspection consent enforcement

HAZARD / ACTOR / INSTRUMENT

- OCCUPIER → prevent control disclose and support
- REGULATOR → standards inspection consent enforcement

DECISIVE RISK OR MANDATE DISTINCTION

- LOCAL / DISTRICT → public protective action and coordination
- SPECIALISED TEAMS → technical response support

WARNING / IMPLEMENTATION / OUTCOME LIMIT

- OCCUPIER → prevent control disclose and support
- REGULATOR → standards inspection consent enforcement


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: LOCAL / DISTRICT → public protective action and coordination.

08

STAGE 08 PROTECTIVE-ACTION LADDER

PROTECTIVE-ACTION LADDER ASSESS AREA AND POPULATION AT RISK AUTHORISE SHELTER EVACUATION ACCESS CONTROL DECONTAMINATE TRIAGE REFER AND MONITOR

DETECT / IDENTIFY / MONITOR



RISK CONDITION / INPUT

- DETECT / IDENTIFY / MONITOR
- ASSESS AREA AND POPULATION AT RISK

PREVENTION / PREPAREDNESS / RESPONSE MECHANISM

- AUTHORISE SHELTER EVACUATION ACCESS CONTROL
- DECONTAMINATE TRIAGE REFER AND MONITOR

LAST-MILE / INCLUSION / OUTCOME LIMIT

- DETECT / IDENTIFY / MONITOR
- ASSESS AREA AND POPULATION AT RISK


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: AUTHORISE SHELTER EVACUATION ACCESS CONTROL; DECONTAMINATE TRIAGE REFER AND MONITOR.

09

STAGE 09 RISK COMMUNICATION CARD

RISK COMMUNICATION CARD WHAT HAPPENED + OFFICIAL UNCERTAINTY WHERE + WHAT ACTION CARE LOCATION + UPDATE CHANNEL RUMOUR CORRECTION WITHOUT STIGMA OR SPECULATION MUST REMEMBER INDUSTRIAL, CHEMICAL, NUCLEAR AND BIOLOGICAL EMERGENCIES REQUIRE LIFE

WHAT HAPPENED + OFFICIAL UNCERTAINTY



HAZARD / RISK / RESILIENCE CONCEPT

- WHAT HAPPENED + OFFICIAL UNCERTAINTY
- WHO / WHERE + WHAT ACTION

INSTITUTIONAL OR COMMUNITY RESPONSE

- CARE LOCATION + UPDATE CHANNEL
- RUMOUR CORRECTION WITHOUT STIGMA OR SPECULATION

CAPACITY / STATUS / EVIDENCE LIMIT

- MUST REMEMBER: Industrial, chemical, nuclear and biological emergencies require life...
- WHAT HAPPENED + OFFICIAL UNCERTAINTY

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: MUST REMEMBER: Industrial, chemical, nuclear and biological emergencies require life..

