GENERAL SCIENCE: PHYSICS FUNDAMENTALS

QUANTITY UNIT AND VECTOR → MECHANICS CAUSE-AND-RATE RAIL → ORBIT AND FREE-FALL MAP → FLUID-PRINCIPLE SELECTION MATRIX → THERMAL STATE AND TRANSFER → WAVE SOUND AND SPECTRUM

Read the thick cyan rail from Stage 00 to the final core synthesis. Each card uses a concept-appropriate structure; the grey E card is optional enrichment only and never repairs missing core content.

◆ PRIMARY CORE FLOW ◆ SUBORDINATE EXTRA ◆ APPROVAL / REVIEW

CORE BEFORE EXTRA • prior artefacts unchanged • exact same master drives poster and tiles

Approval: FALSE • Pending user review • source generation g3 and all prior artifacts unchanged

00 →

STAGE 00

QUANTITY UNIT AND VECTOR DECISION TREE

QUANTITY UNIT AND VECTOR DECISION TREE | SCALAR OR VECTOR? | BASE OR DERIVED SI? | CONSISTENCY CHECK ONLY | CALIBRATION + ORIENTATION + UNCERTAINTY | DISTANCE, NEVER TIME

QUANTITY → scalar or vector?

UNIT → base or derived SI? → DIMENSION → consistency check only → INSTRUMENT → calibration + orientation + uncertainty

CONCEPT / ARCHITECTURE
- QUANTITY → scalar or vector?
- UNIT → base or derived SI?

MECHANISM / APPLICATION
- DIMENSION → consistency check only
- INSTRUMENT → calibration + orientation + uncertainty

READINESS / STATUS LIMIT
- LIGHT-YEAR → distance, never time
- QUANTITY → scalar or vector?

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: INSTRUMENT → calibration + orientation + uncertainty; LIGHT-YEAR → distance, never time.

01 →

STAGE 01

MECHANICS CAUSE-AND-RATE RAIL

MECHANICS CAUSE-AND-RATE RAIL | NET FORCE | MOMENTUM CHANGE | FORCE X TIME | CHANGE IN MOMENTUM | FORCE ÷ DISPLACEMENT | NET WORK | KINETIC-ENERGY CHANGE

NET FORCE → momentum change → IMPULSE → force x time → change in momentum → FORCE ÷ DISPLACEMENT → work → NET WORK → kinetic-energy change → POWER → work or energy per time

CONCEPT / ARCHITECTURE
- NET FORCE → momentum change
- IMPULSE → force x time → change in momentum

MECHANISM / APPLICATION
- FORCE ÷ DISPLACEMENT → work
- NET WORK → kinetic-energy change

READINESS / STATUS LIMIT
- POWER → work or energy per time
- NET FORCE → momentum change

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: IMPULSE → force x time → change in momentum.

02 →

STAGE 02

ORBIT AND FREE-FALL MAP

ORBIT AND FREE-FALL MAP | CENTRIPETAL ACCELERATION | CONTINUOUS FREE FALL | EQUATORIAL + MATCHING ROTATION PERIOD | NEAR-POLAR LOW-ORBIT FAMILY | ESCAPE VELOCITY | CENTRAL BODY'S MASS AND RADIUS

GRAVITY → centripetal acceleration

ORBIT → continuous free fall → GEOSTATIONARY → equatorial + matching rotation period → POLAR / SUN-SYNCHRONOUS → near-polar low-orbit family

CONCEPT / ARCHITECTURE
- GRAVITY → centripetal acceleration
- ORBIT → continuous free fall

MECHANISM / APPLICATION
- GEOSTATIONARY → equatorial + matching rotation period
- POLAR / SUN-SYNCHRONOUS → near-polar low-orbit family

READINESS / STATUS LIMIT
- ESCAPE VELOCITY → central body's mass and radius
- GRAVITY → centripetal acceleration

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: ESCAPE VELOCITY → central body's mass and radius.

03 →

STAGE 03

FLUID-PRINCIPLE SELECTION MATRIX

FLUID-PRINCIPLE SELECTION MATRIX | CONFINED-FLUID PRESSURE TRANSMISSION | DISPLACED-FLUID WEIGHT AND UPTHRUST | PRESSURE-FLOW RELATION UNDER ASSUMPTIONS | PRESSURE COOKER | PRESSURE UP, BOILING TEMPERATURE UP | PRESSURE DOWN, BOILING TEMPERATURE DOWN

SYSTEM / DEVICE / INSTITUTION	DECISIVE TECHNICAL DISTINCTION	STATUS / UNIT / EVIDENCE LIMIT
PASCAL → confined-fluid pressure transmission	BERNOULLI → pressure-flow relation under assumptions	ALTITUDE → pressure down, boiling temperature down
ARCHIMEDES → displaced-fluid weight and upthrust	PRESSURE COOKER → pressure up, boiling temperature up	PASCAL → confined-fluid pressure transmission

SYSTEM / DEVICE / INSTITUTION
- PASCAL → confined-fluid pressure transmission
- ARCHIMEDES → displaced-fluid weight and upthrust

DECISIVE TECHNICAL DISTINCTION
- BERNOULLI → pressure-flow relation under assumptions
- PRESSURE COOKER → pressure up, boiling temperature up

STATUS / UNIT / EVIDENCE LIMIT
- ALTITUDE → pressure down, boiling temperature down
- PASCAL → confined-fluid pressure transmission

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: PRESSURE COOKER → pressure up, boiling temperature up.

04 →

STAGE 04

THERMAL STATE AND TRANSFER LADDER

THERMAL STATE AND TRANSFER LADDER | THERMAL STATE | TRANSFER DUE TO TEMPERATURE DIFFERENCE | SPECIFIC HEAT | TEMPERATURE-CHANGE REQUIREMENT | LATENT HEAT | PHASE CHANGE WITHOUT TEMPERATURE CHANGE | DISTINCT ROUTES

TEMPERATURE → thermal state

HEAT → transfer due to temperature difference → SPECIFIC HEAT → temperature-change requirement → LATENT HEAT → phase change without temperature change

STARTING CONDITION / INPUT
- TEMPERATURE → thermal state
- HEAT → transfer due to temperature difference

SCIENTIFIC OR ENGINEERING MECHANISM
- SPECIFIC HEAT → temperature-change requirement
- LATENT HEAT → phase change without temperature change

OUTPUT / FAILURE BOUNDARY
- RADIATION → distinct routes
- TEMPERATURE → thermal state

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CONDUCTION | CONVECTION | RADIATION → distinct routes.

05 →

STAGE 05

WAVE SOUND AND SPECTRUM BANDS

WAVE SOUND AND SPECTRUM BANDS | FREQUENCY X WAVELENGTH | MEDIUM REQUIRED | FREQUENCY CLASSES | DIFFERENT ELECTROMAGNETIC BANDS

WAVE → speed ÷ frequency x wavelength → SOUND → medium required → ULTRASOUND → frequency classes → RADIO → MICROWAVE → IR → VISIBLE → UV → X-RAY → GAMMA → RADAR / VLC → different electromagnetic bands

CONCEPT / ARCHITECTURE
- WAVE → speed ÷ frequency x wavelength
- SOUND → medium required

MECHANISM / APPLICATION
- ULTRASOUND → frequency classes
- RADIO → MICROWAVE → IR → VISIBLE → UV → X-RAY → GAMMA

READINESS / STATUS LIMIT
- RADAR / VLC → different electromagnetic bands
- WAVE → speed ÷ frequency x wavelength

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: RADIO → MICROWAVE → IR → VISIBLE → UV → X-RAY → GAMMA.

06 →

STAGE 06

MIRROR LENS AND FIBRE RAY LOGIC

MIRROR LENS AND FIBRE RAY LOGIC | CONVEX LENS | CONCAVE LENS | DENSER TO RARER + CRITICAL ANGLE | TOTAL INTERNAL REFLECTION

MIRROR → reflection

LENS → refraction → CONVEX LENS → converging → CONCAVE LENS → diverging

CONCEPT / ARCHITECTURE
- MIRROR → reflection
- LENS → refraction

MECHANISM / APPLICATION
- CONVEX LENS → converging
- CONCAVE LENS → diverging

READINESS / STATUS LIMIT
- DENSER TO RARER + CRITICAL ANGLE → total internal reflection
- MIRROR → reflection

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: DENSER TO RARER + CRITICAL ANGLE → total internal reflection.

07 →

STAGE 07

CIRCUIT TOPOLOGY AND SAFETY BOARD

CIRCUIT TOPOLOGY AND SAFETY BOARD | WORK PER CHARGE | CHARGE PER TIME | OPPOSITION TO CURRENT | COMMON CURRENT | COMMON VOLTAGE | SHOCK PROTECTION

CONCEPT / ARCHITECTURE
- VOLTAGE → work per charge
- CURRENT → charge per time
- RESISTANCE → opposition to current

MECHANISM / APPLICATION
- SERIES → common current
- PARALLEL → common voltage
- FUSE / MCB → overload

READINESS / STATUS LIMIT
- EARTHING → shock protection

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: FUSE / MCB → overload | EARTHING → shock protection.

08 →

STAGE 08

ELECTROMAGNETIC CONVERSION LOOP

ELECTROMAGNETIC CONVERSION LOOP | CHANGING FLUX | INDUCED EMF | MECHANICAL TO ELECTRICAL | AC VOLTAGE CONVERSION | ELECTRICAL TO MECHANICAL | STEADY DC | NO ORDINARY TRANSFORMER ACTION

CONCEPT / ARCHITECTURE
- CHANGING FLUX → induced emf
- GENERATOR → mechanical to electrical

MECHANISM / APPLICATION
- TRANSFORMER → AC voltage conversion
- MOTOR → electrical to mechanical

READINESS / STATUS LIMIT
- STEADY DC → no ordinary transformer action
- CHANGING FLUX → induced emf

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: MOTOR → electrical to mechanical; STEADY DC → no ordinary transformer action.

09 →

STAGE 09

QUANTUM AND NUCLEAR SPLIT PANEL

QUANTUM AND NUCLEAR SPLIT PANEL | THRESHOLD FREQUENCY | INTEGER-SPIN BOSONS MAY SHARE STATE | DIFFERENT MATTER/RADIATION CLASSES | NUCLEAR DECAY CLOCK | MUST REMEMBER | PHYSICS FUNDAMENTALS REQUIRE QUANTITIES, SI UNITS, DIMENSIONS, FRAMES AND

PHOTOELECTRIC → threshold frequency → BOSE-EINSTEIN → integer-spin bosons may share state → GAMMA → different matter/radiation classes → HALF-LIFE → nuclear decay clock → FISSION != FUSION

CONCEPT / ARCHITECTURE
- PHOTOELECTRIC → threshold frequency
- BOSE-EINSTEIN → integer-spin bosons may share state

MECHANISM / APPLICATION
- GAMMA → different matter/radiation classes
- HALF-LIFE → nuclear decay clock

READINESS / STATUS LIMIT
- FISSION != FUSION
- MUST REMEMBER: Physics fundamentals require quantities, SI units, dimensions, frames and...

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: MUST REMEMBER: Physics fundamentals require quantities, SI units, dimensions, frames and.

10 →

STAGE 10

RELATIVITY OBSERVATION EVIDENCE CHAIN

RELATIVITY OBSERVATION EVIDENCE CHAIN | SPACETIME PREDICTION | GRAVITATIONAL WAVE | INSTRUMENT SIGNAL | SOURCE INFERENCE | DISTINCT ASTRONOMY LABELS | BOUNDED CLAIM, NOT OMNISCIENCE | CLOSE DISTINCTION

RELATIVITY → spacetime prediction

GRAVITATIONAL WAVE → instrument signal → ANALYSIS → source inference → PULSAR → distinct astronomy labels

STARTING CONDITION / INPUT
- RELATIVITY → spacetime prediction
- GRAVITATIONAL WAVE → instrument signal

SCIENTIFIC OR ENGINEERING MECHANISM
- ANALYSIS → source inference
- PULSAR → distinct astronomy labels

OUTPUT / FAILURE BOUNDARY
- OBSERVATION → bounded claim, not omniscience
- CLOSE DISTINCTION: Scalar is not vector, speed is not velocity, mass is not weight....

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CLOSE DISTINCTION: Scalar is not vector, speed is not velocity, mass is not weight..

11 →

STAGE 11

DEVICE TO VERIFIED-STATUS STAIRCASE

DEVICE TO VERIFIED-STATUS STAIRCASE | MECHANISM-SPECIFIC USE | ENABLING INSTRUMENT | NOT OPERATION | CALIBRATED OUTPUT | NOT AUTOMATICALLY VERIFIED PUBLIC OUTCOME | EVIDENCE LIMIT | WRITE THE GOVERNING RELATION, DEFINE

MATERIAL → DOPING → JUNCTION → DEVICE → VLC → mechanism-specific use → STANDARD / SCHEME → enabling instrument → TEST / SCHEDULE → not operation → CALIBRATED OUTPUT → not automatically verified public outcome

CONCEPT / ARCHITECTURE
- MATERIAL → DOPING → JUNCTION → DEVICE
- VLC → mechanism-specific use

MECHANISM / APPLICATION
- STANDARD / SCHEME → enabling instrument
- TEST / SCHEDULE → not operation

READINESS / STATUS LIMIT
- CALIBRATED OUTPUT → not automatically verified public outcome
- EVIDENCE LIMIT: MECHANISM / STATUS / CAUSATION: Write the governing relation, define...

MECHANISM / VERDICT — EVIDENCE LIMIT: MECHANISM / STATUS / CAUSATION: Write the governing relation, define...

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: EVIDENCE LIMIT: MECHANISM / STATUS / CAUSATION: Write the governing relation, define.

E →

EXTRA

SUBORDINATE ENRICHMENT — ONLY AFTER THE COMPLETE CORE

OPTIONAL ADVANCED ENRICHMENT | METROLOGY AND STANDARDS — ESSENTIAL WHEN PRECISION MEASUREMENT IS | ELECTRONICS AND DEVICE RESEARCH, LINKING SOLID-STATE PHYSICS TO USABLE | INDIA SEMICONDUCTOR MISSION | WHERE BASIC SEMICONDUCTOR PHYSICS BECOMES MANUFACTURING AND DESIGN POLICY. | DST NATIONAL QUANTUM MISSION | RELEVANT BECAUSE QUANTUM DEVICES, SENSING AND MATERIALS ALL REST | DAE/BARC ECOSYSTEM

OPTIONAL SCIENTIFIC / ENGINEERING DEPTH
- CSIR-NPL: metrology and standards — essential when precision measurement is the real bottleneck.
- CSIR-CEERI: electronics and device research, linking solid-state physics to usable components.
- India Semiconductor Mission: where basic semiconductor physics becomes manufacturing and design policy.
- DST National Quantum Mission: relevant because quantum devices, sensing and materials all rest on advanced physics principles.

READINESS, UNIT OR STATUS LIMIT
- DAE/BARC ecosystem: policy-level continuation of nuclear and radiation-related physics in applied form.
- Power electronics, transformers and motors are central to India's electrification and industrial productivity.
- Laser-based tools matter in manufacturing, surveying, surgery and defence optics.
- Semiconductor devices determine telecom, computing, EV power systems, consumer electronics and strategic systems.

COMPARATIVE TECHNOLOGY / GOVERNANCE NUANCE
- Radiation science supports diagnostics, therapy, sterilization and industrial measurement.
- CAUTION: Limitation 1: a device may work in the lab but fail at scale because thermal management, materials purity or measurement standards are weak.
- CAUTION: Limitation 2: public debate often jumps directly to final products while
- neglecting the physics-heavy middle layers such as metrology, materials and clean-room ecosystems.

OPTIONAL STATUS — This optional depth is unnecessary for a competent core answer; use it only for added nuance after the complete core has been written.

END OF MASTER CANVAS • poster embeds this exact master • tiled pages are overlapping crops of the same pixels