

SOLVED PRACTICE WORKBOOK

Geography 03 - Vulcanism and Earthquakes / India Seismic Zones - Solved Practice Workbook

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing

Geography 03 — Vulcanism and Earthquakes / India Seismic Zones	
REFRESHED TEACHING NAVIGATION — BASIC/CORE FIRST	
01 ENDOGENIC PROCESSES AND THE PLATE-TECTONIC FRAME Plate tectonics explains endogenic belts through interactions among	02 STRESS, STRAIN, ELASTIC REBOUND AND FAULTS Elastic strain is recoverable until failure, whereas permanent
03 EARTHQUAKE TERMINOLOGY, CAUSES AND CLASSIFICATIONS Intermediate and deep earthquakes are strongly associated with	04 FOCUS, EPICENTRE, SEISMOGRAPHS AND LOCATING AN EVENT Modern location uses many stations, a velocity model and iterative
05 P, S, LOVE AND RAYLEIGH WAVES "Surface waves are most destructive" is a useful rule, not an absolute	06 REFRACTION, DISCONTINUITIES AND SHADOW ZONES The reappearance of P phases beyond the shadow zone results from
07 MAGNITUDE, INTENSITY AND LOGARITHMIC ENERGY Intensity is not a synonym for economic loss because two buildings at	08 GLOBAL EARTHQUAKE DISTRIBUTION AND PLATE MARGINS Ridge earthquakes are shallow because the lithosphere is thin and
09 SECONDARY HAZARDS, SITE RESPONSE AND THE RISK EQUATION Urban disaster risk is often a network problem: a structurally surviving	10 TSUNAMI GENERATION, PROPAGATION AND COASTAL IMPACT In deep water, a tsunami can pass beneath ships with little notice.
11 VOLCANO ANATOMY, MAGMA, LAVA, SILICA, GAS AND VISCOSITY Rhyolitic magma is commonly cooler and more viscous.	12 INTRUSIVE AND EXTRUSIVE FORMS; VOLCANIC PRODUCTS Product classification is also a risk map: ballistic blocks dominate near
13 ERUPTION STYLES, VOLCANO TYPES AND ACTIVITY STATUS A volcano with no historical eruption may still be capable of renewed	14 PLATE-SETTING VOLCANISM, RING OF FIRE AND MID-OCEAN RIDGES The Ring of Fire includes trenches, island arcs, continental arcs.
15 MANTLE PLUMES, HOT SPOTS AND FLOOD BASALTS Flood basalts erupt mainly from fissures and build plateaus through	16 CONSTRUCTIVE, DESTRUCTIVE, CLIMATIC AND ENVIRONMENTAL EFFECTS Technically, Constructive, Destructive, Climatic And Environmental
17 INDIA'S TECTONIC FRAMEWORK AND REGIONAL SEISMIC RISK The 2001 Bhuj earthquake demonstrates severe intraplate risk in	18 INDIA SEISMIC ZONATION, MICROZONATION AND CLASSIFICATION CAUTION Microzonation must feed building regulation, land use, lifeline siting
19 INSTITUTIONS, RESILIENT CONSTRUCTION, EARLY WARNING LIMITS AND PREPAREDNESS Technically, Institutions, Resilient Construction, Early Warning Limits	

Original deterministic study visual; labels are explanatory, not textual quotations.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / WORKBOOK INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

Vulcanism and Earthquakes / India Seismic Zones - Solved Practice Workbook 5

BASIC MCQS / REMEDIATION 5

Practice rule	5
MCQ 1 - Endogenic processes	5
MCQ 2 - Plate-boundary signature	5
MCQ 3 - Normal fault	5
MCQ 4 - Elastic rebound	5
MCQ 5 - Earthquake source class	6
MCQ 6 - Focal depth	6
MCQ 7 - Focus and epicentre	6
MCQ 8 - Locating an epicentre	6
MCQ 9 - P and S waves	6
MCQ 10 - Surface waves	7
MCQ 11 - Shadow zones	7
MCQ 12 - Magnitude and intensity	7
MCQ 13 - Moment magnitude	7
MCQ 14 - Global belts	7
MCQ 15 - Site amplification	8
MCQ 16 - Liquefaction	8
MCQ 17 - Hazard and disaster	8
MCQ 18 - Tsunami source	8
MCQ 19 - Tsunami behaviour	8
MCQ 20 - Volcano anatomy	9
MCQ 21 - Silica and viscosity	9
MCQ 22 - Explosive eruption	9
MCQ 23 - Dyke and sill	9
MCQ 24 - Volcanic products	9
MCQ 25 - Eruption style	10
MCQ 26 - Volcano morphology	10

MCQ 27 - Activity status	10
MCQ 28 - Ring of Fire	10
MCQ 29 - Divergent volcanism	10
MCQ 30 - Subduction volcanism	10
MCQ 31 - Mantle plume	11
MCQ 32 - Flood basalt	11
MCQ 33 - Volcanic climate forcing	11
MCQ 34 - Constructive effect	11
MCQ 35 - India tectonic setting	11
MCQ 36 - Bhuj lesson	12
MCQ 37 - Peninsular exceptions	12
MCQ 38 - Seismic zonation	12
MCQ 39 - Microzonation	12
MCQ 40 - Early warning	12
MCQ 41 - Remedial: magnitude versus intensity	12
MCQ 42 - Remedial: S waves	13
MCQ 43 - Remedial: epicentre	13
MCQ 44 - Remedial: hazard and disaster	13
MCQ 45 - Remedial: tsunami terminology	13
MCQ 46 - Remedial: shield versus composite	13
MCQ 47 - Remedial: zone map	13
MCQ 48 - Remedial: prediction versus preparedness	14
PYQS AND ANSWER PRACTICE	14
PYQ control note	14
VERIFIED PYQ 1 - UPSC Prelims 2018 GS-I Q85: Barren Island	14
VERIFIED PYQ 2 - UPSC Prelims 2023 GS-I Q65: P and S waves	14
VERIFIED PYQ 3 - UPSC Prelims 2024 GS-I Q3: products of eruptions	15
VERIFIED PYQ 4 - UPSC Prelims 2026 GS-I Q31: Tungurahua	15
VERIFIED PYQ 5 - UPSC Mains GS-I 2018 Q6, 10 marks	15
VERIFIED PYQ 6 - UPSC Mains GS-I 2020 Q4, 10 marks	17
VERIFIED PYQ 7 - UPSC Mains GS-I 2021 Q7, 10 marks	18
SUPPLEMENTARY CROSS-OWNED PYQ 8 - UPSC Mains GS-I 2025 Q7, 10 marks	20

ORIGINAL 10-MARK QUESTION 1 21

ORIGINAL 10-MARK QUESTION 2 22

ORIGINAL 15-MARK QUESTION 1 23

ORIGINAL 15-MARK QUESTION 2 25

ORIGINAL 20-MARK QUESTION 1 26

ORIGINAL 20-MARK QUESTION 2 28

Vulcanism and Earthquakes / India Seismic Zones - Solved Practice Workbook

BASIC MCQS / REMEDIATION

Practice rule

These are original UPSC-style questions, not claimed PYQs. The renderer applies the stable geography-03 seed to reposition the correct option while preserving its content. Final keys must be balanced and non-patterned.

MCQ 1 - Endogenic processes

Which statement most accurately describes an endogenic process?

A. It is driven mainly by energy and forces originating within the Earth and includes tectonism, earthquakes and vulcanism. B. It is any process that lowers relief, including only rivers, glaciers and wind. C. It refers exclusively to volcanic eruptions at plate boundaries. D. It is a climatic process caused by unequal solar heating.

Answer: A.

Explanation: Endogenic processes are internally driven. Option B describes exogenic denudation, C is too narrow because earthquakes and non-volcanic tectonism also qualify, and D belongs to atmospheric energy processes.

MCQ 2 - Plate-boundary signature

Which combination is correctly matched?

A. Transform margin - deep-focus earthquakes and continuous arc volcanism B. Subduction margin - trench, inclined shallow-to-deep seismic zone and volcanic arc C. Continent-continent collision - ocean trench and routine basaltic island arc D. Mid-ocean ridge - predominantly deep earthquakes and rhyolitic calderas

Answer: B.

Explanation: A gives the diagnostic subduction system. Transform and ridge earthquakes are mainly shallow. A mature continent-continent collision has consumed the intervening oceanic slab and is not a standard island-arc setting.

MCQ 3 - Normal fault

A normal fault most directly indicates:

A. Horizontal shear with no vertical component by definition B. Crustal compression in which the hanging wall moves up C. Crustal extension in which the hanging wall moves down relative to the footwall D. Magma-chamber collapse without brittle failure

Answer: C.

Explanation: Tensional stress lengthens crust and produces normal faulting. B defines reverse faulting, A describes ideal strike-slip movement, and C describes a caldera process rather than a fault definition.

MCQ 4 - Elastic rebound

Elastic rebound theory explains:

A. Why all aftershocks are smaller than every foreshock B. How surface waves convert into tides in the ocean C. Why liquid magma necessarily triggers a tectonic earthquake D. How slow strain accumulation on a locked fault can be released by sudden rupture and partial recovery

Answer: D.

Explanation: The theory links gradual loading to sudden slip. A is false because sequence labels are retrospective and magnitudes vary. C and D conflate unrelated processes.

MCQ 5 - Earthquake source class

Which event is best classified as reservoir-associated seismicity?

- A. Slip promoted near susceptible faults after reservoir loading and pore-pressure change B. A megathrust rupture caused solely by atmospheric pressure C. A cave-roof collapse generating a basin-wide tsunami D. A volcanic ash cloud recorded by a seismometer

Answer: A.

Explanation: Reservoir impoundment can alter loading and pore pressure near pre-existing weaknesses. It does not create plate stress from nothing. The other options confuse source mechanisms and scales.

MCQ 6 - Focal depth

Which statement about focal depth is correct?

- A. Focal depth and epicentral distance are the same quantity. B. Deep-focus earthquakes are characteristic of descending slabs and may occur hundreds of kilometres below the surface. C. A shallow earthquake is always more damaging than any deep earthquake. D. Transform faults routinely generate earthquakes at 500-700 km depth.

Answer: B.

Explanation: Intermediate and deep seismicity follows subducting lithosphere. Transform events are shallow. Damage cannot be inferred from depth alone, and depth is vertical source position rather than surface distance.

MCQ 7 - Focus and epicentre

Which distinction is correct?

- A. Both terms refer to the entire seismic zone. B. The epicentre lies inside the Earth and the focus lies on the surface. C. The focus is the subsurface rupture origin; the epicentre is its vertical projection on the surface. D. The focus is the worst-damaged town; the epicentre is the largest-magnitude station.

Answer: C.

Explanation: A is the standard geometric distinction. Damage may peak away from the epicentre because of directivity, site effects and construction.

MCQ 8 - Locating an epicentre

Why are observations from at least three seismic stations used in the elementary epicentre-location method?

- A. Three stations eliminate the need for an Earth-velocity model. B. One station measures longitude, one latitude and one magnitude. C. S waves alone indicate a unique direction at each station. D. Each station supplies a distance circle, and their intersection estimates the epicentre.

Answer: D.

Explanation: P-S arrival difference gives distance, not a unique bearing. Multiple circles constrain position. Operational location uses more stations and a velocity model.

MCQ 9 - P and S waves

Which statement is correct?

- A. P waves are compressional and can cross liquids, whereas S waves are shear waves requiring a solid medium. B. P waves move particles only perpendicular to propagation. C. S waves arrive before P waves because shear motion is faster. D. Both P and S waves are confined to the Earth's surface.

Answer: A.

Explanation: P waves arrive first and travel through solids and liquids. S waves are slower and cannot propagate through liquid. Both are body waves.

MCQ 10 - Surface waves

Which pairing is correct?

A. Love wave - first arrival; Rayleigh wave - always second arrival B. Love wave - mainly horizontal shear; Rayleigh wave - elliptical rolling motion C. Love wave - compressional body wave; Rayleigh wave - deep-core shear wave D. Love wave - liquid-only; Rayleigh wave - gas-only

Answer: B.

Explanation: Love and Rayleigh are surface-wave modes. Love produces strong horizontal motion; Rayleigh produces rolling vertical and horizontal motion.

MCQ 11 - Shadow zones

The absence of direct S waves beyond about 103° from an earthquake primarily indicates that:

A. S waves travel faster than P waves through liquids. B. The mantle is entirely molten. C. The outer core is liquid and lacks the shear rigidity needed for S-wave transmission. D. The inner core is a vacuum.

Answer: C.

Explanation: S-wave extinction is the decisive liquid outer-core evidence. It does not imply a molten mantle or empty inner core.

MCQ 12 - Magnitude and intensity

Which statement is correct?

A. Intensity is constant everywhere for a given event. B. Mw and MMI are interchangeable labels for the same quantity. C. Magnitude is assigned from building damage alone. D. One earthquake has one preferred magnitude estimate but may produce many place-specific intensities.

Answer: D.

Explanation: Magnitude describes source size; intensity describes effects at a location. Mw is a magnitude scale, while MMI is an intensity scale.

MCQ 13 - Moment magnitude

Moment magnitude is physically linked most directly to:

A. Rock rigidity, ruptured fault area and average slip B. Number of media reports and casualties C. Duration of the monsoon D. Distance from the nearest city only

Answer: A.

Explanation: Seismic moment is rigidity × area × slip. Human impact does not define Mw.

MCQ 14 - Global belts

Which global belt is correctly characterised?

A. Mid-Atlantic Ridge - continent-continent collision with no volcanism B. Circum-Pacific belt - subduction trenches, volcanic arcs, shallow-to-deep earthquakes and tsunami potential C. Mediterranean-Himalayan belt - a single uniform oceanic island arc D. Stable shields - completely earthquake-free interiors

Answer: B.

Explanation: A captures the Ring of Fire system. Ridges are divergent and volcanic; the Mediterranean-Himalayan belt is tectonically complex; shields can host intraplate earthquakes.

MCQ 15 - Site amplification

Site amplification most commonly occurs when:

A. A fault is absent from the entire region. B. All waves accelerate through soft soil and lose amplitude completely. C. Seismic waves enter softer unconsolidated sediment and selected motions increase relative to nearby rock sites. D. A volcano emits only water vapour.

Answer: C.

Explanation: Soft sediment and basin geometry can amplify and prolong shaking. The response is frequency-dependent, not a universal simple increase.

MCQ 16 - Liquefaction

Liquefaction is best described as:

A. Conversion of lava into volcanic glass B. Melting of bedrock due to frictional heat C. Dissolution of limestone by rainwater D. Temporary strength loss in loose saturated granular sediment as pore pressure rises during shaking

Answer: D.

Explanation: Liquefaction reduces effective stress; the grains do not literally melt. Floodplains, deltas, reclaimed land and old channels are common susceptible settings.

MCQ 17 - Hazard and disaster

Which formulation is most accurate?

A. A seismic hazard becomes a disaster when it causes severe disruption in an exposed, vulnerable society beyond coping capacity. B. Capacity increases risk by definition. C. Every recorded earthquake is automatically a disaster. D. Vulnerability is the magnitude of the earthquake source.

Answer: A.

Explanation: Hazard, exposure, vulnerability and capacity must be separated. Small uninhabited events may be hazards without disasters.

MCQ 18 - Tsunami source

Which earthquake mechanism is generally most efficient at generating a large basin-wide tsunami?

A. A minor mine collapse far inland B. A submarine megathrust producing rapid vertical displacement of the sea floor C. A slow atmospheric-pressure change D. A deep continental strike-slip event with no water displacement

Answer: B.

Explanation: Rapid vertical displacement of a large sea-floor area moves the whole water column. Strike-slip movement is less efficient unless it triggers a landslide or includes vertical displacement.

MCQ 19 - Tsunami behaviour

As a tsunami enters shallower coastal water, it generally:

A. Becomes a tide controlled by the Moon B. Converts into an S wave C. Slows, shortens in wavelength and grows in height through shoaling D. Speeds up, lengthens and necessarily disappears

Answer: C.

Explanation: Reduced depth lowers speed; energy compression raises wave height. A tsunami is not a tidal wave.

MCQ 20 - Volcano anatomy

Which distinction is correct?

A. A conduit is an erosional river channel. B. A magma chamber is located only above the crater. C. A caldera is always a small side vent. D. A crater is a vent-centred depression; a caldera is a much larger collapse depression commonly linked to substantial magma withdrawal.

Answer: D.

Explanation: Caldera collapse is structurally and dimensionally distinct from an ordinary crater. Chambers and conduits are subsurface parts of the magma system.

MCQ 21 - Silica and viscosity

All else equal, increasing magma silica commonly:

A. Increases polymerisation and viscosity, making gas escape more difficult B. Guarantees a harmless effusive eruption C. Converts magma into sedimentary rock before ascent D. Eliminates dissolved volatiles

Answer: A.

Explanation: Silica-rich structures impede flow and degassing. Composition controls tendency, not certainty.

MCQ 22 - Explosive eruption

Which chain most directly favours explosive fragmentation?

A. Falling pressure -> gases remain permanently dissolved B. Viscous magma -> inhibited degassing -> gas expansion during ascent -> fragmentation C. Fluid basalt -> open degassing -> guaranteed Plinian column D. No volatiles -> increasing gas pressure

Answer: B.

Explanation: Exsolution and trapped gas create overpressure. Fluid magma with open pathways usually degasses more easily.

MCQ 23 - Dyke and sill

Which pairing is correct?

A. Dyke - surface ash deposit; sill - tsunami wave B. Dyke - concordant dome; sill - deep batholith only C. Dyke - cuts across layers; sill - intrudes approximately parallel to layers D. Dyke - crater; sill - caldera

Answer: C.

Explanation: Relation to country-rock layering is the close-option distinction.

MCQ 24 - Volcanic products

Which one is correctly matched?

A. Lapilli - volcanic gas only B. Volcanic bomb - ash particle smaller than 2 mm C. Pyroclastic density current - cool groundwater moving slowly uphill D. Lahar - water-mobilised volcanic debris flow, commonly channelled down valleys

Answer: D.

Explanation: Lahars are sediment-water flows. Density currents are hot gas-particle flows. Lapilli are 2-64 mm fragments; bombs/blocks are coarse.

MCQ 25 - Eruption style

Which eruption style is most closely associated with sustained high eruption columns and widespread tephra?

A. Plinian B. Hawaiian C. Quiet effusive degassing only D. Icelandic fissure

Answer: A.

Explanation: Plinian activity is highly explosive. Hawaiian and Icelandic styles are generally more effusive.

MCQ 26 - Volcano morphology

Which description best fits a shield volcano?

A. A steep cone made only of glacial ice B. Broad gentle slopes built mainly by repeated low-viscosity basaltic flows C. A fold mountain produced without magma D. A deep ocean trench

Answer: B.

Explanation: Fluid lava travels far and builds a low-angle profile. Composite volcanoes are generally steeper and layered.

MCQ 27 - Activity status

Which statement is correct?

A. Every volcano inactive for one century is automatically extinct. B. Dormant means eruption is physically impossible. C. Active, dormant and extinct are evidence-based status descriptions, not a compulsory one-way life cycle. D. A shield volcano can never be active.

Answer: C.

Explanation: Geological, geophysical and gas evidence matters. Long repose may still end in renewed activity.

MCQ 28 - Ring of Fire

The Circum-Pacific "Ring of Fire" is best understood as:

A. A perfect circle of only basaltic shield volcanoes B. A continent-interior rift with no earthquakes C. A climatic belt created by ocean currents D. A linked system of trenches, subducting slabs, earthquake zones and volcanic arcs around much of the Pacific margin

Answer: D.

Explanation: The Ring of Fire is a geophysical system, not a mathematically perfect ring or a single volcano type.

MCQ 29 - Divergent volcanism

Magma at a mid-ocean ridge is generated mainly because:

A. Hot mantle rises and partially melts as pressure decreases B. A cold slab adds water to a mantle wedge C. Continents collide and completely stop mantle flow D. Surface ash is buried by glaciers

Answer: A.

Explanation: Decompression melting is the principal ridge mechanism. Slab-derived flux melting describes subduction arcs.

MCQ 30 - Subduction volcanism

At a subduction zone, magma generation is promoted when:

A. The oceanic plate becomes less dense than the atmosphere B. Volatiles released from the descending slab lower the melting temperature in the overlying mantle wedge C. The trench removes all water from minerals D. The transform fault creates a mid-ocean ridge

Answer: B.

Explanation: Flux melting above the slab feeds volcanic arcs.

MCQ 31 - Mantle plume

Which is the characteristic plume/hot-spot prediction?

A. Hot-spot chains become younger away from the active end in both directions. B. Every hot spot lies exactly on a trench. C. A moving plate over a relatively persistent source can create an age-progressive volcanic chain. D. A plume tail always creates continent-continent collision.

Answer: C.

Explanation: Age generally increases away from the active hot-spot end. The hypothesis is useful but scientifically qualified.

MCQ 32 - Flood basalt

Which statement about the Deccan Traps is correct?

A. They were formed by a modern tsunami. B. They consist only of limestone caves. C. They are an active Himalayan island arc. D. They are a continental flood-basalt province built mainly by extensive fissure eruptions, not a single giant cone.

Answer: D.

Explanation: Repeated basalt sheets produce plateau and step-like relief.

MCQ 33 - Volcanic climate forcing

Temporary global or hemispheric cooling after a major explosive eruption is most directly associated with:

A. Stratospheric sulphate aerosols reflecting incoming sunlight B. S waves entering the atmosphere C. Lava absorbing all ocean heat D. Coarse bombs remaining suspended for decades

Answer: A.

Explanation: Sulphur gases converted to fine aerosols in the stratosphere provide the main short-term radiative pathway.

MCQ 34 - Constructive effect

Which is a constructive long-term effect of volcanism?

A. Guaranteed absence of future hazards B. Creation of new crust and land, geothermal potential, hydrothermal minerals and weathered fertile material C. Conversion of every volcanic slope into a desert D. Elimination of all atmospheric gases

Answer: B.

Explanation: Benefits coexist with episodic risk; they do not remove it.

MCQ 35 - India tectonic setting

Which regional pairing is correct?

A. Kachchh - mid-ocean ridge spreading axis B. Peninsular India - absolutely aseismic shield C. Andaman-Nicobar - Sunda subduction/island-arc setting with earthquake, tsunami and volcanic links D. Himalaya - routine oceanic island arc after complete subduction

Answer: C.

Explanation: Andaman is the subduction/island-arc system. Kachchh is an intraplate rift-reactivation setting, Himalaya a continental collision, and the peninsula is relatively stable but not aseismic.

MCQ 36 - Bhuj lesson

The 2001 Bhuj earthquake is most useful for demonstrating:

- A. That all major Indian earthquakes occur only in the Himalaya B. That liquefaction occurs only in solid granite C. That seismic zones predict event dates D. Severe intraplate risk in Kachchh combined with vulnerable buildings and local ground effects

Answer: D.

Explanation: Bhuj corrects the boundary-only and stable-shield assumptions and illustrates the risk equation.

MCQ 37 - Peninsular exceptions

Which pair corrects the statement "Peninsular India is earthquake-free"?

- A. Koyna and Latur B. Barren Island and Narcondam C. Kīlauea and Mauna Loa D. Andes and Aleutians

Answer: A.

Explanation: Koyna and Latur are standard Indian intraplate/reservoir-associated examples.

MCQ 38 - Seismic zonation

Which statement about seismic zonation is correct?

- A. It guarantees equal shaking everywhere inside one zone. B. It is a broad hazard/design classification and does not predict the time, place and magnitude of the next earthquake. C. It replaces structural design and construction quality. D. It is identical to an intensity map of one past event.

Answer: B.

Explanation: Macrozonation supports design but cannot resolve local site response or predict events.

MCQ 39 - Microzonation

Seismic microzonation primarily adds:

- A. A list of volcanic eruption styles B. A replacement for all building codes C. Finer site-specific information on geology, soil, ground motion, liquefaction and related local effects D. A guaranteed earthquake date for each ward

Answer: C.

Explanation: It is a local hazard/risk-planning tool, not prediction.

MCQ 40 - Early warning

Earthquake early warning differs from prediction because it:

- A. names the exact future event years before rupture. B. prevents the earthquake from occurring. C. works equally well at the epicentre with unlimited warning time. D. Detects a rupture that has already begun and may alert more distant places before strong shaking arrives.

Answer: D.

Explanation: Warning time is short and near-source blind zones remain. EEW can automate protective action but cannot stop the source.

MCQ 41 - Remedial: magnitude versus intensity

A learner writes, "The earthquake had intensity Mw 7.0 everywhere." What is the best correction?

- A. Mw is a magnitude; intensity is place-specific and should be expressed through an intensity scale or observed effects. B. Mw measures only casualties. C. Intensity and magnitude are identical, but the number must be rounded. D. Every place has the same intensity for one event.

Answer: A.

Explanation: The sentence mixes event size and local effect. One event may produce a mapped gradient of intensities.

MCQ 42 - Remedial: S waves

Why do S waves not pass through the liquid outer core?

A. S waves are tides. B. A liquid cannot sustain the shear stress required for S-wave propagation. C. S waves are electromagnetic. D. Liquids always absorb P waves but transmit S waves.

Answer: B.

Explanation: Shear rigidity is the controlling property.

MCQ 43 - Remedial: epicentre

Which statement avoids the epicentre trap?

A. The epicentre is always the place with the most deaths. B. The epicentre is the entire fault plane. C. The epicentre is a geometric surface projection; the greatest loss may occur elsewhere because site and vulnerability modify shaking. D. The epicentre measures magnitude.

Answer: C.

Explanation: Damage geography and source geometry must be separated.

MCQ 44 - Remedial: hazard and disaster

Which situation is a seismic hazard without necessarily being a disaster?

A. Any earthquake listed by a seismic network B. A dormant fault with no possibility of movement C. A building-code document D. A strong remote earthquake that causes no severe social disruption because exposure is minimal

Answer: D.

Explanation: Disaster requires realised severe impact on society.

MCQ 45 - Remedial: tsunami terminology

Why is "tidal wave" an unsafe synonym for tsunami?

A. Tsunamis are generated by sudden water displacement and are not caused by astronomical tides. B. Tsunamis cannot cross an ocean. C. Tsunamis occur only at low tide. D. Tides are seismic body waves.

Answer: A.

Explanation: The source mechanism is unrelated to lunar/solar tides.

MCQ 46 - Remedial: shield versus composite

Which comparison is correct?

A. Shield volcanoes are always extinct and composite volcanoes always active. B. Shield volcanoes are broad products of fluid flows; composite volcanoes are layered cones commonly associated with mixed and explosive activity. C. Both terms classify focal depth. D. Composite volcanoes form only at mid-ocean ridges.

Answer: B.

Explanation: Form and status are separate classifications.

MCQ 47 - Remedial: zone map

A city lies in one national seismic zone. Which conclusion is justified?

A. The next earthquake date is known. B. Every neighbourhood has identical soil and shaking. C. The zone supplies a broad design-hazard input, but local microzonation and code compliance are still required. D. Retrofitting is unnecessary.

Answer: C.

Explanation: Macrozones do not erase local geology or building differences.

MCQ 48 - Remedial: prediction versus preparedness

Which policy follows from the present inability to predict earthquake time deterministically?

A. Build only after an earthquake warning is issued. B. Treat low recent seismicity as proof of permanent safety. C. Stop seismic monitoring. D. Prioritise enforced resilient construction, retrofit, lifeline continuity, monitoring, drills and public education.

Answer: D.

Explanation: Risk reduction manages consequences under uncertainty; absence of recent events does not erase accumulated hazard.

PYQS AND ANSWER PRACTICE

PYQ control note

- Exact wording is reproduced from the routed local UPSC question papers.
- UPSC does not publish model Mains answers; the Mains solutions below are independent examiner-grade models.
- 2018 and 2023 Prelims keys are unavailable in the local verified key set; answers are explicitly labelled inferred.
- The 2024 Set-A answer is verified from the local official key.
- The 2026 Set-A key is local and provisional. It is reported as provisional, never as the final UPSC key and never replaced by an inference.

VERIFIED PYQ 1 - UPSC Prelims 2018 GS-I Q85: Barren Island

Exact question

Consider the following statements:

1. The Barren Island volcano is an active volcano located in the Indian territory.
2. Barren Island lies about 140 km east of Great Nicobar.
3. The last time the Barren Island volcano erupted was in 1991 and it has remained inactive since then.

Which of the statements given above is/are correct?

A. 1 only B. 2 and 3 only C. 3 only D. 1 and 3 only

INFERRED ANSWER - NOT OFFICIALLY VERIFIED LOCALLY: A, 1 only. Confidence: high.

Explanation

- Statement 1 is correct: Barren Island in Indian territory is the country's active-volcano example.
- Statement 2 is false: the location relative to Great Nicobar is wrong; Barren Island lies in the northern Andaman Sea, northeast of Port Blair, not about 140 km east of Great Nicobar.
- Statement 3 is false: activity resumed after 1991; therefore "remained inactive since then" is incorrect.

Why this PYQ matters: UPSC combines activity status, map location and eruption chronology. "Active" is not equivalent to "erupting continuously."

VERIFIED PYQ 2 - UPSC Prelims 2023 GS-I Q65: P and S waves

Exact question

Consider the following statements:

1. In a seismograph, P waves are recorded earlier than S waves.
2. In P waves, the individual particles vibrate to and fro in the direction of wave propagation, whereas in S waves, the particles vibrate up and down at right angles to the direction of wave propagation.

Which of the statements given above is/are correct?

A. 1 only B. 2 only C. Both 1 and 2 D. Neither 1 nor 2

INFERRED ANSWER - NOT OFFICIALLY VERIFIED LOCALLY: C, both 1 and 2. Confidence: high.

Explanation

P waves are faster compressional body waves, so they arrive first. Their particle motion is parallel to propagation. S waves are shear waves with particle motion perpendicular to propagation. The statement's "up and down" language illustrates the transverse relation; S polarisation may occur in different perpendicular orientations.

VERIFIED PYQ 3 - UPSC Prelims 2024 GS-I Q3: products of eruptions

Exact question

Consider the following:

1. Pyroclastic debris
2. Ash and dust
3. Nitrogen compounds
4. Sulphur compounds

How many of the above are products of volcanic eruptions?

A. Only one B. Only two C. Only three D. All four

OFFICIALLY VERIFIED LOCAL SET-A KEY: D, all four.

Explanation

Explosive eruptions produce pyroclastic debris, ash and dust. Volcanic emissions include sulphur compounds and can include nitrogen species/compounds. The official key controls the objective answer. The elimination lesson is that eruption products include gases and chemical species, not only visible lava and rock fragments.

VERIFIED PYQ 4 - UPSC Prelims 2026 GS-I Q31: Tungurahua

Exact question

Tungurahua Volcano, which was declared a Global Geopark by UNESCO in 2025, is situated in which one among the following countries?

A. Ecuador B. Peru C. Bolivia D. Colombia

LOCAL PROVISIONAL SET-A KEY: A, Ecuador. Final official UPSC key not verified.

Status explanation: UNESCO's official 2025 material identifies Tungurahua Volcano UNESCO Global Geopark in Ecuador. The local answer-key document is expressly provisional; this package records its status and does not infer or upgrade it to a final key.

Map trap: Ecuador and Colombia are both Andean states on the Ring of Fire. Tungurahua belongs to Ecuador's volcanic arc.

VERIFIED PYQ 5 - UPSC Mains GS-I 2018 Q6, 10 marks

Exact question: "Define mantle plume and explain its role in plate tectonics." (*Answer in 150 words.*)

Demand decoding

"Define" requires plume anatomy; "explain its role" requires hot-spot chains, flood basalts and the plate-motion reference frame. A generic answer on plate boundaries misses the demand.

Model answer

A **mantle plume** is a hypothesised buoyant upwelling of anomalously hot mantle material that rises substantially independently of ordinary plate-boundary circulation.

deep thermal anomaly -> broad plume head -> flood basalt
-> persistent tail -> hot spot
moving plate over tail -> age-progressive volcanic chain

Its role in plate tectonics is threefold.

1. **Intraplate volcanism:** It explains volcanoes away from plate margins, such as the Hawaiian hot-spot chain.
2. **Large igneous provinces:** Arrival of a broad plume head may generate voluminous fissure eruptions; the Deccan Traps are the Indian illustration.
3. **Plate-motion record:** Progressive ageing away from an active hot spot indicates the direction and approximate relative rate of plate movement, independently checking evidence from magnetic stripes.
4. **Rifting link:** Thermal doming and magmatism may assist continental break-up, although plate stresses also matter.

The hypothesis is not a complete replacement for plate tectonics. Plumes add a vertical mantle component to a system dominated by horizontal plate interaction, and some intraplate volcanism may have shallower causes.

Why this earns marks

It gives a direct definition, one process diagram, two named examples, four roles and a scientific qualification instead of describing ordinary arc volcanoes.

Demand decoding: The directive **answer** requires a direct position on “VERIFIED PYQ 5 - UPSC Mains GS-I 2018 Q6, 10 marks”, all clauses and scales, a process chain, spatial reconstruction, named India/world evidence, a counter-condition and a qualified conclusion.

Detailed examiner-grade model answer:

Introduction and thesis: The answer must resolve the physical-geography demand in “VERIFIED PYQ 5 - UPSC Mains GS-I 2018 Q6, 10 marks”.

Analytical body:

1. **Claim and named evidence:** VERIFIED PYQ 5 - UPSC Mains GS-I 2018 Q6, 10 marks **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
2. **Claim and named evidence:** Exact question: “Define mantle plume and explain its role in plate tectonics.” (Answer in 150 words.) **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
3. **Claim and named evidence:** “Define” requires plume anatomy; “explain its role” requires hot-spot chains, flood basalts and the plate-motion reference frame. A generic answer on plate boundaries misses the demand. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
4. **Claim and named evidence:** A mantle plume is a hypothesised buoyant upwelling of anomalously hot mantle material that rises substantially independently of ordinary plate-boundary circulation. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
5. **Claim and named evidence:** deep thermal anomaly -> broad plume head -> flood basalt **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

Counter-position / limit: A spatial association, one event, one model or one map layer does not establish a sufficient or timeless cause; test energy, material, structure, circulation, scale and human mediation.

Qualified conclusion: The answer must resolve the physical-geography demand in “VERIFIED PYQ 5 - UPSC Mains GS-I 2018 Q6, 10 marks”.

Executable exam-length answer / compression plan: For a 10-mark answer, spend about one-sixth of the time decoding and drawing the map/flow; open with definition and thesis; organise three process-spatial points as claim -> named evidence -> analysis -> qualification; compress examples before mechanisms and reserve the final minute for the causal limit.

How to improve this answer: For “VERIFIED PYQ 5 - UPSC Mains GS-I 2018 Q6, 10 marks”, replace the weakest generalisation with one labelled process arrow or map anchor and state the scale, exception or evidence needed before extending the conclusion.

VERIFIED PYQ 6 - UPSC Mains GS-I 2020 Q4, 10 marks

Exact question: “Discuss the geophysical characteristics of Circum-Pacific Zone.” (*Answer in 150 words.*)

Demand decoding

“Geophysical characteristics” requires tectonic structure, earthquake-depth pattern, volcanism, landforms and tsunami potential-not a list of Pacific countries.

Model answer

The Circum-Pacific Zone or **Ring of Fire** is the world's dominant linked belt of subduction-related seismicity and volcanism around much of the Pacific margin.

oceanic plate -> trench -> inclined Wadati-Benioff seismic zone
-> mantle-wedge melting -> volcanic arc

Its principal characteristics are:

- **Deep trenches** such as Peru-Chile, Japan and Mariana mark descending plates.
- **Shallow, intermediate and deep earthquakes** outline subducting slabs; powerful megathrust events occur on locked plate interfaces.
- **Volcanic arcs** form as slab-derived volatiles promote mantle-wedge melting. Continental arcs occur in the Andes/Cascades and island arcs in Japan, the Philippines and Aleutians.
- **Explosive stratovolcanism** is common because arc magmas are often volatile-rich and relatively viscous.
- **Tsunami potential** is high where submarine megathrust rupture displaces the sea floor.
- Transform segments and back-arc basins add local complexity.

Thus, the Ring is not merely a concentration of volcanoes but a trench-slab-earthquake-arc system produced by continuing Pacific-margin convergence.

Why this earns marks

The answer reconstructs the entire geophysical system, uses map-ready examples and ends with a mechanism-led conclusion.

Demand decoding: The directive **answer** requires a direct position on “VERIFIED PYQ 6 - UPSC Mains GS-I 2020 Q4, 10 marks”, all clauses and scales, a process chain, spatial reconstruction, named India/world evidence, a counter-condition and a qualified conclusion.

Detailed examiner-grade model answer:

Introduction and thesis: The answer must resolve the physical-geography demand in “VERIFIED PYQ 6 - UPSC Mains GS-I 2020 Q4, 10 marks”.

Analytical body:

1. **Claim and named evidence:** VERIFIED PYQ 6 - UPSC Mains GS-I 2020 Q4, 10 marks **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
2. **Claim and named evidence:** Exact question: “Discuss the geophysical characteristics of Circum-Pacific Zone.” (*Answer in 150 words.*) **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

3. **Claim and named evidence:** “Geophysical characteristics” requires tectonic structure, earthquake-depth pattern, volcanism, landforms and tsunami potential-not a list of Pacific countries. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
4. **Claim and named evidence:** The Circum-Pacific Zone or Ring of Fire is the world's dominant linked belt of subduction-related seismicity and volcanism around much of the Pacific margin. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
5. **Claim and named evidence:** oceanic plate -> trench -> inclined Wadati-Benioff seismic zone **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

Counter-position / limit: A spatial association, one event, one model or one map layer does not establish a sufficient or timeless cause; test energy, material, structure, circulation, scale and human mediation.

Qualified conclusion: The answer must resolve the physical-geography demand in “VERIFIED PYQ 6 - UPSC Mains GS-I 2020 Q4, 10 marks”.

Executable exam-length answer / compression plan: For a 10-mark answer, spend about one-sixth of the time decoding and drawing the map/flow; open with definition and thesis; organise three process-spatial points as claim -> named evidence -> analysis -> qualification; compress examples before mechanisms and reserve the final minute for the causal limit.

How to improve this answer: For “VERIFIED PYQ 6 - UPSC Mains GS-I 2020 Q4, 10 marks”, replace the weakest generalisation with one labelled process arrow or map anchor and state the scale, exception or evidence needed before extending the conclusion.

VERIFIED PYQ 7 - UPSC Mains GS-I 2021 Q7, 10 marks

Exact question: “Mention the global occurrence of volcanic eruptions in 2021 and their impact on regional environment.” (*Answer in 150 words.*)

Demand decoding

The word “mention” requires multiple named occurrences, but “impact on regional environment” requires a short mechanism and consequence for each rather than a bare list.

Model answer

Volcanic eruptions in 2021 occurred across several tectonic settings, especially subduction arcs and hot spots.

Occurrence	Setting/product	Regional environmental impact
La Soufrière, St Vincent	Explosive island-arc eruption	Ash affected air, water, crops and inter-island activity; pyroclastic and lahar hazards threatened valleys
Nyiragongo, DR Congo	Fluid lava from the East African Rift region	Lava affected settlements and infrastructure around Goma; evacuation and seismic unrest disrupted livelihoods
Cumbre Vieja, La Palma, Spain	Intraplate Canary hot-spot volcanism	Lava buried settlements and plantations; ash disrupted air quality and aviation
Semeru, Indonesia	Subduction-arc stratovolcano	Pyroclastic flows, ash and rain-remobilised debris affected valleys and communities

The impacts were therefore spatially selective: wind controlled ash, relief channelled density currents and lahars, and island/urban exposure magnified disruption. Yet, over longer periods, volcanic materials may create new land and fertile weathered soils. Regional impact depends as much on settlement, drainage and wind as on eruption magnitude.

Why this earns marks

It names globally distributed examples, ties each to a product/pathway and provides the constructive counterpoint without diluting the hazard analysis.

Demand decoding: The directive **answer** requires a direct position on “VERIFIED PYQ 7 - UPSC Mains GS-I 2021 Q7, 10 marks”, all clauses and scales, a process chain, spatial reconstruction, named India/world evidence, a counter-condition and a qualified conclusion.

Detailed examiner-grade model answer:

Introduction and thesis: The answer must resolve the physical-geography demand in “VERIFIED PYQ 7 - UPSC Mains GS-I 2021 Q7, 10 marks”.

Analytical body:

1. **Claim and named evidence:** VERIFIED PYQ 7 - UPSC Mains GS-I 2021 Q7, 10 marks **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
2. **Claim and named evidence:** Exact question: “Mention the global occurrence of volcanic eruptions in 2021 and their impact on regional environment.” (Answer in 150 words.) **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
3. **Claim and named evidence:** The word “mention” requires multiple named occurrences, but “impact on regional environment” requires a short mechanism and consequence for each rather than a bare list. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
4. **Claim and named evidence:** Volcanic eruptions in 2021 occurred across several tectonic settings, especially subduction arcs and hot spots. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
5. **Claim and named evidence:** Occurrence Setting/product Regional environmental impact **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

Counter-position / limit: A spatial association, one event, one model or one map layer does not establish a sufficient or timeless cause; test energy, material, structure, circulation, scale and human mediation.

Qualified conclusion: The answer must resolve the physical-geography demand in “VERIFIED PYQ 7 - UPSC Mains GS-I 2021 Q7, 10 marks”.

Executable exam-length answer / compression plan: For a 10-mark answer, spend about one-sixth of the time decoding and drawing the map/flow; open with definition and thesis; organise three process-spatial points as claim -> named evidence -> analysis -> qualification; compress examples before mechanisms and reserve the final minute for the causal limit.

How to improve this answer: For “VERIFIED PYQ 7 - UPSC Mains GS-I 2021 Q7, 10 marks”, replace the weakest generalisation with one labelled process arrow or map anchor and state the scale, exception or evidence needed before extending the conclusion.

SUPPLEMENTARY CROSS-OWNED PYQ 8 - UPSC Mains GS-I 2025 Q7, 10 marks

Exact question: "What are Tsunamis? How and where are they formed? What are their consequences? Explain with examples." (Answer in 150 words.)

Ownership note: The institutional disaster-management route is owned elsewhere, but the physical geography is directly relevant and therefore solved here.

Model answer

A **tsunami** is a train of long-period gravity waves generated by sudden displacement of a large water column; it is not a tide or ordinary wind wave.

Formation and location: Submarine megathrust earthquakes at subduction zones are the chief cause. Rapid vertical sea-floor movement displaces water, producing low-amplitude, fast waves in the deep ocean. As they enter shallow water, speed and wavelength fall while height increases through shoaling. Volcanic collapse, submarine landslides and rare impacts can also generate tsunamis. Major source belts include the Pacific Ring of Fire and the Sunda-Andaman subduction zone.

Consequences: Run-up and inundation cause drowning, erosion, debris impact and infrastructure loss; saline water contaminates soils and groundwater; ports, fisheries, tourism and coastal livelihoods suffer. Funnel-shaped bays, low slopes and dense unplanned settlements magnify loss.

The 2004 Sumatra-Andaman earthquake devastated Indian Ocean coasts; the 2011 Tōhoku event demonstrated earthquake-tsunami-nuclear cascading risk. Warning systems reduce exposure, but near-source coasts must also use natural warning signs and rapid evacuation.

Why this earns marks

Every sub-demand-definition, how, where, consequences and examples-is visibly answered.

Demand decoding: The directive **answer** requires a direct position on "SUPPLEMENTARY CROSS-OWNED PYQ 8 - UPSC Mains GS-I 2025 Q7, 10 marks", all clauses and scales, a process chain, spatial reconstruction, named India/world evidence, a counter-condition and a qualified conclusion.

Detailed examiner-grade model answer:

Introduction and thesis: The answer must resolve the physical-geography demand in "SUPPLEMENTARY CROSS-OWNED PYQ 8 - UPSC Mains GS-I 2025 Q7, 10 marks".

Analytical body:

- Claim and named evidence:** SUPPLEMENTARY CROSS-OWNED PYQ 8 - UPSC Mains GS-I 2025 Q7, 10 marks **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
- Claim and named evidence:** Exact question: "What are Tsunamis? How and where are they formed? What are their consequences? Explain with examples." (Answer in 150 words.) **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
- Claim and named evidence:** Ownership note: The institutional disaster-management route is owned elsewhere, but the physical geography is directly relevant and therefore solved here. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
- Claim and named evidence:** A tsunami is a train of long-period gravity waves generated by sudden displacement of a large water column; it is not a tide or ordinary wind wave. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
- Claim and named evidence:** Every sub-demand-definition, how, where, consequences and examples-is visibly answered. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

Counter-position / limit: A spatial association, one event, one model or one map layer does not establish a sufficient or timeless cause; test energy, material, structure, circulation, scale and human mediation.

Qualified conclusion: The answer must resolve the physical-geography demand in “SUPPLEMENTARY CROSS-OWNED PYQ 8 - UPSC Mains GS-I 2025 Q7, 10 marks”.

Executable exam-length answer / compression plan: For a 10-mark answer, spend about one-sixth of the time decoding and drawing the map/flow; open with definition and thesis; organise three process-spatial points as claim -> named evidence -> analysis -> qualification; compress examples before mechanisms and reserve the final minute for the causal limit.

How to improve this answer: For “SUPPLEMENTARY CROSS-OWNED PYQ 8 - UPSC Mains GS-I 2025 Q7, 10 marks”, replace the weakest generalisation with one labelled process arrow or map anchor and state the scale, exception or evidence needed before extending the conclusion.

ORIGINAL 10-MARK QUESTION 1

Question: Explain why a moderate earthquake may cause greater damage than a larger earthquake. (150 words.)

Model answer

Magnitude measures source size, not automatic damage. A moderate event may be more destructive when the complete risk chain is unfavourable:

1. **Shallow source and proximity:** less energy is lost before waves reach a settlement.
2. **Directivity:** rupture may focus strong motion towards the city.
3. **Soft ground:** alluvium and basin sediments amplify selected frequencies and prolong shaking.
4. **Liquefaction:** loose saturated sand loses strength, damaging foundations and utilities.
5. **Resonance:** dominant ground period may match vulnerable building heights.
6. **Weak building stock:** unreinforced masonry, soft storeys, poor connections and heavy unanchored elements fail.
7. **Exposure and cascading failure:** dense population, fire, blocked roads and lifeline disruption multiply loss.

damage ≠ magnitude alone

damage = source × path × site × exposure × vulnerability ÷ capacity

Thus a larger deep earthquake beneath rock and code-compliant construction may cause less loss than a smaller shallow event beneath saturated alluvium and non-engineered buildings. Earthquake policy must therefore combine source hazard with microzonation, resilient construction and retrofit.

Demand decoding: The directive **explain** requires a direct position on “Explain why a moderate earthquake may cause greater damage than a larger earthquake. (150...”, all clauses and scales, a process chain, spatial reconstruction, named India/world evidence, a counter-condition and a qualified conclusion.

Detailed examiner-grade model answer:

Introduction and thesis: The answer must resolve the physical-geography demand in “Explain why a moderate earthquake may cause greater damage than a larger earthquake. (150 words.)”.

Analytical body:

1. **Claim and named evidence:** Magnitude measures source size, not automatic damage. A moderate event may be more destructive when the complete risk chain is unfavourable **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
2. **Claim and named evidence:** Shallow source and proximity: less energy is lost before waves reach a settlement. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
3. **Claim and named evidence:** Directivity: rupture may focus strong motion towards the city. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date

boundary.

4. **Claim and named evidence:** Soft ground: alluvium and basin sediments amplify selected frequencies and prolong shaking. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
5. **Claim and named evidence:** Liquefaction: loose saturated sand loses strength, damaging foundations and utilities. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

Counter-position / limit: A spatial association, one event, one model or one map layer does not establish a sufficient or timeless cause; test energy, material, structure, circulation, scale and human mediation.

Qualified conclusion: The answer must resolve the physical-geography demand in “Explain why a moderate earthquake may cause greater damage than a larger earthquake. (150 words.)”.

Executable exam-length answer / compression plan: For a 15-mark answer, spend about one-sixth of the time decoding and drawing the map/flow; open with definition and thesis; organise five process-spatial points as claim -> named evidence -> analysis -> qualification; compress examples before mechanisms and reserve the final minute for the causal limit.

Why this earns marks: The answer obeys the directive, explains rather than catalogues, makes the spatial logic visible and avoids deterministic or timeless claims.

How to improve this answer: For “Explain why a moderate earthquake may cause greater damage than a larger earthquake. (150...)”, replace the weakest generalisation with one labelled process arrow or map anchor and state the scale, exception or evidence needed before extending the conclusion.

ORIGINAL 10-MARK QUESTION 2

Question: Distinguish between volcanic ash, pyroclastic density currents and lahars, and explain why they require different hazard maps. (150 words.)

Model answer

All three contain volcanic material but move through different media and pathways.

Hazard	Composition/motion	Control	Hazard-map implication
Ash fall	Fine airborne particles settling from plume	Eruption-column height and wind	Broad downwind sectors; aviation, crops, water and roof load
Pyroclastic density current	Hot turbulent gas-particle mixture hugging ground	Collapse/blast energy and relief	Proximal flanks and valleys; extreme temperature and speed
Lahar	Water-mobilised ash and debris	Rain, snow/crater water and drainage	River valleys far beyond cone; can recur after eruption

Ash maps must model wind and accumulation thickness. Density-current maps require topographic run-out zones and exclusion areas. Lahar maps must follow drainage channels, bridges, settlements and reservoirs, including post-eruption rainfall scenarios.

Therefore, a single circular “volcano danger zone” is inadequate. Product, transport medium and terrain create distinct footprints; risk communication and evacuation must match each pathway.

Demand decoding: The directive **explain** requires a direct position on “Distinguish between volcanic ash, pyroclastic density currents and lahars, and explain why...”, all clauses and scales, a process chain, spatial reconstruction, named India/world evidence, a counter-condition and a qualified conclusion.

Detailed examiner-grade model answer:

Introduction and thesis: The answer must resolve the physical-geography demand in “Distinguish between volcanic ash, pyroclastic density currents and lahars, and explain why they require different hazard maps. (150 words.)”.

Analytical body:

1. **Claim and named evidence:** All three contain volcanic material but move through different media and pathways.
Analysis: Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
2. **Claim and named evidence:** Hazard Composition/motion Control Hazard-map implication **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
3. **Claim and named evidence:** Ash fall Fine airborne particles settling from plume Eruption-column height and wind Broad downwind sectors; aviation, crops, water and roof load **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
4. **Claim and named evidence:** Pyroclastic density current Hot turbulent gas-particle mixture hugging ground Collapse/blast energy and relief Proximal flanks and valleys; extreme temperature and speed **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
5. **Claim and named evidence:** Lahar Water-mobilised ash and debris Rain, snow/crater water and drainage River valleys far beyond cone; can recur after eruption **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

Counter-position / limit: A spatial association, one event, one model or one map layer does not establish a sufficient or timeless cause; test energy, material, structure, circulation, scale and human mediation.

Qualified conclusion: The answer must resolve the physical-geography demand in “Distinguish between volcanic ash, pyroclastic density currents and lahars, and explain why they require different hazard maps. (150 words.)”.

Executable exam-length answer / compression plan: For a 15-mark answer, spend about one-sixth of the time decoding and drawing the map/flow; open with definition and thesis; organise five process-spatial points as claim -> named evidence -> analysis -> qualification; compress examples before mechanisms and reserve the final minute for the causal limit.

Why this earns marks: The answer obeys the directive, explains rather than catalogues, makes the spatial logic visible and avoids deterministic or timeless claims.

How to improve this answer: For “Distinguish between volcanic ash, pyroclastic density currents and lahars, and explain why...”, replace the weakest generalisation with one labelled process arrow or map anchor and state the scale, exception or evidence needed before extending the conclusion.

ORIGINAL 15-MARK QUESTION 1

Question: Examine the tectonic and geomorphic reasons for the uneven distribution of earthquake risk in India. (250 words.)

Model answer

India's earthquake risk is uneven because **hazard sources vary by tectonic region**, while geomorphology and settlement alter the received shaking.

tectonic source -> wave path -> local ground -> exposed built environment

Tectonic differentiation

- **Himalaya:** continuing Indian-Eurasian convergence loads a broad fold-thrust belt. Shallow thrust earthquakes combine with steep slopes and landslide cascades.
- **North-East/Indo-Burmese region:** the eastern Himalayan syntaxis and Burma/Sunda interaction create complex compression and strike-slip deformation.
- **Andaman-Nicobar:** Sunda subduction creates earthquake, tsunami and volcanic multi-hazard.

- **Kachchh:** inherited rifts and faults can reactivate within the plate; Bhuj 2001 disproves the assumption that only boundaries generate severe risk.
- **Peninsular shield:** lower average deformation, but Koyna and Latur show reservoir-associated and intraplate exceptions.

Geomorphic and exposure differentiation

- Indo-Gangetic and urban-basin alluvium can amplify shaking.
- Loose saturated floodplain, delta and reclaimed deposits are liquefaction-prone.
- Himalayan relief triggers landslides and cuts roads, power and communications.
- Dense cities, vulnerable masonry, soft storeys and weak enforcement convert hazard into disaster.

Qualification: A BIS macrozone is a broad design input, not a prediction or a neighbourhood risk map. Microzonation, building inventory and lifeline analysis are necessary.

India's seismic-risk map is therefore not merely a tectonic map. It is a layered map of active structures, sediment, slope, urban exposure and construction quality.

Demand decoding: The directive **examine** requires a direct position on "Examine the tectonic and geomorphic reasons for the uneven distribution of earthquake risk in...", all clauses and scales, a process chain, spatial reconstruction, named India/world evidence, a counter-condition and a qualified conclusion.

Detailed examiner-grade model answer:

Introduction and thesis: The answer must resolve the physical-geography demand in "Examine the tectonic and geomorphic reasons for the uneven distribution of earthquake risk in India. (250 words.)".

Analytical body:

1. **Claim and named evidence:** India's earthquake risk is uneven because hazard sources vary by tectonic region , while geomorphology and settlement alter the received shaking. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
2. **Claim and named evidence:** tectonic source -> wave path -> local ground -> exposed built environment **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
3. **Claim and named evidence:** Himalaya: continuing Indian-Eurasian convergence loads a broad fold-thrust belt. Shallow thrust earthquakes combine with steep slopes and landslide cascades. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
4. **Claim and named evidence:** North-East/Indo-Burmese region: the eastern Himalayan syntaxis and Burma/Sunda interaction create complex compression and strike-slip deformation. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
5. **Claim and named evidence:** Andaman-Nicobar: Sunda subduction creates earthquake, tsunami and volcanic multi-hazard. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

Counter-position / limit: A spatial association, one event, one model or one map layer does not establish a sufficient or timeless cause; test energy, material, structure, circulation, scale and human mediation.

Qualified conclusion: The answer must resolve the physical-geography demand in "Examine the tectonic and geomorphic reasons for the uneven distribution of earthquake risk in India. (250 words.)".

Executable exam-length answer / compression plan: For a 15-mark answer, spend about one-sixth of the time decoding and drawing the map/flow; open with definition and thesis; organise five process-spatial points as claim -> named evidence -> analysis -> qualification; compress examples before mechanisms and reserve the final minute for the causal limit.

Why this earns marks: The answer obeys the directive, explains rather than catalogues, makes the spatial logic visible and avoids deterministic or timeless claims.

How to improve this answer: For “Examine the tectonic and geomorphic reasons for the uneven distribution of earthquake risk in...”, replace the weakest generalisation with one labelled process arrow or map anchor and state the scale, exception or evidence needed before extending the conclusion.

ORIGINAL 15-MARK QUESTION 2

Question: “Volcanoes are both agents of destruction and foundations of regional development.” Discuss. (250 words.)

Model answer

Volcanoes produce acute, spatially differentiated hazards but also long-lived resources and land.

Destructive role

- Lava buries land and infrastructure.
- Pyroclastic density currents cause extreme proximal destruction.
- Ash damages crops, water, roofs, health and aviation over broad downwind areas.
- Lahars repeatedly affect valleys even after eruption.
- Volcanic gases create toxic local conditions; stratospheric sulphate aerosols may temporarily cool climate.
- Eruptions displace populations and disrupt island economies, ports and tourism.

Developmental foundations

- Weathered basalt and ash can form productive soils, as seen in the Deccan and Java, though fresh ash first imposes costs.
- Geothermal heat supports energy and heating in suitable regions.
- Hydrothermal systems concentrate metallic minerals and industrial materials.
- Volcanism constructs islands, plateaux and new crust.
- Distinctive landscapes support tourism and scientific education.

Analytical balance

The benefits are often continuous or recoverable, whereas hazards are episodic but potentially catastrophic. This explains continued settlement: communities exchange recurrent benefits for probabilistic risk. However, development becomes sustainable only when monitoring, exclusion zones, resilient infrastructure, evacuation routes and livelihood diversification prevent the resource advantage from becoming an exposure trap.

Thus volcanism is not “beneficial” or “destructive” in isolation. Regional outcome depends on product pathways, recurrence, governance and the capacity to live with a dynamic landscape.

Demand decoding: The directive **discuss** requires a direct position on ““Volcanoes are both agents of destruction and foundations of regional development.” Discuss....”, all clauses and scales, a process chain, spatial reconstruction, named India/world evidence, a counter-condition and a qualified conclusion.

Detailed examiner-grade model answer:

Introduction and thesis: The answer must resolve the physical-geography demand in ““Volcanoes are both agents of destruction and foundations of regional development.” Discuss. (250 words.)”.

Analytical body:

1. **Claim and named evidence:** Volcanoes produce acute, spatially differentiated hazards but also long-lived resources and land. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
2. **Claim and named evidence:** Pyroclastic density currents cause extreme proximal destruction. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date

boundary.

3. **Claim and named evidence:** Ash damages crops, water, roofs, health and aviation over broad downwind areas. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
4. **Claim and named evidence:** Lahars repeatedly affect valleys even after eruption. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
5. **Claim and named evidence:** Volcanic gases create toxic local conditions; stratospheric sulphate aerosols may temporarily cool climate. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

Counter-position / limit: A spatial association, one event, one model or one map layer does not establish a sufficient or timeless cause; test energy, material, structure, circulation, scale and human mediation.

Qualified conclusion: The answer must resolve the physical-geography demand in ““Volcanoes are both agents of destruction and foundations of regional development.” Discuss. (250 words.)”.

Executable exam-length answer / compression plan: For a 15-mark answer, spend about one-sixth of the time decoding and drawing the map/flow; open with definition and thesis; organise five process-spatial points as claim -> named evidence -> analysis -> qualification; compress examples before mechanisms and reserve the final minute for the causal limit.

Why this earns marks: The answer obeys the directive, explains rather than catalogues, makes the spatial logic visible and avoids deterministic or timeless claims.

How to improve this answer: For ““Volcanoes are both agents of destruction and foundations of regional development.” Discuss....”, replace the weakest generalisation with one labelled process arrow or map anchor and state the scale, exception or evidence needed before extending the conclusion.

ORIGINAL 20-MARK QUESTION 1

Question: Critically examine India's seismic-zonation framework as an instrument of urban risk reduction. (250 words; expanded model supplied.)

Model answer

Seismic zonation is indispensable because it converts national-scale seismotectonic evidence into a design language, but it is insufficient as a complete urban-risk instrument.

Value

1. **Common regulatory baseline:** BIS zonation and IS 1893 provide broad design-hazard parameters for structural standards.
2. **Prioritisation:** High-hazard regions can prioritise critical infrastructure, schools, hospitals and emergency routes.
3. **Mainstreaming:** A map makes earthquake resistance part of ordinary building regulation rather than post-disaster relief.
4. **Inter-regional consistency:** It enables comparable minimum design expectations across jurisdictions.

Limitations

1. **Scale:** A macrozone cannot resolve soft alluvium, reclaimed land, basin edges, active fault traces or liquefaction within a city.
2. **Hazard-risk gap:** It maps broad hazard, not exposure, building fragility, network dependence or social vulnerability.
3. **Boundary illusion:** Administrative users may treat zone lines as abrupt physical changes.
4. **Prediction misconception:** A zone neither predicts the next event nor guarantees uniform intensity.
5. **Implementation:** Weak local adoption, informal construction, poor supervision and ageing buildings can defeat a sound code.

6. **Current classification caution:** Official public communication in 2025-2026 refers inconsistently to Zone VI and Zone V for the Himalayan belt, while the publicly verifiable BIS design baseline remains the familiar II-V framework. Regulatory answers must cite the edition/date rather than assert an unverified settled change.

Way forward

macrozonation -> city microzonation -> parcel/geotechnical check
-> risk-sensitive land use -> code-compliant design
-> inventory + retrofit -> enforcement + audit + drills

NCS/MoES hazard work, GSI mapping, BIS codes, NDMA guidance and State/ULB enforcement must operate as one chain. Zonation is therefore the starting map of resilience, not its final guarantee.

Demand decoding: The directive **critically examine** requires a direct position on “Critically examine India's seismic-zonation framework as an instrument of urban risk...”, all clauses and scales, a process chain, spatial reconstruction, named India/world evidence, a counter-condition and a qualified conclusion.

Detailed examiner-grade model answer:

Introduction and thesis: The answer must resolve the physical-geography demand in “Critically examine India's seismic-zonation framework as an instrument of urban risk reduction. (250 words; expanded model supplied.)”.

Analytical body:

1. **Claim and named evidence:** Seismic zonation is indispensable because it converts national-scale seismotectonic evidence into a design language, but it is insufficient as a complete urban-risk instrument.
Analysis: Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
2. **Claim and named evidence:** Common regulatory baseline: BIS zonation and IS 1893 provide broad design-hazard parameters for structural standards. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
3. **Claim and named evidence:** Prioritisation: High-hazard regions can prioritise critical infrastructure, schools, hospitals and emergency routes. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
4. **Claim and named evidence:** Mainstreaming: A map makes earthquake resistance part of ordinary building regulation rather than post-disaster relief. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
5. **Claim and named evidence:** Inter-regional consistency: It enables comparable minimum design expectations across jurisdictions. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

Counter-position / limit: A spatial association, one event, one model or one map layer does not establish a sufficient or timeless cause; test energy, material, structure, circulation, scale and human mediation.

Qualified conclusion: The answer must resolve the physical-geography demand in “Critically examine India's seismic-zonation framework as an instrument of urban risk reduction. (250 words; expanded model supplied.)”.

Executable exam-length answer / compression plan: For a 15-mark answer, spend about one-sixth of the time decoding and drawing the map/flow; open with definition and thesis; organise five process-spatial points as claim -> named evidence -> analysis -> qualification; compress examples before mechanisms and reserve the final minute for the causal limit.

Why this earns marks: The answer obeys the directive, explains rather than catalogues, makes the spatial logic visible and avoids deterministic or timeless claims.

How to improve this answer: For “Critically examine India's seismic-zonation framework as an instrument of urban risk...”, replace the weakest generalisation with one labelled process arrow or map anchor and state the scale,

exception or evidence needed before extending the conclusion.

ORIGINAL 20-MARK QUESTION 2

Question: Analyse the common tectonic logic and contrasting surface expressions of earthquakes, volcanoes and tsunamis around the Circum-Pacific belt. (250 words; expanded model supplied.)

Model answer

The Circum-Pacific belt is unified by plate convergence but differentiated by the way energy and material reach the surface.

Common tectonic logic

Oceanic lithosphere subducts beneath another oceanic plate or a continent. The locked interface accumulates elastic strain; rupture generates earthquakes. The descending slab releases volatiles, promoting mantle-wedge melting and volcanic arcs. Submarine megathrust displacement may move the ocean floor and generate tsunamis.

trench

- > locked megathrust -> earthquake + possible vertical sea-floor displacement
- > descending slab -> shallow/intermediate/deep seismicity
- > slab volatiles -> mantle-wedge melt -> volcanic arc

Contrasting expressions

- **Earthquakes** are sudden elastic-energy release and occur along the interface, within the slab and in the overriding plate. Their map extends from shallow trench events to deep Wadati-Benioff zones.
- **Volcanoes** are mass and heat transfer. Magma rises landward of the trench, forming island arcs such as Japan/Philippines or continental arcs such as the Andes.
- **Tsunamis** are water-column responses. They require efficient vertical displacement or another rapid mass movement; not every large earthquake produces one.

Regional controls

Arc magma chemistry and gas favour explosive stratovolcanoes. Trench geometry, rupture area and depth influence earthquakes. Bathymetry, bays and coastal slope control tsunami run-up. Transform segments may be highly seismic but weakly volcanic.

Critical qualification

The "Ring" is neither continuous nor mechanically uniform. It is a connected plate-margin system whose hazards share a tectonic origin but require distinct monitoring, maps and preparedness.

Demand decoding: The directive **analyse** requires a direct position on "Analyse the common tectonic logic and contrasting surface expressions of earthquakes,...", all clauses and scales, a process chain, spatial reconstruction, named India/world evidence, a counter-condition and a qualified conclusion.

Detailed examiner-grade model answer:

Introduction and thesis: The answer must resolve the physical-geography demand in "Analyse the common tectonic logic and contrasting surface expressions of earthquakes, volcanoes and tsunamis around the Circum-Pacific belt. (250...)".

Analytical body:

1. **Claim and named evidence:** The Circum-Pacific belt is unified by plate convergence but differentiated by the way energy and material reach the surface. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
2. **Claim and named evidence:** locked megathrust -> earthquake + possible vertical sea-floor displacement **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
3. **Claim and named evidence:** descending slab -> shallow/intermediate/deep seismicity **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or

observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

4. **Claim and named evidence:** slab volatiles -> mantle-wedge melt -> volcanic arc **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.
5. **Claim and named evidence:** Earthquakes are sudden elastic-energy release and occur along the interface, within the slab and in the overriding plate. Their map extends from shallow trench events to deep Wadati-Benioff zones. **Analysis:** Trace the driver -> mechanism -> spatial expression -> consequence chain and connect the named place, map or observation to the directive. **Qualification:** State the scale, threshold, interacting control, exception or source/date boundary.

Counter-position / limit: A spatial association, one event, one model or one map layer does not establish a sufficient or timeless cause; test energy, material, structure, circulation, scale and human mediation.

Qualified conclusion: The answer must resolve the physical-geography demand in “Analyse the common tectonic logic and contrasting surface expressions of earthquakes, volcanoes and tsunamis around the Circum-Pacific belt. (250...)”.

Executable exam-length answer / compression plan: For a 15-mark answer, spend about one-sixth of the time decoding and drawing the map/flow; open with definition and thesis; organise five process-spatial points as claim -> named evidence -> analysis -> qualification; compress examples before mechanisms and reserve the final minute for the causal limit.

Why this earns marks: The answer obeys the directive, explains rather than catalogues, makes the spatial logic visible and avoids deterministic or timeless claims.

How to improve this answer: For “Analyse the common tectonic logic and contrasting surface expressions of earthquakes,...”, replace the weakest generalisation with one labelled process arrow or map anchor and state the scale, exception or evidence needed before extending the conclusion.