

ASCII MASTER FLOW – PANEL 1/12: Five-region world map

MEDITERRANEAN BASIN -> largest expression

CALIFORNIA + CENTRAL CHILE -> west coasts

CAPE -> south-west South Africa

SW / SOUTH AUSTRALIA -> fifth region

MUST REMEMBER: Mediterranean Cs climate results from summer subtropical-high subsidence and winter westerly cyclone/frontal rain on western margins, supporting sclerophyll vegetation, winter cereals, vines, olives and high summer fire risk.

ASCII MASTER FLOW – PANEL 2/12: Seasonal pressure switch

SUMMER -> subtropical high shifts poleward

SUBSIDENCE -> clear sky and drought

WINTER -> westerlies shift equatorward

DEPRESSIONS -> frontal rain arrives

ASCII MASTER FLOW – PANEL 3/12: Climate identity firewall

MEDITERRANEAN -> summer dry / winter wet

MONSOON -> summer wet / winter drier

EASTERN MARGIN -> rain through much of year

RULE -> rainfall season outranks latitude alone

ASCII MASTER FLOW – PANEL 4/12: Local-wind matrix

SIROCCO -> hot, dusty, Sahara origin

MISTRAL -> cold, Rhone-valley outflow

BORA -> cold, Adriatic downslope wind

TRAP -> local Mediterranean winds are not all hot

ASCII MASTER FLOW – PANEL 5/12: Sclerophyll design

LEAF -> small, hard, waxy or leathery
ROOT -> deep access to stored moisture
BARK -> drought and fire protection
STRUCTURE -> scrub or open woodland

ASCII MASTER FLOW – PANEL 6/12: Regional scrub names

MAQUIS -> Mediterranean basin

CHAPARRAL -> California

MALLEE -> Australia

FORM CONVERGES -> species remain regional

ASCII MASTER FLOW – PANEL 7/12: Growth-season calendar

AUTUMN -> rain returns after drought

WINTER -> moisture but cooler growth

SPRING -> best moisture-temperature overlap

SUMMER -> drought and fire stress

ASCII MASTER FLOW – PANEL 8/12: Agricultural system

WINTER RAIN -> cereals and soil recharge
DEEP-ROOTED TREES -> survive dry summer
SUN + IRRIGATION -> fruit and vegetables
MARKETS -> high-value export horticulture

ASCII MASTER FLOW – PANEL 9/12: Wildfire chain

WET SEASON -> biomass and fine fuel

SUMMER DROUGHT -> fuel desiccation

HEAT + WIND + IGNITION -> rapid spread

LAND MANAGEMENT -> exposure and recovery

ASCII MASTER FLOW – PANEL 10/12: India analogue map

KASHMIR -> temperate fruit valleys

HIMACHAL -> Kullu and Shimla apple belts

UTTARAKHAND -> suitable hill orchards

MAHARASHTRA -> grape belt, not Cs climate

CLOSE DISTINCTION: Mediterranean climate is not confined to the Mediterranean Basin, winter rainfall is not monsoonal reversal, and chaparral, maquis, fynbos and mallee are regional analogues rather than identical floras.

ASCII MASTER FLOW – PANEL 11/12: Apple viability ladder

WINTER CHILL -> cultivar-specific dormancy

SITE -> frost, hail, aspect and water

HARVEST -> grading and storage

MARKET -> roads, cold chain and timing

EVIDENCE LIMIT: Fire is climate-enabled but ignition, fuel management and settlement shape disaster; Himalayan fruit belts share horticultural traits but not the complete Mediterranean circulation regime.

ASCII MASTER FLOW – PANEL 12/12: Mediterranean answer spine

LOCATE -> western margins at 30-45 degrees

DERIVE -> summer high / winter westerlies

LINK -> sclerophyll, crops and fire

QUALIFY -> India is an orchard analogue only