

WARM TEMPERATE EASTERN MARGIN CHINA TYPE


EASTERN-MARGIN WORLD MAP → PRESSURE-REVERSAL MECHANISM → THREE SUB-TYPES COMPARISON → EAST-WEST RAINFALL ASYMMETRY → TYPHOON TRACK MAP → AGRICULTURE-HAZARD DUALITY

Read the thick cyan rail from Stage 00 to the final core synthesis. Each card uses a concept-appropriate structure; the grey E card is optional enrichment only and never repairs missing core content.

PRIMARY CORE FLOW SUBORDINATE EXTRA APPROVAL / REVIEW

Approval: FALSE • Pending user review • source generation g4 and all prior artifacts unchanged

CORE BEFORE EXTRA • prior artefacts unchanged • exact same master drives poster and tiles



06

STAGE 06

INDIA HUMID EASTERN-MARGIN MAP

INDIA HUMID EASTERN-MARGIN MAPBENGAL PLAINWEST BENGAL PLAIN, ABOUT 150 CM BAY-OF-BENGAL MONSOONBRAHMAPUTRA VALLEYASSAM, HOT SUB-HUMID TO PERHUMIDNE INDIA (R.L. SINGH)NE EXCEPT TRIPURA, SIKKIM, NW W. BENGALABOVE 200 CM IN HUMID NE; JULY 25-33 C

BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon

BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal

RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

CORE CLAIM

- BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon
- BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

MECHANISM

- NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal
- RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

CONSEQUENCE / LIMIT

- BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon
- BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C.

07

STAGE 07

MONSOON-BRANCH DISCRIMINATOR

MONSOON-BRANCH DISCRIMINATORWHICH MONSOON BRANCH SERVES NE INDIA?BAY OF BENGAL BRANCHCORRECT FOR BENGAL-BRAHMAPUTRA REGIONARABIAN SEA BRANCHSERVES WESTERN COAST, NOT NE INDIAEXAM TRAPTHIS IS A STANDARD CLOSE-OPTION PRELIMS DISCRIMINATOR

QUESTION: which monsoon branch serves NE India?

BAY OF BENGAL BRANCH → correct for Bengal-Brahmaputra region

ARABIAN SEA BRANCH → serves western coast, NOT NE India

EXAM TRAP → this is a standard close-option Prelims discriminator

CORE CLAIM

- QUESTION: which monsoon branch serves NE India?
- BAY OF BENGAL BRANCH → correct for Bengal-Brahmaputra region

MECHANISM

- ARABIAN SEA BRANCH → serves western coast, NOT NE India
- EXAM TRAP → this is a standard close-option Prelims discriminator

CONSEQUENCE / LIMIT

- QUESTION: which monsoon branch serves NE India?
- BAY OF BENGAL BRANCH → correct for Bengal-Brahmaputra region

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: EXAM TRAP → this is a standard close-option Prelims discriminator.

08

STAGE 08

FLOOD-FERTILITY PARADOX

FLOOD-FERTILITY PARADOXHEAVY MONSOON RAINANNUAL FLOODING OF BRAHMAPUTRA FLOODPLAINALLUVIAL FERTILITY RENEWS RICE-TEA ECONOMY EACH YEARBANK EROSION, DISPLACEMENT, CROP LOSS, INFRASTRUCTURE DAMAGE

FLOOD MANAGEMENT MUST PRESERVE FERTILITY, NOT EXCLUDE WATER

HEAVY MONSOON RAIN → annual flooding of Brahmaputra floodplain

POSITIVE → alluvial fertility renews rice-tea economy each year

NEGATIVE → bank erosion, displacement, crop loss, infrastructure damage

CONCLUSION → flood management must preserve fertility, not exclude water

CORE CLAIM

- HEAVY MONSOON RAIN → annual flooding of Brahmaputra floodplain
- POSITIVE → alluvial fertility renews rice-tea economy each year

MECHANISM

- NEGATIVE → bank erosion, displacement, crop loss, infrastructure damage
- CONCLUSION → flood management must preserve fertility, not exclude water

CONSEQUENCE / LIMIT

- HEAVY MONSOON RAIN → annual flooding of Brahmaputra floodplain
- POSITIVE → alluvial fertility renews rice-tea economy each year

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CONCLUSION → flood management must preserve fertility, not exclude water.

09

STAGE 09

TEA-INDUSTRY VULNERABILITY

TEA-INDUSTRY VULNERABILITYCENTRAL TO INDIA'S TEA OUTPUT, WORLD'S 2ND-LARGEST PRODUCERERRATIC RAINFALL, DROUGHT, FLOODSECOND-FLUSH CROP LOSSESHUMID EASTERN-MARGIN MONSOON REGIME VARIABILITYCLIMATE CHANGE LINKS TO NE LIVELIHOODS AND EXPORT CROP

CLOSE DISTINCTIONCHINA TYPE IS AN EASTERN-MARGIN CLIMATE LABEL, NOT CHINA'S

CORE CLAIMASSAM → central to India's tea output, world's 2nd-largest producerRISK → erratic rainfall, drought, flood: second-flush crop losses

MECHANISMCAUSE → humid eastern-margin monsoon regime variabilitySIGNIFICANCE → climate change links to NE livelihoods and export crop

CONSEQUENCE / LIMITCLOSE DISTINCTION: China type is an eastern-margin climate label, not China's entire climateit differs from tropical monsoon by winter temperature and from Laurentian by warmer conditions and different ocean-current/air-mass relations.

CORE CLAIM

- ASSAM → central to India's tea output, world's 2nd-largest producer
- RISK → erratic rainfall, drought, flood: second-flush crop losses

MECHANISM

- CAUSE → humid eastern-margin monsoon regime variability
- SIGNIFICANCE → climate change links to NE livelihoods and export crop

CONSEQUENCE / LIMIT

- CLOSE DISTINCTION: China type is an eastern-margin climate label, not China's entire climate
- it differs from tropical monsoon by winter temperature and from Laurentian by warmer conditions and different ocean-current/air-mass relations.

TEA INDUSTRY VULNERABILITY

CENTRAL TO INDIA'S TEA OUTPUT, WORLD'S 2ND-LARGEST PRODUCER

ERRATIC RAINFALL, DROUGHT, FLOOD

SECOND-FLUSH CROP LOSSES

HUMID EASTERN-MARGIN MONSOON REGIME VARIABILITY

CLIMATE CHANGE LINKS TO NE LIVELIHOODS AND EXPORT CROP

CLOSE DISTINCTION

CHINA TYPE IS AN EASTERN-MARGIN CLIMATE LABEL, NOT CHINA'S

CORE CLAIM	MECHANISM	CONSEQUENCE / LIMIT
ASSAM → central to India's tea output, world's 2nd-largest producer	CAUSE → humid eastern-margin monsoon regime variability	CLOSE DISTINCTION: China type is an eastern-margin climate label, not China's entire climate
RISK → erratic rainfall, drought, flood: second-flush crop losses	SIGNIFICANCE → climate change links to NE livelihoods and export crop	it differs from tropical monsoon by winter temperature and from Laurentian by warmer conditions and different ocean-current/air-mass relations.

CORE CLAIM

- ASSAM → central to India's tea output, world's 2nd-largest producer
- RISK → erratic rainfall, drought, flood: second-flush crop losses

MECHANISM

- CAUSE → humid eastern-margin monsoon regime variability
- SIGNIFICANCE → climate change links to NE livelihoods and export crop

CONSEQUENCE / LIMIT

- CLOSE DISTINCTION: China type is an eastern-margin climate label, not China's entire climate
- it differs from tropical monsoon by winter temperature and from Laurentian by warmer conditions and different ocean-current/air-mass relations.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: it differs from tropical monsoon by winter temperature and from Laurentian by warmer conditions and different ocean-current/air-mass relations.

10

STAGE 10

TREWARTHA CLASSIFICATION NOTE

TREWARTHA CLASSIFICATION NOTE

HUMID MESOTHERMAL AND TROPICAL-HUMID TYPES IN INDIA

H CLASS

UNDIFFERENTIATED HIGHLAND FOR ELEVATED REGIONS

NE BELT

SPANS SEVERAL CODES DEPENDING ON ELEVATION AND SCHEME

DO NOT FORCE ENTIRE REGION INTO ONE CWG OR

EVIDENCE LIMIT

CORE CLAIM	MECHANISM	CONSEQUENCE / LIMIT
TREWARTHA → humid mesothermal and tropical-humid types in India	NE BELT → spans several codes depending on elevation and scheme	EVIDENCE LIMIT: East-margin similarity does not erase monsoon, current and topographic differences
H CLASS → undifferentiated highland for elevated regions	CAUTION → do not force entire region into one Cwg or Amw code	Northeast India is an anchored comparison whose altitude and exceptional rainfall prevent one-code generalisation.

CORE CLAIM

- TREWARTHA → humid mesothermal and tropical-humid types in India
- H CLASS → undifferentiated highland for elevated regions

MECHANISM

- NE BELT → spans several codes depending on elevation and scheme
- CAUTION → do not force entire region into one Cwg or Amw code

CONSEQUENCE / LIMIT

- EVIDENCE LIMIT: East-margin similarity does not erase monsoon, current and topographic differences
- Northeast India is an anchored comparison whose altitude and exceptional rainfall prevent one-code generalisation.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: EVIDENCE LIMIT: East-margin similarity does not erase monsoon, current and topographic differences; Northeast India is an anchored comparison whose altitude and exceptional rainfall prevent one-code generalisation.

11

STAGE 11

CHINA-TYPE ANSWER SPINE

CHINA-TYPE ANSWER SPINE

WARM TEMPERATE EASTERN MARGIN WITH SUMMER-RAIN REGIME

EAST VS WEST MARGIN AT SAME LATITUDE (HIGHEST-VALUE CONTRAST)

PRESSURE REVERSAL, SUB-TYPES, AGRICULTURE-HAZARD DUALITY

INDIA'S BENGAL-NE AS THE CHINA-TYPE ANALOGUE WITH FLOOD-FERTILITY PARADOX

DEFINE → warm temperate eastern margin with summer-rain regime → COMPARE → east vs west margin at same latitude (highest-value contrast) → EXPLAIN → pressure reversal, sub-types, agriculture-hazard duality → APPLY → India's Bengal-NE as the China-type analogue with flood-fertility paradox

CORE CLAIM	MECHANISM	CONSEQUENCE / LIMIT
DEFINE → warm temperate eastern margin with summer-rain regime	EXPLAIN → pressure reversal, sub-types, agriculture-hazard duality	DEFINE → warm temperate eastern margin with summer-rain regime
COMPARE → east vs west margin at same latitude (highest-value contrast)	APPLY → India's Bengal-NE as the China-type analogue with flood-fertility paradox	COMPARE → east vs west margin at same latitude (highest-value contrast)

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: APPLY → India's Bengal-NE as the China-type analogue with flood-fertility paradox.

E

EXTRA

SUBORDINATE ENRICHMENT — ONLY AFTER THE COMPLETE CORE

OPTIONAL ADVANCED ENRICHMENT

HUMID NORTH-EAST (R.L. SINGH)

NE INDIA (EXCEPT TRIPURA) + SIKKIM + NW WEST

JULY TEMP 25–33°C , JANUARY 10–25°C IN THE HUMID

BENGAL & ASSAM PLAIN (KHULLAR)

~150 CM FROM THE BAY-OF-BENGAL MONSOON BRANCH ; RICE

TREWARTHA'S INDIA SCHEME ADDS AN H HIGHLAND CLASS.

NE INDIA RAIN COMES FROM THE ARABIAN-SEA BRANCH

OPTIONAL SOURCE DEPTH

- Humid North-East (R.L. Singh): NE India (except Tripura) + Sikkim + NW West Bengal; 200 cm rain.
- July temp 25–33°C , January 10–25°C in the Humid NE.
- Bengal & Assam Plain (Khullar): ~150 cm from the Bay-of-Bengal monsoon branch ; rice economy.
- Trewartha's India scheme adds an H highland class.

ADVANCED DEBATE

- NOT: NE India rain comes from the Arabian-Sea branch → it is the Bay-of-Bengal branch .
- NOT: Tripura is part of the "Humid North-East" division → R.L. Singh's division excludes Tripura .
- The Brahmaputra valley's flood-fertility paradox: how the same monsoon regime that sustains rice and
- Climate change and India's tea belt: erratic rainfall, droughts and floods threatening a key export

LEGACY / NUANCE

- Subject: Geography · Tier: Advanced (India-applied) · GS Paper: GS-I Grounded in: D.R.
- Khullar, India: A Comprehensive Geography + Majid Husain, India geography + verified CA.
- = from source book · CAUTION: = inference / standard knowledge · = current affairs.
- The Humid North-East (Majid Husain / R.L.

OPTIONAL STATUS — This optional depth is unnecessary for a competent core answer; use it only for added nuance after the complete core has been written.