UPSC CSAT Paper II — Hard Simulation 1

ANSWER KEY + SOLUTIONS | 80 questions | Source: original synthesis

Scoring: +2.5 for correct, –5/6 for incorrect, 0 for blank. Check the key only after completing the answer-free paper.

Q	Key	Category
1	B	Comprehension
2	C	Comprehension
3	B	Comprehension
4	A	Comprehension
5	A	Comprehension
6	C	Comprehension
7	D	Comprehension
8	D	Comprehension
9	D	Comprehension
10	D	Comprehension
11	C	Comprehension
12	C	Comprehension
13	C	Comprehension
14	B	Comprehension
15	C	Comprehension
16	B	Comprehension
17	D	Comprehension
18	C	Comprehension
19	D	Comprehension
20	A	Comprehension
21	D	Numeracy / DI
22	D	Numeracy / DI
23	B	Numeracy / DI
24	A	Numeracy / DI
25	A	Numeracy / DI
26	C	Numeracy / DI
27	D	Numeracy / DI
28	B	Numeracy / DI
29	C	Numeracy / DI
30	A	Numeracy / DI
31	C	Numeracy / DI
32	D	Numeracy / DI
33	A	Numeracy / DI
34	D	Numeracy / DI
35	D	Numeracy / DI

Q	Key	Category
36	B	Numeracy / DI
37	C	Numeracy / DI
38	D	Numeracy / DI
39	A	Numeracy / DI
40	C	Numeracy / DI
41	D	Logical reasoning
42	C	Logical reasoning
43	B	Logical reasoning
44	A	Logical reasoning
45	D	Logical reasoning
46	C	Logical reasoning
47	D	Logical reasoning
48	A	Logical reasoning
49	D	Logical reasoning
50	A	Logical reasoning
51	A	Logical reasoning
52	D	Logical reasoning
53	A	Logical reasoning
54	C	Logical reasoning
55	D	Logical reasoning
56	A	Logical reasoning
57	C	Logical reasoning
58	C	Logical reasoning
59	D	Logical reasoning
60	B	Logical reasoning
61	D	Decision-making / problem solving
62	D	Decision-making / problem solving
63	B	Decision-making / problem solving
64	B	Decision-making / problem solving
65	D	Decision-making / problem solving
66	A	Decision-making / problem solving
67	A	Decision-making / problem solving
68	D	Decision-making / problem solving
69	D	Decision-making / problem solving
70	C	Decision-making / problem solving
71	C	Decision-making / problem solving
72	B	Decision-making / problem solving
73	B	Decision-making / problem solving
74	A	Decision-making / problem solving
75	A	Decision-making / problem solving

Q	Key	Category
76	D	Decision-making / problem solving
77	B	Decision-making / problem solving
78	B	Decision-making / problem solving
79	A	Decision-making / problem solving
80	D	Decision-making / problem solving

DETAILED SOLUTIONS

Q1 — B Comprehension
The passage links the issue to incentives, evidence and feedback; the alternatives are absolute or narrowly framed.
Provenance: Original synthesis

Q2 — C Comprehension
The passage distinguishes a desirable objective from the quality of its feedback loop; it rejects universal claims.
Provenance: Original synthesis

Q3 — B Comprehension
The argument depends on learning through feedback; it does not require perfect information or reject all central rules.
Provenance: Original synthesis

Q4 — A Comprehension
The wording weighs trade-offs and improvement mechanisms rather than celebrating, rejecting or attacking them.
Provenance: Original synthesis

Q5 — A Comprehension
The passage links the issue to incentives, evidence and feedback; the alternatives are absolute or narrowly framed.
Provenance: Original synthesis

Q6 — C Comprehension
The passage distinguishes a desirable objective from the quality of its feedback loop; it rejects universal claims.
Provenance: Original synthesis

Q7 — D Comprehension
The argument depends on learning through feedback; it does not require perfect information or reject all central rules.
Provenance: Original synthesis

Q8 — D Comprehension
The wording weighs trade-offs and improvement mechanisms rather than celebrating, rejecting or attacking them.
Provenance: Original synthesis

Q9 — D Comprehension
The passage links the issue to incentives, evidence and feedback; the alternatives are absolute or narrowly framed.
Provenance: Original synthesis

Q10 — D Comprehension
The passage distinguishes a desirable objective from the quality of its feedback loop; it rejects universal claims.
Provenance: Original synthesis

Q11 — C Comprehension
The argument depends on learning through feedback; it does not require perfect information or reject all central rules.
Provenance: Original synthesis

Q12 — C Comprehension
The wording weighs trade-offs and improvement mechanisms rather than celebrating, rejecting or attacking them.
Provenance: Original synthesis

Q13 — C Comprehension
The passage links the issue to incentives, evidence and feedback; the alternatives are absolute or narrowly framed.
Provenance: Original synthesis

Q14 — B Comprehension
The passage distinguishes a desirable objective from the quality of its feedback loop; it rejects universal claims.
Provenance: Original synthesis

Q15 — C Comprehension
The argument depends on learning through feedback; it does not require perfect information or reject all central rules.
Provenance: Original synthesis

Q16 — B Comprehension
The wording weighs trade-offs and improvement mechanisms rather than celebrating, rejecting or attacking them.
Provenance: Original synthesis

Q17 — D Comprehension
The passage links the issue to incentives, evidence and feedback; the alternatives are absolute or narrowly framed.
Provenance: Original synthesis

Q18 — C Comprehension
The passage distinguishes a desirable objective from the quality of its feedback loop; it rejects universal claims.
Provenance: Original synthesis

Q19 — D Comprehension
The argument depends on learning through feedback; it does not require perfect information or reject all central rules.
Provenance: Original synthesis

Q20 — A Comprehension
The wording weighs trade-offs and improvement mechanisms rather than celebrating, rejecting or attacking them.
Provenance: Original synthesis

Q21 — D Numeracy / DI
Compute powers modulo 14; cyclic reduction gives remainder 9.
Provenance: Original synthesis

Q22 — D Numeracy / DI
Count multiples of 7 and 12, then remove twice the common multiples: the exclusive count is 20.
Provenance: Original synthesis

Q23 — B Numeracy / DI
Use a weighted average: (6×27+15)/(6+1) = 25.29%.
Provenance: Original synthesis

Q24 — A Numeracy / DI
Combined rate = 1/16+1/27+1/34; reciprocal = 7.76 days.
Provenance: Original synthesis

Q25 — A Numeracy / DI
Change in average = (new−old)/23; new average = 63.04.
Provenance: Original synthesis

Q26 — C Numeracy / DI
Multiply successive factors: 1.0×(1+10/100)×(1−21/100)×(1+22/100); net = 6.02%.
Provenance: Original synthesis

Q27 — D Numeracy / DI
Removed area = 4×3²; remaining area = 13×11−4×3² = 107 m².
Provenance: Original synthesis

Q28 — B Numeracy / DI
Weighted total = 158; 158 divided by 17 leaves remainder 5.
Provenance: Original synthesis

Q29 — C Numeracy / DI
lcm(10,10) = 10; enumerate its multiples in the interval to obtain 3.
Provenance: Original synthesis

Q30 — A Numeracy / DI
The increments alternate 4, 2, 4, 2; the next increment is 4, giving 18.
Provenance: Original synthesis

Q31 — C Numeracy / DI
Compute powers modulo 16; cyclic reduction gives remainder 13.
Provenance: Original synthesis

Q32 — D Numeracy / DI
Count multiples of 10 and 13, then remove twice the common multiples: the exclusive count is 18.
Provenance: Original synthesis

Q33 — A Numeracy / DI
Use a weighted average: (8×22+12)/(8+1) = 20.89%.
Provenance: Original synthesis

Q34 — D Numeracy / DI
Combined rate = 1/17+1/26+1/31; reciprocal = 7.72 days.
Provenance: Original synthesis

Q35 — D Numeracy / DI
Change in average = (new−old)/24; new average = 62.54.
Provenance: Original synthesis

Q36 — B Numeracy / DI
Multiply successive factors: 1.0×(1+12/100)×(1−22/100)×(1+22/100); net = 6.58%.
Provenance: Original synthesis

Q37 — C Numeracy / DI
Removed area = 4×4²; remaining area = 15×15−4×4² = 161 m².
Provenance: Original synthesis

Q38 — D Numeracy / DI
Weighted total = 160; 160 divided by 17 leaves remainder 7.
Provenance: Original synthesis

Q39 — A Numeracy / DI
lcm(8,13) = 104; enumerate its multiples in the interval to obtain 3.
Provenance: Original synthesis

Q40 — C Numeracy / DI
The increments alternate 4, 4, 4, 4; the next increment is 4, giving 24.
Provenance: Original synthesis

Q41 — D Logical reasoning
Enumerating all valid arrangements gives possible fifth-position occupants ['A', 'B', 'D', 'E', 'F', 'G']; C never appears there.
Provenance: Original synthesis

Q42 — C Logical reasoning
Testing all rankings gives possible third-place candidates ['P', 'Q', 'R', 'S', 'T']; U violates the partial-order constraints in every valid ranking.
Provenance: Original synthesis

Q43 — B Logical reasoning
(7×4+3) mod 26 = 5.
Provenance: Original synthesis

Q44 — A Logical reasoning
Y contains X plus Y-only members: 6+9 = 15.
Provenance: Original synthesis

Q45 — D Logical reasoning
Displacement = sqrt(8^2+4^2) = 8.94 km.
Provenance: Original synthesis

Q46 — C Logical reasoning
N is P's father; M is N's sister, so M is P's paternal aunt.
Provenance: Original synthesis

Q47 — D Logical reasoning
Assume exactly one of A, B and C is guilty and exactly one statement is true. A says B is guilty; B says A and C are innocent; C says B is innocent. Testing A, B and C in turn leaves only B guilty: A and C are then false, while B is true.
Provenance: Original synthesis

Q48 — A Logical reasoning
All selections minus those containing both specified proposals: C(10,5)−C(8,3) = 196.
Provenance: Original synthesis

Q49 — D Logical reasoning
Points = 3×6+2 = 20; losses add zero.
Provenance: Original synthesis

Q50 — A Logical reasoning
The first post has 5 choices and the second has 4; ordered pairs therefore total 5×4 = 20.
Provenance: Original synthesis

Q51 — A Logical reasoning
Enumerating all valid arrangements gives possible fifth-position occupants ['A', 'B', 'D', 'E', 'F', 'G']; C never appears there.
Provenance: Original synthesis

Q52 — D Logical reasoning
Testing all rankings gives possible third-place candidates ['P', 'Q', 'R', 'S', 'T']; U violates the partial-order constraints in every valid ranking.
Provenance: Original synthesis

Q53 — A Logical reasoning
(7×5+3) mod 26 = 12.
Provenance: Original synthesis

Q54 — C Logical reasoning
Y contains X plus Y-only members: 4+9 = 13.
Provenance: Original synthesis

Q55 — D Logical reasoning
Displacement = sqrt(6^2+4^2) = 7.21 km.
Provenance: Original synthesis

Q56 — A Logical reasoning
N is P's father; M is N's sister, so M is P's paternal aunt.
Provenance: Original synthesis

Q57 — C Logical reasoning
Assume exactly one of A, B and C is guilty and exactly one statement is true. A says B is guilty; B says A and C are innocent; C says B is innocent. Testing A, B and C in turn leaves only B guilty: A and C are then false, while B is true.
Provenance: Original synthesis

Q58 — C Logical reasoning
All selections minus those containing both specified proposals: C(10,3)−C(8,1) = 112.
Provenance: Original synthesis

Q59 — D Logical reasoning
Points = 3×4+3 = 15; losses add zero.
Provenance: Original synthesis

Q60 — B Logical reasoning
The first post has 5 choices and the second has 4; ordered pairs therefore total 5×4 = 20.
Provenance: Original synthesis

Q61 — D Decision-making / problem solving
Triangulation tests measurement and lived experience before a consequential administrative action.
Provenance: Original synthesis

Q62 — D Decision-making / problem solving
Responsible risk communication is candid about uncertainty while giving a clear time-bound action.
Provenance: Original synthesis

Q63 — B Decision-making / problem solving
A transparent composite rule recognises scale and severity while making trade-offs reviewable.

Provenance: Original synthesis

Q64 — B Decision-making / problem solving
The indicator must track intended outcomes and be protected against gaming through verification.
Provenance: Original synthesis

Q65 — D Decision-making / problem solving
The process respects the association's input without mistaking it for complete representation.
Provenance: Original synthesis

Q66 — A Decision-making / problem solving
Disaggregated evidence supports adaptation rather than premature scaling, cancellation or concealment.
Provenance: Original synthesis

Q67 — A Decision-making / problem solving
Complaint counts need accessibility and independent-feedback checks before they can indicate improvement.
Provenance: Original synthesis

Q68 — D Decision-making / problem solving
A documented risk and change-control assessment protects safety without making procedure an empty ritual.
Provenance: Original synthesis

Q69 — D Decision-making / problem solving
Transparent deduplication plus appeal and verification addresses both leakage and wrongful exclusion.
Provenance: Original synthesis

Q70 — C Decision-making / problem solving
Equal application of a published rule protects fairness while allowing genuinely defined hardship relief.
Provenance: Original synthesis

Q71 — C Decision-making / problem solving
The response preserves useful innovation while removing exclusion through assisted access, fallback and review.
Provenance: Original synthesis

Q72 — B Decision-making / problem solving
A shared evidence base and explicit assumptions address disagreement without arbitrary choice or paralysis.
Provenance: Original synthesis

Q73 — B Decision-making / problem solving
Outcome-by-issue plus verified follow-up distinguishes visible activity from effective service delivery.
Provenance: Original synthesis

Q74 — A Decision-making / problem solving
The evidence-supported intervention creates an accountable learning loop and a reviewable use of funds.
Provenance: Original synthesis

Q75 — A Decision-making / problem solving
Consistent use of a pre-published rule protects equal treatment, transparency and auditability.
Provenance: Original synthesis

Q76 — D Decision-making / problem solving
Triangulation tests measurement and lived experience before a consequential administrative action.
Provenance: Original synthesis

Q77 — B Decision-making / problem solving
Responsible risk communication is candid about uncertainty while giving a clear time-bound action.
Provenance: Original synthesis

Q78 — B Decision-making / problem solving
A transparent composite rule recognises scale and severity while making trade-offs reviewable.
Provenance: Original synthesis

Q79 — A Decision-making / problem solving
The indicator must track intended outcomes and be protected against gaming through verification.
Provenance: Original synthesis

Q80 — D Decision-making / problem solving
The process respects the association's input without mistaking it for complete representation.
Provenance: Original synthesis