


SOLVED PRACTICE WORKBOOK

Industrial, Chemical, Nuclear and CBRN Emergencies - Learner-v2 Refreshed

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing



Original deterministic study visual; labels are explanatory, not textual quotations.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / WORKBOOK INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

Industrial, Chemical, Nuclear and CBRN Emergencies - Solved Practice Workbook 5

BASIC MCQS / REMEDIATION 5

Q1. Which statement correctly identifies Industrial accident?	5
Q2. Which option preserves the risk or institutional boundary of Industrial accident?	5
Q3. Which statement uses Industrial accident without changing its hazard, mandate or status?	5
Q4. Which option avoids the standard UPSC close-option trap about Industrial accident?	6
Q5. Which statement correctly identifies Chemical emergency?	6
Q6. Which option preserves the risk or institutional boundary of Chemical emergency?	6
Q7. Which statement uses Chemical emergency without changing its hazard, mandate or status?	6
Q8. Which option avoids the standard UPSC close-option trap about Chemical emergency?	7
Q9. Which statement correctly identifies Nuclear and radiological emergency?	7
Q10. Which option preserves the risk or institutional boundary of Nuclear and radiological emergency?	7
Q11. Which statement uses Nuclear and radiological emergency without changing its hazard, mandate or status?	8
Q12. Which option avoids the standard UPSC close-option trap about Nuclear and radiological emergency?	8
Q13. Which statement correctly identifies CBRN category?	8
Q14. Which option preserves the risk or institutional boundary of CBRN category?	9
Q15. Which statement uses CBRN category without changing its hazard, mandate or status?	9
Q16. Which option avoids the standard UPSC close-option trap about CBRN category?	9
Q17. Which statement correctly identifies Industrial life cycle?	9
Q18. Which option preserves the risk or institutional boundary of Industrial life cycle?	10
Q19. Which statement uses Industrial life cycle without changing its hazard, mandate or status?	10
Q20. Which option avoids the standard UPSC close-option trap about Industrial life cycle?	10
Q21. Which statement correctly identifies Process-safety causes?	11
Q22. Which option preserves the risk or institutional boundary of Process-safety causes?	11
Q23. Which statement uses Process-safety causes without changing its hazard, mandate or status?	11
Q24. Which option avoids the standard UPSC close-option trap about Process-safety causes?	11
Q25. Which statement correctly identifies NaTech risk?	12
Q26. Which option preserves the risk or institutional boundary of NaTech risk?	12
Q27. Which statement uses NaTech risk without changing its hazard, mandate or status?	12

Q28. Which option avoids the standard UPSC close-option trap about NaTech risk?	13
Q29. Which statement correctly identifies MSIHC boundary?	13
Q30. Which option preserves the risk or institutional boundary of MSIHC boundary?	13
Q31. Which statement uses MSIHC boundary without changing its hazard, mandate or status?	14
Q32. Which option avoids the standard UPSC close-option trap about MSIHC boundary?	14
Q33. Which statement correctly identifies Chemical Accidents Rules?	14
Q34. Which option preserves the risk or institutional boundary of Chemical Accidents Rules?	15
Q35. Which statement uses Chemical Accidents Rules without changing its hazard, mandate or status?	15
Q36. Which option avoids the standard UPSC close-option trap about Chemical Accidents Rules?	15
Q37. Which statement correctly identifies Factories-law boundary?	16
Q38. Which option preserves the risk or institutional boundary of Factories-law boundary?	16
Q39. Which statement uses Factories-law boundary without changing its hazard, mandate or status?	16
Q40. Which option avoids the standard UPSC close-option trap about Factories-law boundary?	17
Q41. Which statement correctly identifies Public Liability boundary?	17
Q42. Which option preserves the risk or institutional boundary of Public Liability boundary?	17
Q43. Which statement uses Public Liability boundary without changing its hazard, mandate or status?	18
Q44. Which option avoids the standard UPSC close-option trap about Public Liability boundary?	18
Q45. Which statement correctly identifies Atomic-energy boundary?	18
Q46. Which option preserves the risk or institutional boundary of Atomic-energy boundary?	19
Q47. Which statement uses Atomic-energy boundary without changing its hazard, mandate or status?	19
Q48. Which option avoids the standard UPSC close-option trap about Atomic-energy boundary?	19
Q49. Which statement correctly identifies On-site plan?	20
Q50. Which option preserves the risk or institutional boundary of On-site plan?	20
Q51. Which statement uses On-site plan without changing its hazard, mandate or status?	20
Q52. Which option avoids the standard UPSC close-option trap about On-site plan?	21
Q53. Which statement correctly identifies Off-site plan?	21
Q54. Which option preserves the risk or institutional boundary of Off-site plan?	21
Q55. Which statement uses Off-site plan without changing its hazard, mandate or status?	22
Q56. Which option avoids the standard UPSC close-option trap about Off-site plan?	22
Q57. Which statement correctly identifies Role separation?	22
Q58. Which option preserves the risk or institutional boundary of Role separation?	23
Q59. Which statement uses Role separation without changing its hazard, mandate or status?	23

Q60. Which option avoids the standard UPSC close-option trap about Role separation?	23
Q61. Which statement correctly identifies Detection and protection?	24
Q62. Which option preserves the risk or institutional boundary of Detection and protection?	24
Q63. Which statement uses Detection and protection without changing its hazard, mandate or status?	24
Q64. Which option avoids the standard UPSC close-option trap about Detection and protection?	25
Q65. Which statement correctly identifies Decontamination and medical care?	25
Q66. Which option preserves the risk or institutional boundary of Decontamination and medical care?	25
Q67. Which statement uses Decontamination and medical care without changing its hazard, mandate or status?	25
Q68. Which option avoids the standard UPSC close-option trap about Decontamination and medical care?	26
Q69. Which statement correctly identifies Public communication?	26
Q70. Which option preserves the risk or institutional boundary of Public communication?	26
Q71. Which statement uses Public communication without changing its hazard, mandate or status?	27
Q72. Which option avoids the standard UPSC close-option trap about Public communication?	27
Q73. Which statement correctly identifies Liability and recovery?	27
Q74. Which option preserves the risk or institutional boundary of Liability and recovery?	27
Q75. Which statement uses Liability and recovery without changing its hazard, mandate or status?	28
Q76. Which option avoids the standard UPSC close-option trap about Liability and recovery?	28
Q77. Which statement correctly identifies Preparedness-outcome firewall?	28
Q78. Which option preserves the risk or institutional boundary of Preparedness-outcome firewall?	29
Q79. Which statement uses Preparedness-outcome firewall without changing its hazard, mandate or status?	29
Q80. Which option avoids the standard UPSC close-option trap about Preparedness-outcome firewall?	29

PYQS AND ANSWER PRACTICE 30

AUDITED TOPIC-SPECIFIC PYQ OWNERSHIP	30
PYQ DEMAND CARD 1 - 2023 GS-III	30
PYQ DEMAND CARD 2 - 2024 GS-III	30
PYQ DEMAND CARD 3 - 2020 GS-III	31
ORIGINAL MAINS 1 - 10 MARKS	31
ORIGINAL MAINS 2 - 10 MARKS	32
ORIGINAL MAINS 3 - 15 MARKS	33
ORIGINAL MAINS 4 - 15 MARKS	34
ORIGINAL MAINS 5 - 20 MARKS	36
ORIGINAL MAINS 6 - 20 MARKS	39

Industrial, Chemical, Nuclear and CBRN Emergencies - Solved Practice Workbook

BASIC MCQS / REMEDIATION

Q1. Which statement correctly identifies Industrial accident?

A. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. B. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. C. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. D. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control.

Answer: A. Explanation: An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q2. Which option preserves the risk or institutional boundary of Industrial accident?

A. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. B. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. C. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. D. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle.

Answer: B. Explanation: An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q3. Which statement uses Industrial accident without changing its hazard, mandate or status?

A. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. B. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. C. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. D. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway.

Answer: C. Explanation: An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q4. Which option avoids the standard UPSC close-option trap about Industrial accident?

A. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. B. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. C. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. D. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption.

Answer: D. Explanation: An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q5. Which statement correctly identifies Chemical emergency?

A. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. B. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. C. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. D. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle.

Answer: A. Explanation: A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q6. Which option preserves the risk or institutional boundary of Chemical emergency?

A. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. B. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. C. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. D. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle.

Answer: B. Explanation: A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q7. Which statement uses Chemical emergency without changing its hazard, mandate or status?

A. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. B. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. C. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. D. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening.

Answer: C. Explanation: A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q8. Which option avoids the standard UPSC close-option trap about Chemical emergency?

A. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. B. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. C. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. D. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control.

Answer: D. Explanation: A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q9. Which statement correctly identifies Nuclear and radiological emergency?

A. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. B. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. C. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. D. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle.

Answer: A. Explanation: A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q10. Which option preserves the risk or institutional boundary of Nuclear and radiological emergency?

A. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. B. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. C. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. D. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening.

Answer: B. Explanation: A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q11. Which statement uses Nuclear and radiological emergency without changing its hazard, mandate or status?

A. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. B. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. C. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. D. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause.

Answer: C. Explanation: A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q12. Which option avoids the standard UPSC close-option trap about Nuclear and radiological emergency?

A. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. B. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. C. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. D. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable.

Answer: D. Explanation: A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q13. Which statement correctly identifies CBRN category?

A. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. B. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. C. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. D. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle.

Answer: A. Explanation: CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q14. Which option preserves the risk or institutional boundary of CBRN category?

A. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. B. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. C. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. D. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations.

Answer: B. Explanation: CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q15. Which statement uses CBRN category without changing its hazard, mandate or status?

A. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. B. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. C. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. D. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening.

Answer: C. Explanation: CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q16. Which option avoids the standard UPSC close-option trap about CBRN category?

A. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. B. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. C. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. D. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway.

Answer: D. Explanation: CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q17. Which statement correctly identifies Industrial life cycle?

A. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. B. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. C. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. D. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations.

Answer: A. Explanation: Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q18. Which option preserves the risk or institutional boundary of Industrial life cycle?

A. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. B. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. C. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. D. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review.

Answer: B. Explanation: Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q19. Which statement uses Industrial life cycle without changing its hazard, mandate or status?

A. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. B. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. C. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. D. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review.

Answer: C. Explanation: Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q20. Which option avoids the standard UPSC close-option trap about Industrial life cycle?

A. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. B. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. C. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. D. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle.

Answer: D. Explanation: Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q21. Which statement correctly identifies Process-safety causes?

A. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. B. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. C. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. D. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations.

Answer: A. Explanation: Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q22. Which option preserves the risk or institutional boundary of Process-safety causes?

A. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. B. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. C. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. D. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination.

Answer: B. Explanation: Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q23. Which statement uses Process-safety causes without changing its hazard, mandate or status?

A. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. B. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. C. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. D. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate.

Answer: C. Explanation: Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q24. Which option avoids the standard UPSC close-option trap about Process-safety causes?

A. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. B. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. C. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. D. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause.

Answer: D. Explanation: Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q25. Which statement correctly identifies NaTech risk?

A. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. B. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. C. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. D. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review.

Answer: A. Explanation: A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q26. Which option preserves the risk or institutional boundary of NaTech risk?

A. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. B. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. C. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. D. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review.

Answer: B. Explanation: A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q27. Which statement uses NaTech risk without changing its hazard, mandate or status?

A. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. B. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. C. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. D. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination.

Answer: C. Explanation: A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q28. Which option avoids the standard UPSC close-option trap about NaTech risk?

A. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. B. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. C. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. D. A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening.

Answer: D. Explanation: A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q29. Which statement correctly identifies MSIHC boundary?

A. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. B. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. C. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. D. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination.

Answer: A. Explanation: The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q30. Which option preserves the risk or institutional boundary of MSIHC boundary?

A. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. B. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. C. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. D. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate.

Answer: B. Explanation: The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q31. Which statement uses MSIHC boundary without changing its hazard, mandate or status?

A. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. B. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. C. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. D. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities.

Answer: C. Explanation: The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q32. Which option avoids the standard UPSC close-option trap about MSIHC boundary?

A. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. B. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. C. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. D. The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations.

Answer: D. Explanation: The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q33. Which statement correctly identifies Chemical Accidents Rules?

A. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. B. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. C. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. D. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate.

Answer: A. Explanation: The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q34. Which option preserves the risk or institutional boundary of Chemical Accidents Rules?

A. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. B. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. C. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. D. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities.

Answer: B. Explanation: The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q35. Which statement uses Chemical Accidents Rules without changing its hazard, mandate or status?

A. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. B. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. C. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. D. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities.

Answer: C. Explanation: The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q36. Which option avoids the standard UPSC close-option trap about Chemical Accidents Rules?

A. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. B. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. C. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. D. The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review.

Answer: D. Explanation: The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q37. Which statement correctly identifies Factories-law boundary?

A. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. B. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. C. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. D. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation.

Answer: A. Explanation: Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q38. Which option preserves the risk or institutional boundary of Factories-law boundary?

A. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. B. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. C. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. D. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities.

Answer: B. Explanation: Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q39. Which statement uses Factories-law boundary without changing its hazard, mandate or status?

A. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. B. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. C. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. D. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities.

Answer: C. Explanation: Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q40. Which option avoids the standard UPSC close-option trap about Factories-law boundary?

A. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. B. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. C. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. D. Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination.

Answer: D. Explanation: Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q41. Which statement correctly identifies Public Liability boundary?

A. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. B. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. C. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. D. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation.

Answer: A. Explanation: The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q42. Which option preserves the risk or institutional boundary of Public Liability boundary?

A. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. B. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. C. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. D. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities.

Answer: B. Explanation: The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q43. Which statement uses Public Liability boundary without changing its hazard, mandate or status?

A. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. B. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. C. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. D. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information.

Answer: C. Explanation: The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q44. Which option avoids the standard UPSC close-option trap about Public Liability boundary?

A. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. B. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. C. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. D. The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate.

Answer: D. Explanation: The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q45. Which statement correctly identifies Atomic-energy boundary?

A. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. B. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. C. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. D. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information.

Answer: A. Explanation: The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q46. Which option preserves the risk or institutional boundary of Atomic-energy boundary?

A. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. B. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. C. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. D. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan.

Answer: B. Explanation: The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q47. Which statement uses Atomic-energy boundary without changing its hazard, mandate or status?

A. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. B. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. C. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. D. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient.

Answer: C. Explanation: The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q48. Which option avoids the standard UPSC close-option trap about Atomic-energy boundary?

A. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. B. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. C. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. D. The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation.

Answer: D. Explanation: The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q49. Which statement correctly identifies On-site plan?

A. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. B. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. C. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. D. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information.

Answer: A. Explanation: The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q50. Which option preserves the risk or institutional boundary of On-site plan?

A. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. B. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. C. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. D. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient.

Answer: B. Explanation: The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q51. Which statement uses On-site plan without changing its hazard, mandate or status?

A. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. B. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. C. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. D. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient.

Answer: C. Explanation: The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q52. Which option avoids the standard UPSC close-option trap about On-site plan?

A. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. B. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. C. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. D. The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities.

Answer: D. Explanation: The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q53. Which statement correctly identifies Off-site plan?

A. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. B. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. C. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. D. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient.

Answer: A. Explanation: The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q54. Which option preserves the risk or institutional boundary of Off-site plan?

A. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. B. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. C. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. D. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient.

Answer: B. Explanation: The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q55. Which statement uses Off-site plan without changing its hazard, mandate or status?

A. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. B. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. C. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. D. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma.

Answer: C. Explanation: The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q56. Which option avoids the standard UPSC close-option trap about Off-site plan?

A. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. B. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. C. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. D. The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information.

Answer: D. Explanation: The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q57. Which statement correctly identifies Role separation?

A. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. B. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. C. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. D. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities.

Answer: A. Explanation: The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q58. Which option preserves the risk or institutional boundary of Role separation?

A. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. B. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. C. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. D. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma.

Answer: B. Explanation: The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q59. Which statement uses Role separation without changing its hazard, mandate or status?

A. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. B. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. C. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. D. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma.

Answer: C. Explanation: The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q60. Which option avoids the standard UPSC close-option trap about Role separation?

A. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. B. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. C. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. D. The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan.

Answer: D. Explanation: The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q61. Which statement correctly identifies Detection and protection?

A. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. B. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. C. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. D. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma.

Answer: A. Explanation: Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q62. Which option preserves the risk or institutional boundary of Detection and protection?

A. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. B. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. C. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. D. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence.

Answer: B. Explanation: Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q63. Which statement uses Detection and protection without changing its hazard, mandate or status?

A. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. B. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. C. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. D. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety.

Answer: C. Explanation: Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q64. Which option avoids the standard UPSC close-option trap about Detection and protection?

A. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. B. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. C. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. D. Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities.

Answer: D. Explanation: Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q65. Which statement correctly identifies Decontamination and medical care?

A. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. B. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. C. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. D. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma.

Answer: A. Explanation: Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q66. Which option preserves the risk or institutional boundary of Decontamination and medical care?

A. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. B. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. C. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. D. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety.

Answer: B. Explanation: Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q67. Which statement uses Decontamination and medical care without changing its hazard, mandate or status?

A. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. B. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. C. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. D. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification,

protective action, medical management and environmental control.

Answer: C. Explanation: Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q68. Which option avoids the standard UPSC close-option trap about Decontamination and medical care?

A. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. B. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. C. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. D. Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient.

Answer: D. Explanation: Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q69. Which statement correctly identifies Public communication?

A. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. B. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. C. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. D. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety.

Answer: A. Explanation: Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q70. Which option preserves the risk or institutional boundary of Public communication?

A. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. B. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. C. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. D. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control.

Answer: B. Explanation: Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q71. Which statement uses Public communication without changing its hazard, mandate or status?

A. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. B. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. C. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. D. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption.

Answer: C. Explanation: Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q72. Which option avoids the standard UPSC close-option trap about Public communication?

A. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. B. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. C. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. D. Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma.

Answer: D. Explanation: Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q73. Which statement correctly identifies Liability and recovery?

A. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. B. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. C. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. D. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence.

Answer: A. Explanation: Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q74. Which option preserves the risk or institutional boundary of Liability and recovery?

A. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. B. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. C. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. D. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable.

Answer: B. Explanation: Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q75. Which statement uses Liability and recovery without changing its hazard, mandate or status?

A. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. B. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. C. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. D. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control.

Answer: C. Explanation: Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q76. Which option avoids the standard UPSC close-option trap about Liability and recovery?

A. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. B. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. C. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. D. Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety.

Answer: D. Explanation: Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q77. Which statement correctly identifies Preparedness-outcome firewall?

A. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. B. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. C. An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. D. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable.

Answer: A. Explanation: A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q78. Which option preserves the risk or institutional boundary of Preparedness-outcome firewall?

A. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. B. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. C. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. D. A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control.

Answer: B. Explanation: A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q79. Which statement uses Preparedness-outcome firewall without changing its hazard, mandate or status?

A. A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. B. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. C. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. D. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle.

Answer: C. Explanation: A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q80. Which option avoids the standard UPSC close-option trap about Preparedness-outcome firewall?

A. Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. B. CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. C. Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. D. A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence.

Answer: D. Explanation: A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

PYQS AND ANSWER PRACTICE

AUDITED TOPIC-SPECIFIC PYQ OWNERSHIP

No audited GS-III route directly names industrial, chemical, nuclear or CBRN emergency governance. The 2023 oil-pollution card is cross-owned adjacent context; the 2024 resilience and 2020 proactive-governance cards are explicit support routes.

PYQ DEMAND CARD 1 - 2023 GS-III

Demand: Discuss oil-pollution impacts on marine ecosystems and India's vulnerability.

Status: Verified cross-owned adjacent route led by Environment; this topic contributes only the industrial life-cycle, response, remediation and liability lens without claiming a direct CBRN PYQ.

Model solution: Industrial accident: An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption.

Industrial life cycle: Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle.

Process-safety causes: Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. **Off-site plan:** The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. **Role separation:** The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. **Liability and recovery:** Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety.

Preparedness-outcome firewall: A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

PYQ DEMAND CARD 2 - 2024 GS-III

Demand: Describe disaster resilience, its determination and the Sendai Framework elements.

Status: Verified support route, not an industrial-emergency-specific PYQ; use process safety, NaTech screening, preparedness and recovery as bounded illustrations.

Model solution: Industrial life cycle: Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle.

Process-safety causes: Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. **NaTech risk:** A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening.

On-site plan: The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. **Off-site plan:** The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information.

Liability and recovery: Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. **Preparedness-outcome firewall:** A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

PYQ DEMAND CARD 3 - 2020 GS-III

Demand: Discuss the shift from reactive to proactive disaster management in India.

Status: Verified adjacent governance route; on-site/off-site plans, prevention and drills illustrate proactivity without altering the printed demand.

Model solution: Industrial life cycle: Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. **Process-safety causes:** Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. **MSIHC boundary:** The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. **Chemical Accidents Rules:** The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. **On-site plan:** The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. **Off-site plan:** The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. **Role separation:** The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. **Preparedness-outcome firewall:** A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

ORIGINAL MAINS 1 - 10 MARKS

Question: Distinguish industrial accidents, chemical emergencies, nuclear/radiological emergencies and CBRN. Answer in about 150 words.

Model thesis: Claim: Industrial accident. **Named evidence/example:** An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Chemical emergency. **Named evidence/example:** A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Nuclear and radiological emergency. **Named evidence/example:** A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** CBRN category. **Named evidence/example:** CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption.

- A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control.
- A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable.
- CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway.

Qualified conclusion: Claim: Industrial accident. **Named evidence/example:** An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Chemical emergency. **Named evidence/example:** A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Nuclear and radiological emergency. **Named evidence/example:** A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** CBRN category. **Named evidence/example:** CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

ORIGINAL MAINS 2 - 10 MARKS

Question: Explain the respective purposes of on-site and off-site emergency plans. Answer in about 150 words.

Model thesis: Claim: On-site plan. **Named evidence/example:** The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Off-site plan. **Named evidence/example:** The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Role separation. **Named evidence/example:** The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities.
- The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using

facility information.

- The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan.

Qualified conclusion: Claim: On-site plan. **Named evidence/example:** The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Off-site plan. **Named evidence/example:** The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Role separation. **Named evidence/example:** The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

ORIGINAL MAINS 3 - 15 MARKS

Question: Analyse the legal boundaries among factories law, MSIHC Rules, Chemical Accidents Rules and public liability. Answer in about 250 words.

Model thesis: Claim: MSIHC boundary. **Named evidence/example:** The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Chemical Accidents Rules. **Named evidence/example:** The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Factories-law boundary. **Named evidence/example:** Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Public Liability boundary. **Named evidence/example:** The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations.
- The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review.

- Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination.
- The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate.

Qualified conclusion: Claim: MSIHC boundary. **Named evidence/example:** The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations.

Analysis: This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Chemical Accidents Rules. **Named evidence/example:** The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Factories-law boundary. **Named evidence/example:** Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Public Liability boundary. **Named evidence/example:** The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

ORIGINAL MAINS 4 - 15 MARKS

Question: Examine nuclear/radiological emergency governance through DAE, AERB, disaster authorities and specialised response. Answer in about 250 words.

Model thesis: Claim: Nuclear and radiological emergency. **Named evidence/example:** A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** CBRN category. **Named evidence/example:** CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Atomic-energy boundary. **Named evidence/example:** The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Role separation. **Named evidence/example:** The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Detection and protection. **Named evidence/example:** Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence

rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Decontamination and medical care.

Named evidence/example: Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable.
- CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway.
- The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation.
- The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan.
- Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities.
- Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient.

Qualified conclusion: **Claim:** Nuclear and radiological emergency. **Named evidence/example:** A nuclear emergency arises from a nuclear-facility or nuclear-chain context, while a radiological emergency may involve radioactive material or exposure without a nuclear-chain event; the terms are related but not interchangeable.

Analysis: This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** CBRN category. **Named evidence/example:** CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication.

Qualification: The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Atomic-energy boundary. **Named evidence/example:** The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Role separation. **Named evidence/example:** The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan.

Analysis: This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Detection and protection. **Named evidence/example:** Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Decontamination and medical care. **Named evidence/example:** Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid

is insufficient. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

ORIGINAL MAINS 5 - 20 MARKS

Question: Design an industrial-chemical emergency framework from prevention and NaTech screening to public protection and recovery. Answer in about 300 words.

Model thesis: **Claim:** Industrial accident. **Named evidence/example:** An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Chemical emergency. **Named evidence/example:** A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Industrial life cycle. **Named evidence/example:** Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Process-safety causes. **Named evidence/example:** Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** NaTech risk. **Named evidence/example:** A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** MSIHC boundary. **Named evidence/example:** The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Chemical Accidents Rules. **Named evidence/example:** The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** On-site plan. **Named evidence/example:** The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Off-site plan. **Named evidence/example:** The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Role separation. **Named evidence/example:** The occupier prevents and controls the source, regulators enforce specialised safety,

local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Detection and protection. **Named evidence/example:** Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Decontamination and medical care. **Named evidence/example:** Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Public communication. **Named evidence/example:** Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Liability and recovery. **Named evidence/example:** Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Preparedness-outcome firewall. **Named evidence/example:** A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption.
- A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control.
- Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle.
- Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause.
- A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening.
- The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations.
- The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review.
- The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities.
- The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information.

- The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan.
- Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities.
- Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient.
- Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma.
- Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety.
- A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence.

Qualified conclusion: Claim: Industrial accident. **Named evidence/example:** An industrial accident is an unintended event arising from an industrial process, facility, storage or transport system that can cause fire, explosion, release, injury, contamination or service disruption. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Chemical emergency. **Named evidence/example:** A chemical emergency involves an actual or threatened hazardous-chemical release, fire or reaction requiring chemical-specific identification, protective action, medical management and environmental control. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Industrial life cycle. **Named evidence/example:** Hazard can arise during extraction, manufacture, processing, storage, transport, use, maintenance, waste handling or disposal, so prevention must follow the material and process life cycle. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Process-safety causes. **Named evidence/example:** Design error, corrosion, fatigue, loss of containment, utility failure, poor maintenance, unsafe change, human or organisational error and weak safety culture can combine rather than operate as one isolated cause. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** NaTech risk. **Named evidence/example:** A natural hazard can trigger a technological accident through flood, earthquake, cyclone, heat or other stresses on hazardous facilities and lifelines; natural and industrial risk therefore require joint screening. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** MSIHC boundary. **Named evidence/example:** The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Chemical Accidents Rules. **Named evidence/example:** The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** On-site plan. **Named evidence/example:** The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside

authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Off-site plan. **Named evidence/example:** The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Role separation. **Named evidence/example:** The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Detection and protection. **Named evidence/example:** Detection, identification, monitoring, zoning of the affected area, suitable responder protection, public shelter or evacuation decisions and access control should follow authorised technical assessment without exposing operational vulnerabilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Decontamination and medical care. **Named evidence/example:** Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Public communication. **Named evidence/example:** Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Liability and recovery. **Named evidence/example:** Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Preparedness-outcome firewall. **Named evidence/example:** A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

ORIGINAL MAINS 6 - 20 MARKS

Question: Critically evaluate whether dense law and preparedness plans ensure CBRN readiness and accountable outcomes. Answer in about 300 words.

Model thesis: **Claim:** CBRN category. **Named evidence/example:** CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** MSIHC boundary. **Named evidence/example:** The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the

mandate-to-implementation-to-outcome boundary. **Claim:** Chemical Accidents Rules. **Named evidence/example:** The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim: Factories-law boundary. **Named evidence/example:** Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim: Public Liability boundary. **Named evidence/example:** The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim: Atomic-energy boundary. **Named evidence/example:** The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim: On-site plan. **Named evidence/example:** The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim: Off-site plan. **Named evidence/example:** The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim: Role separation. **Named evidence/example:** The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim: Decontamination and medical care. **Named evidence/example:** Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim: Public communication. **Named evidence/example:** Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim: Liability and recovery. **Named evidence/example:** Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim: Preparedness-outcome firewall. **Named evidence/example:** A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and

reduced harm require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway.
- The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations.
- The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review.
- Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination.
- The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate.
- The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation.
- The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities.
- The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information.
- The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan.
- Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient.
- Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma.
- Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety.
- A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence.

Qualified conclusion: Claim: CBRN category. **Named evidence/example:** CBRN is the umbrella category chemical, biological, radiological and nuclear; each component has a different hazard mechanism, regulator, detection basis, protective approach and medical pathway. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** MSIHC boundary. **Named evidence/example:** The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 operate under the Environment (Protection) framework and allocate preventive information, safety-report and emergency-planning duties for covered hazardous chemicals and installations. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication.

Qualification: The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Chemical Accidents Rules. **Named evidence/example:** The Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 establish Central, State, District and Local Crisis Group architecture for chemical-accident planning, coordination and review. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Factories-law boundary. **Named evidence/example:**

Factories legislation supplies occupational and hazardous-process safety duties within its field, but it does not replace environmental chemical rules, off-site planning, public liability or disaster-response coordination. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Public Liability boundary. **Named evidence/example:** The Public Liability Insurance Act, 1991 provides a no-fault civil-relief route for accidents involving hazardous substances; immediate relief is distinct from final damages, criminal liability or proof that prevention was adequate. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Atomic-energy boundary. **Named evidence/example:** The Atomic Energy Act framework, DAE responsibilities and AERB regulatory review govern nuclear and radiological safety within their mandates; general disaster authorities do not substitute for technical regulation. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** On-site plan. **Named evidence/example:** The occupier's on-site emergency plan addresses foreseeable facility emergencies, internal command, alarms, shutdown or isolation, worker protection, resources, communication and coordination with outside authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Off-site plan. **Named evidence/example:** The off-site plan addresses consequences beyond the premises and requires the designated district or local authority to coordinate public warning, protective action, traffic, health, environment and external resources using facility information. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Role separation. **Named evidence/example:** The occupier prevents and controls the source, regulators enforce specialised safety, local and district authorities protect the public, and NDRF or other specialised teams support response when requested; overlapping roles require a unified plan. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Decontamination and medical care. **Named evidence/example:** Decontamination, triage, antidote or treatment decisions, referral, responder monitoring and longer-term health surveillance require hazard-specific protocols and trained medical leadership; generic first aid is insufficient. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Public communication. **Named evidence/example:** Authorities should communicate what happened, which area and population are affected, what protective action is authorised, where care is available and what uncertainty remains, while preventing rumours and stigma. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Liability and recovery. **Named evidence/example:** Recovery can require site and environmental remediation, health monitoring, livelihood restoration, investigation, disclosure, compensation or relief and regulatory correction; reopening is not itself proof of restored safety. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Preparedness-outcome firewall. **Named evidence/example:** A law, licence, safety audit, on-site or off-site plan, drill, detector, team or liability mechanism proves a mandate or input; compliance, safe public protection, decontamination, compensation and reduced harm require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.