




# Star 1000

Model 1500




Position	Light Head Type and Style	Amperage
Position 01	Red Lineum	0.550
Position 02	Red Lineum	0.550
Position 03	Red Lineum	0.550
Position 04	Cool White Small Lineum	0.550
Position 05	Cool White Small Lineum	0.550
Position 06	Cool White Small Lineum	0.550
Position 07	Cool White Small Lineum	0.550
Position 08	Blue Lineum	0.550
Position 09	Blue Lineum	0.550
Position 10	Blue Lineum	0.550
Position 11	Cool White Starburst	0.550
Position 12	Blue Lineum	0.550
Position 13	Blue Lineum	0.550
Position 14	Blue Lineum	0.550
Position 15	Blue Lineum	0.550
Position 16	Red Lineum	0.550
Position 17	Red Lineum	0.550
Position 18	Red Lineum	0.550
Position 19	Red Lineum	0.550
Position 20	Cool White Starburst	0.550

Customer	Order Number / PO	Order Date Jun 23, 2015
Order Notes		


# Model 1500

## Production Copy - Bill of Materials




Quantity	Component	Description
7	S121-9L-6R	Red Lineum
4	S121-9-3C	Cool White Small
7	S121-9L-6B	Blue Lineum
2	S121-0-3C	Cool White Starburst

# Wiring Diagram



# Bar Programming



Default  
Program  
1

**Input Map**  
 Level 1 Takedown / Work Lights  
 Level 2 Flashing Alley & Pursuit  
 Level 3 Pattern  
 ICL Dimmer  
 Direct Left Direct Right  
 Left Alley Right Alley  
 --- ---

Default  
Program  
1

## Function Definitions

Function	Positions		Pattern(s)
	Phase A	Phase B	
Takedown / Work Lights	FD-1 thru -2, FP-1 thru -2		Steady Burn
Level 1	RP-1 thru -3, RP-6	RD-1 thru -3, RD-6	Slow Triple
Level 2	FP-3 thru -5	FD-3 thru -5	Quadruple w/ Post Pop
Level 3	FP-3 thru -5, RP-1 thru -3, RP-6	FD-3 thru -5, RD-1 thru -3, RD-6	Random 2
Direct Left	RP-1 thru -3, RD-1 thru -3		Snake
Direct Right	RP-1 thru -3, RD-1 thru -3		Snake
Left Alley	FD-6		Steady Burn
Right Alley	FP-6		Steady Burn
ICL	FP-5	FD-5	Flicker
Dimmer	FD-1 thru -6, FP-1 thru -6, RP-1 thru -3, RP-6, RD-1 thru -3, RD-6		Steady Burn
Flashing Pursuit	FP-1 thru -2	FD-1 thru -2	Fast Triple
Flashing Alley	FP-6	FD-6	Flicker