

Sample Data File

^reformat trunc ^symbolset WINLATIN1 ^field trans_date 2000-01-1 ^field description Description for item #1 ^field trans type TYPE1 ^field trans_amount 11.00 ^page 1 ^field trans_date 2000-01-2 ^field description Description for item #2 ^field trans_type TYPE2 ^field trans_amount 11.00 ^page 1 ^field trans_date 2000-01-3 ^field description Description for item #3 ^field trans_type TYPE3

Sample Bookmark File

[invoices]
Invoices by Date=0
trans_date=1,A
[type]
Invoices by Item Type=0
trans_type=1,A
[amount]
Invoices by Transaction Amount=0
trans_amount=1,D



The example bookmark file includes three distinct sections:

- Invoices sorted, ascending, by date.
- Invoices sorted, ascending, by item type.
- Invoices sorted, descending, by transaction amount.

PDF Bookmark Sample Page 2 of 4



Sample Files

This sample package contains:

Filename	Description
ap_bookmark.IFD	The template design.
ap_bookmark.mdf	The template targeted for PDF output.
ap_bookmark.dat	A sample data file in DAT format.
ap_bookmark.bmk	A sample bookmark file.
ap_bookmark.pdf	Sample PDF output.
ap_bookmark_doc.pdf	A document describing the sample.

Deploying the Sample

To deploy this sample in your environment:

- 1. Open the template design ap_bookmark.IFD in Output Designer and recompile the template for the appropriate presentment target.
- 2. Modify the -z option in the ^job command in the data file ap_bookmark.dat to:
 - Identify the target output device.
 - Identify the bookmark file using the -abmk command.
 - Identify the section for which to generate bookmarks, if desired, using the -abms command.

For example,

To bookmark by	Use the command line parameter
Invoices	-abmkap_bookmark.bmk -abmsinvoices
Туре	-abmkap_bookmark.bmk -abmstype
Amount	-abmkap_bookmark.bmk -abmsamount

PDF Bookmark Sample Page 3 of 4



- 3. Place the accompanying files in directories consistent with your implementation:
 - Place ap_bookmark.IFD in the Designs subdirectory for Output Designer.
 - Place ap_bookmark.mdf in the forms subdirectory accessible to Central.
 - Place ap_bookmark.bmk in an addressable directory.

Running the Sample

• To run this sample, place ap_bookmark.dat in the collector directory scanned by Central.



PDF Bookmark Sample Page 4 of 4