



superPersonService SuperPersonService organizationDao: OrganizationDao powerDao: PowerDao + createPower(Power): Power sightingDao: SightingDao + getAllPowers(): List<Power> - superPersonOrganizationDao SuperPersonOrganizationDao + getPowerById (Integer): Power - superPersonPowerDao SuperPersonPowerDao + updatePower(Power): Power - superPersonSightingDao SuperPersonSightingDao + deletePower(Integer): Power + addSuperPersonToPower(SuperPerson, Power): SuperPersonPower + addSuperPersonToPower(Integer, Integer): SuperPersonPower + deleteSuperPersonFromPower(SuperPerson, Power): SuperPersonPower - getAllSuperPersonsBySightingLocation (Location): List<SuperPerson> + addSuperPersonToOrganization(SuperPerson, Organization): SuperPersonOrganization + addSuperPersonToOrganization(Integer, Integer): SuperPersonOrganization + removeSuperPersonFromOrganization(SuperPerson, Organization): SuperPersonOrganizati + getAllSuperPersonsByOrganization (Organization): List<SuperPerson> + removeSuperPersonFromPower(Integer, Integer): SuperPersonPower + createSuperPerson(SuperPerson): SuperPerson + removeSuperPersonFromOrganization(Integer, Integer): SuperPersonOrganization + removeSuperPersonFromSighting(Integer, Integer): SuperPersonSighting + getAllSuperPersonsBySighting (Sighting): List<SuperPerson> + addSuperPersonToSighting(SuperPerson, Sighting): SuperPersonSighting + removeSuperPersonFromSighting(SuperPerson, Sighting): SuperPersonSighting + addSuperPersonToSighting(Integer, Integer): SuperPersonSighting - getAllSuperPersons(): List<SuperPerson> - getSuperPersonByld(Integer): SuperPerson updateSuperPerson(SuperPerson): SuperPerson deleteSuperPerson(Integer): SuperPerson

PowerDao				
- jdbcTemplate: JdbcTemplate				
- SQL_INSERT_POWER: String				
- SQL_GET_POWER: String				
- SQL_UPDATE_POWER: String				
- SQL_DELETE_POWER: String				
- SQL_LIST_POWER: String				
+ createPower(Power power): Power				
+ getAllPowers(): List <power></power>				
+ getPowerById (Integer powerId): Power				
+ updatePower(Power power): Power				
+ removePower (Integer): Power				

# SQL\_INSERT\_SUPERPERSON\_POWER: String SQL\_GET\_SUPERPERSON\_POWER: String SQL\_UPDATE\_SUPERPERSON\_POWER: String SQL\_DELETE\_SUPERPERSON\_POWER: String SQL\_LIST\_SUPERPERSON\_POWER + deleteSuperPersonPower (Integer): SuperPersonPower + updateSuperPersonPower(SuperPersonPower): SuperPersonPowe getSuperPersonPowerByld (Integer powerld): SuperPersonPower + getAllSuperPersonPowers(): List<SuperPersonPower> create Super Person Power (Super Person Power power):SuperPersonPower

SuperPersonPowerDao

- jdbcTemplate: JdbcTemplate

		SuperPersonDao					
	- jdbcTemplate: JdbcTemplate						
		- SQL_INSERT_SUPERPERSON: String					
		- SQL_GET_SUPERPERSON: String					
		- SQL_UPDATE_SUPERPERSON: String					
		- SQL_DELETE_SUPERPERSON: String					
		- SQL_LIST_SUPERPERSON: String					
		+ deleteSuperPerson (Integer): SuperPerson					
er		+ createSuperPerson(SuperPerson): SuperPerson					

SQL_LIST_SUPERPERSON: String
- deleteSuperPerson (Integer): SuperPerson
- createSuperPerson(SuperPerson): SuperPerson
getAllSuperPersons(): List <superperson></superperson>
getSuperPersonById (Integer): SuperPerson
- updateSuperPerson(SuperPerson): SuperPerson
getAllSuperPersonsBySighting (Sighting): List <superpersor< td=""></superpersor<>

- getAllSuperPersonsBySightingLocation (Location):

- getAllSuperPersonsByOrganization (Organization):

\_ist<SuperPerson>

ist<SuperPerson>

	+ deleteSuperPersonS
	+ updateSuperPersonS
	+ getSuperPersonSigh
	+ getAllSuperPersonSi
>	+ createSuperPersonS SuperPersonSighting

jdbcTemplate: JdbcTemplate	- jdbcTempla
SQL_INSERT_SUPERPERSON_SIGHTING: String	- SQL_INSEI
SQL_GET_SUPERPERSON_SIGHTING: String	- SQL_GET_S
SQL_UPDATE_SUPERPERSON_SIGHTING: String	- SQL_UPDA
SQL_DELETE_SUPERPERSON_SIGHTING: String	- SQL_DELE <sup>-</sup>
SQL_LIST_SUPERPERSON_SIGHTING: String	- SQL_LIST_
- deleteSuperPersonSighting (Integer): SuperPersonSighting	+ createSigh
- updateSuperPersonSighting(SuperPersonSighting): SuperPersonSighting	+ removeSigl
- getSuperPersonSightingByld (Integer): SuperPersonSighting	+ getSighting
- getAllSuperPersonSightings(): List <superpersonsighting></superpersonsighting>	+ getAllSight
rcreateSuperPersonSighting(SuperPersonSighting): SuperPersonSighting	+ updateSigh

SuperPersonSightingDao

superPersonService SuperPersonService

- getAllSightingsByDate (LocalDate):

- createSighting(Sighting): Sighting

- deleteSighting(Integer): Sighting

- getSightingById(Integer): Sighting - getAllSightings(): List<Sighting>

- updateSighting(Sighting): Sighting

\_ist<Siahtina>

## - getAllLocationsBySuperPersonId Integer): List<Sighting>

- + addLocation(Location): Location
- getLocationByld(Integer): Location
- + getAllLocations(): List<Location>
- + updateLocation(Location): Location
- removeLocation(Location): Location
- + createAddress(Address): Address
  - + getAllAddresses(): List<Address>
  - getAddressById(Integer): Address
  - updateAddress(Address): Address
  - + deleteAddress(Integer): Address

# + getAllOrganizationsBySuperPerson

- superPersonService SuperPersonService

- + addOrganization(Organization): Organization
- + getOrganizationById(Organization): Organization
- + getAllOrganizations(): List<Organization>
- + updateOrganization(Organization): Organization
- + deleteOrganization(Organization): Organization

# SightingDao

te: JdbcTemplate

RT\_SIGHTING: String SIGHTING: String

TE\_SIGHTING

re\_sighting SIGHTING

ting(Sighting sighting): Sighting

hting (Integer): Sighting

Byld (Integer SightingId): Power

ings(): List<Sighting>

ting(Sighting sighting): Sighting

gsByDate (LocalDate): List<Sighting>

#### LocationDao

- · jdbcTemplate: JdbcTemplate
- SQL\_INSERT\_LOCATION: String
- SQL\_GET\_LOCATION: String
- SQL\_UPDATE\_LOCATION: String
- SQL\_DELETE\_LOCATION: String
- SQL\_LIST\_LOCATION: String
- + createLocation(Location): Location
- + getLocationById (Integer): Power
- + getAlLocations(): List<Location>
- + updateLocation(Location): Location
- removeLocation(Location): Location
- +getAllLocationsBySuperPerson (SuperPerson): List<Location>

# AddressDao

- jdbcTemplate: JdbcTemplate

- SQL\_UPDATE\_LOCATION: String
- SQL\_DELETE\_LOCATION: String

- SQL\_INSERT\_ADDRESS: String
- SQL\_GET\_ADDRESS: String

- SQL\_LIST\_LOCATION: String
- createAddress(Address): Address
- updateAddress(Address): Address
- + getAllAddresses(Address): List<Address>
- + getAddressById (Integer): Address
- + removeAddress (Integer): Address

#### SuperPersonOrganizationDao

- jdbcTemplate: JdbcTemplate
- SQL\_INSERT\_SUPERPERSON\_ORGANIZATION
- SQL\_GET\_SUPERPERSON\_ORGANIZATION: String
- SQL\_UPDATE\_SUPERPERSON\_ORGANIZATION: String
- SQL\_DELETE\_SUPERPERSON\_ORGANIZATION: String
- SQL\_LIST\_SUPERPERSON\_ORGANIZATION: String
- + createSuperPersonOrganization(Sighting sighting): SuperPersonOrganization
- updateSuperPersonOrganization(Sighting sighting): Sighting
- + getAllSuperPersonOrganizations(): List<Sighting>
- + getSuperPersonOrganizationById (Integer SightingId): Power
- + removeSuperPersonOrganization(Integer): Sighting

#### OrganizationDao

- jdbcTemplate: JdbcTemplate
- SQL\_INSERT\_ORGANIZATION: String
- SQL\_GET\_ORGANIZATION: String
- SQL\_UPDATE\_ORGANIZATION: String
- SQL\_DELETE\_ORGANIZATION: String
- SQL\_LIST\_ORGANIZATION: String
- createOrganization(Organization organization): Organization
- + removeOrganization(Integer): Organization
- getOrganizationById (Integer OrganizationId):
- getAllOrganizations(): List<Organization>
- · updateOrganization(Organzation organization) Organization
- List<Organization> getAllOrganizationsBySuperPerson

# Power SuperPersonPower

- powerld: Integer superPersonPowerld: Integer
- name: String SuperPerson: superPerson
  - Power: power
    - + getters
    - + setters

# SuperPerson

- superPersonId: Integer
- name: String
- description: String
- isGood: boolean
- + getters
- + setters

#### Location

- locationId: Integer

+ getters

+ setters

- name: String
- description: String
- Address: address
- latitude: String
- longitude: String
- + getters
- + setters

## **SuperPersonOrganization**

- superPersonOrganizationId: Integer
- SuperPerson: superPerson
- Organization: organization
- + getters
- + setters

### Organization

- organizationId: Integer
- name: String
- description: String
- Location: location
- phone: String
- isGood: Boolean
- + getters
- + setters

# SuperPersonSighting

- superPersonSightingId: Integer
- SuperPerson: superPerson
- Sighting: sighting
- + getters
- + setters

# Sighting

- sightingld: Integer
- date: DateTime
- Location: location
- description: String
- + getters
- + setters

### Address

- addressld: Integer
- street: String
- city: String
- state: String
- zipCode: String
- + getters
- + setters