

PCP Nexus - Logic Confirmation Document

Professional Civil Process of Texas, Inc. - Automated Document Processing System

Version 4.2 - Updated February 10, 2026 - Incorporates All Client Feedback from Brandy Knight (VP, PCP)

Version 4.0 Changes: Clarifications from Brandy Knight (VP, PCP) on February 10, 2026. Updated defaults: (1) Phase 1 PDF output → \\172.31.47.151\psaffidavits\Output, (2) Phase 1 CSV → \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Affidavits, (3) Phase 2 CSV schedule set to **hourly**, (4) CSV paths now phase-specific.

Version 4.1 Changes: Added the **CSV Rotation & Archive Lifecycle** (Section 4.4). Each phase now operates a "rotate and replace" cycle: before each scheduled CSV placement, existing files in the output folder are moved to a configurable **Archive Folder**, then a fresh CSV is placed. Phase 2 edge case documented: jobs still in the 20-minute aggregation window at the top of the hour are excluded from the current CSV and roll into the next hourly report. New configurable settings added: CSV Archive Path per phase. All settings remain fully configurable through the PCP Nexus Settings interface.

Version 4.2 Changes (February 10, 2026):

- **Tyler Multi-Document Download:** A single Tyler download link can now lead to a ViewDocuments page listing multiple documents (e.g., AX40 Petition + CL Clerk Letters). The system now parses *all* documents from the Tyler page, extracts each filename, applies the discard rules per-file, and downloads only actionable documents. Previously, only the first document was captured.
- **Full-Filename Discard Scanning:** The discard check for AX69, AX81, and CL identifiers now scans the *entire filename* (case-insensitive), not just the prefix. This catches documents like **AX40A25C05955CL.pdf** where the CL identifier appears at the end of the filename.
- **Phase 2 Output Naming:** Merged petition PDFs are now named using the actual **Lead Document filename** from the Tyler email (e.g., AX40A26103433.PDF), rather than constructing a name from the Envelope ID.
- **Dashboard — Envelope Number Column:** The "Recent Filings" table in the dashboard now includes an **Env #** column showing the Tyler Envelope Number for each processed filing.
- **Dashboard — CSV Phase Segmentation:** The 24-Hour Activity Log now has separate **Phase 1 CSV** and **Phase 2 CSV** export buttons. Each button exports only the relevant phase's data with phase-appropriate column headers. Phase 1 CSV omits Case # and Lead Doc columns. Phase 2 CSV includes all columns.

Answers to Your Questions

The following answers respond directly to the questions raised by Brandy Knight (VP, PCP) during the review of Version 2.0 of this document and in subsequent email correspondence.

#	Your Question	Our Answer
1	Are we going to receive both a CSV file and an Excel spreadsheet?	Yes. The system will generate both. The CSV file contains the 8 columns needed for FilePro import (Envelope_Num, Case_Num, Date_Submitted, Time_Submitted, Date_Accepted, Time_Accepted, Lead_Document, PCP_Job_Num). The Excel spreadsheet contains additional detail columns such as accepted comments, download URLs, processing timestamps, and status information. See Section 4 for full CSV specifications.
2	Is it going to be okay to have both spreadsheets (CSV and Excel) in the same folder? Or should the Excel be in a different folder?	They will be in separate folders. The CSV files will be placed in their respective phase-specific network share folders: • Phase 1 (eAffidavits): \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Affidavits • Phase 2 (eFiling Petitions): \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Petitions The Excel spreadsheet will be stored separately in the PCP Nexus application's local data folder on the server. This eliminates any risk of the Excel file interfering with the CSV file or your FilePro task scheduler.
3	We only need the spreadsheets once a day. When is the system going to place the spreadsheets? Is 10:00 PM okay?	The two phases operate on different schedules: • Phase 1 (eAffidavits): CSV placed once per day at 10:00 PM into \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Affidavits • Phase 2 (eFiling Petitions): CSV placed every hour into \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Petitions Rotate & Replace: Before each scheduled CSV placement, the system moves all existing files from the output folder to a configurable Archive Folder, then places the fresh CSV into the now-empty output folder. This ensures the output folder always contains only the latest report. Nothing is deleted — historical files are preserved in the archive for audit purposes. Phase 2 Edge Case: If a petition envelope is still in the 20-minute aggregation window at the top of the hour, it will not be included in the current CSV. It will appear in the next hourly report once processing

		completes. This ensures data integrity — only fully processed documents appear in the CSV. Both schedules are configurable in the PCP Nexus Settings interface and can be changed at any time without a code update. The CSV will also be automatically emailed to the designated recipient (configurable) via the Outlook connection the bot already uses. Important Note: We recommend restarting the computer workstation every morning to ensure the workstation does not consume excessive memory over time and cause issues with the software. In the event the computer is offline during the time the report is due, the report will be delivered upon the next startup.
4	Do we need a separate Expired Links folder?	No. Expired links and all errors will be moved to the AI Exceptions folder. Download links from Tyler Technologies are active for 45 days, so expiration should be rare. If PCP later determines that a separate Expired Links sub-folder is needed, this can be added through the PCP Nexus Settings interface without any code changes.
5	The dashboard shows exceptions - is it going to combine both phases' AI Exceptions folders together?	Yes. The dashboard will show all exceptions from both the eaffidavits@pcpusa.net mailbox (Phase 1) and the efiling@pcpusa.net mailbox (Phase 2) in a single combined Exceptions view. Each exception will be labeled with its Phase (Phase 1 or Phase 2) and its Exception Type (Expired Link, Download Error, Invalid Sender, Missing Envelope ID, etc.) so you can filter and sort by either column.
6	AX69 - should this be processed or ignored?	Ignored. AX69 (Misc Court Request), along with AX81 (Misc Court Request) and CL (Clerk Letter), are received in the mailbox but filed away only. The bot will not save, rename, or merge documents with these prefixes. They are discarded during processing.

Configurability - Nothing Is Hardcoded

All mailboxes, folder names, output paths, and scheduling settings are fully configurable through the PCP Nexus Settings interface. Nothing is hardcoded into the application. The values shown throughout this document (mailbox addresses, folder names, network share paths, CSV placement time, auto-email recipients) are the current recommended defaults. PCP can change any of these settings at any time through the Settings interface without requiring a code update, a redeployment, or developer involvement.

Specifically, the following are all independently configurable per mailbox:

- **Mailbox address** - which shared Outlook mailbox to monitor (e.g., eaffidavits@pcpusa.net, efiling@pcpusa.net)
- **Input folder name** - where new emails are picked up from (e.g., AI To Be Completed, 1 - Accepted Filing)
- **Completed folder name** - where processed emails are moved to (e.g., 3 - AI Completed)
- **Exception folder name** - where errors and expired links are moved to (e.g., AI Exceptions)
- **PDF output folder path** - where renamed or merged PDF files are saved (e.g., Phase 1: \\172.31.47.151\psaffidavits\Output, Phase 2: \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Petitions)
- **CSV output folder path** - where the CSV file is placed (e.g., Phase 1: \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Affidavits, Phase 2: \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Petitions)
- **CSV placement schedule** - when the CSV is generated and placed (e.g., Phase 1: daily at 10:00 PM, Phase 2: every hour)
- **Auto-email recipient** - who receives the daily CSV email (configurable, with on/off toggle)

1. System Overview

PCP Nexus is an automated document processing system that monitors two shared Microsoft Outlook mailboxes for accepted court filing notifications from Tyler Technologies. The system operates in two distinct phases:

Setting	Phase 1 - eAffidavits (Single Document Processing)	Phase 2 - eFiling Petitions (Multi-Document Merge Processing)
Mailbox	eaffidavits@pcpusa.net	efiling@pcpusa.net
Sender Email	no-reply@efilingmail.tylertech.cloud	no-reply@efilingmail.tylertech.cloud
Subject Line Contains	Filing Accepted	Filing Accepted
Input Document Prefixes (received in email)	AX02, AX03, AX07, AX09	AX40, AXPB, AXPE, AXPM, AXPL, AXPA, AX69, AX81, CL
Output Document Prefixes (after rename)	AX42, AX43, AX47, AX89	AX40 (merged petition document)

Processing Type	Single document: download, rename, save	Multiple documents: gather by Envelope ID, merge into one PDF, save
-----------------	---	---

Important Clarification - Input vs. Output Prefixes:

Phase 1 receives documents with prefixes AX02, AX03, AX07, and AX09. These are the naming conventions in the emails as received from Tyler Technologies. After the bot downloads the file-stamped copy, it renames AX02 to AX42, AX03 to AX43, AX07 to AX47, and AX09 to AX89. The renamed prefixes (AX42, AX43, AX47, AX89) are the output naming conventions, not the input naming conventions.

Important Clarification - Phase 2 Ignored Documents:

Phase 2 receives documents with prefixes AX40, AXPB, AXPE, AXPM, AXPL, AXPA, AX69, AX81, and CL. Of these, AX69 (Misc Court Request), AX81 (Misc Court Request), and CL (Clerk Letter) are received but filed away only. These documents do not need to be saved, renamed, or merged with any other document. The bot scans the **entire filename** (case-insensitive) for these identifiers during processing. For example, a file named AX40A25C05955CL.pdf will be discarded because "CL" appears in the filename.

2. Phase 1 - eAffidavits Processing

2.1 Source Configuration

Setting	Value	Confirm
Mailbox	eaffidavits@pcpusa.net	☐
Sender Email Address	no-reply@efilingmail.tylertech.cloud	☐
Input Folder	AI To Be Completed <i>(Single flat folder - all accepted emails with AX02, AX03, AX07, or AX09 in the body are moved here. No subfolders by document type.)</i>	☐
Completed Folder	3 - AI Completed <i>(Configurable in PCP Nexus Settings interface)</i>	☐
Exception Folder	AI Exceptions <i>(All errors and expired links are moved here. Configurable in PCP Nexus Settings interface.)</i>	☐

Output Folder for PDF Files	Configurable in PCP Nexus Settings interface <i>Default: 172.31.47.151 psaffidavits Output</i>	☐
Output Folder for CSV File	Configurable in PCP Nexus Settings interface <i>Default: 172.31.47.151 psaffidavits AI_Inbound File_Stamped_Affidavits</i>	☐
Archive Folder for CSV Rotation	Configurable in PCP Nexus Settings interface <i>Default:</i> 172.31.47.151 psaffidavits AI_Inbound File_Stamped_Affidavits Archive Before each nightly CSV placement, existing files are moved here.	☐

Note: All folder names and output paths shown above are the recommended defaults. Every folder path is configurable through the PCP Nexus Settings interface. PCP can change any folder name or network path at any time without requiring a code change.

2.2 Phase 1 Workflow - Step by Step

Step 1. Bot opens Microsoft Outlook and navigates to the shared mailbox **eaaffidavits@pcpusa.net**.

Step 2. Bot opens the input folder **AI To Be Completed** (single flat folder, no subfolders).

Step 3. Bot selects the **oldest unread email** in the folder.

Step 4. Bot validates: (a) Sender email address equals **no-reply@efilingmail.tylertech.cloud**, and (b) Subject line contains **Filing Accepted**. If either check fails, the email is moved to **AI Exceptions**.

Step 5. Bot reads the email body and identifies the **Lead Document prefix**. The prefix must be one of: **AX02**, **AX03**, **AX07**, or **AX09**. If the prefix does not match any of these four, the email is moved to **AI Exceptions**.

Step 6. Bot clicks the hyperlink in the email body to **download the file-stamped PDF document** from Tyler Technologies. If the download link has expired (links are active for 45 days) or is corrupted, the email is moved to **AI Exceptions**.

Step 7. Bot extracts the **PCP Job Number** from the Lead Document file name. The PCP Job Number is always 9 characters long, starts with the letter A, and follows the 4-character prefix. Example: from the file name **AX02A25C05955.pdf**, the PCP Job Number is **A25C05955**.

Step 8. Bot **renames the downloaded file** by replacing the input prefix with the corresponding output prefix, keeping the PCP Job Number unchanged:

Input Prefix (Received)	Output Prefix (Renamed)	Example Input File Name	Example Output File Name
AX02	AX42	AX02A25C05955.pdf	AX42A25C05955.pdf
AX03	AX43	AX03A25A05247.pdf	AX43A25A05247.pdf
AX07	AX47	AX07A25A01870.pdf	AX47A25A01870.pdf
AX09	AX89	AX09A25B02479.pdf	AX89A25B02479.pdf

Note: Three of the output prefixes begin with AX4 (AX42, AX43, AX47). One output prefix begins with AX8 (AX89).

Step 9. Bot **saves the renamed PDF file** to the configured output folder (default: \\172.31.47.151\psaffidavits\Output).

Step 10. Bot **marks the email as read** and **moves it** to the completed folder **3 - AI Completed**.

Step 11. Bot **logs the processed email** to the SQLite database and the PCP Nexus Dashboard.

Step 12. Bot **saves the CSV spreadsheet** to the configured CSV output folder (default: \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Affidavits). See Section 4 for full CSV specifications.

Step 13. Bot checks for more unread emails in the input folder. If more emails exist, return to Step 3. If no more emails exist, the processing cycle is complete.

2.3 Phase 1 Prefix Reference Table

Input Prefix	Document Type	Output Prefix	Action	Example Input	Example Output	Confirm
AX02	Affidavit - Return of Service	AX42	Download, Rename, Save	AX02A25C05955.pdf	AX42A25C05955.pdf	☐

AX03	Affidavit - Due and Intelligent Search	AX43	Download, Rename, Save	AX03A25A05247.pdf	AX43A25A05247.pdf	☐
AX07	Affidavit - Non Est	AX47	Download, Rename, Save	AX07A25A01870.pdf	AX47A25A01870.pdf	☐
AX09	Affidavit - Military	AX89	Download, Rename, Save	AX09A25B02479.pdf	AX89A25B02479.pdf	☐

2.4 PCP Job Number Format

Rule	Requirement	Confirm
Total Length	Always exactly 9 characters (including the leading letter A)	☐
Starts With	Always starts with the uppercase letter A	☐
Characters	Alphanumeric only (uppercase letters A-Z and digits 0-9). No dashes, underscores, extra spaces, or symbols.	☐
Extraction Method	Extracted from the Lead Document file name by removing the 4-character prefix (AX##). Everything after the prefix is the PCP Job Number.	☐
Example 1	Lead Document: AX02A25C05955.pdf → PCP Job Number: A25C05955	☐
Example 2	Lead Document: AX09A25B02479.pdf → PCP Job Number: A25B02479	☐
Example 3	Lead Document: AX07A25A05247.pdf → PCP Job Number: A25A05247	☐

3. Phase 2 - eFiling Petitions Processing

3.1 Source Configuration

Setting	Value	Confirm
Mailbox	efiling@pcpusa.net	☐
Sender Email Address	no-reply@efilingmail.tylertech.cloud	☐
Input Folder	1 - Accepted Filing <i>(Configurable in PCP Nexus Settings interface)</i>	☐
Completed Folder	3 - AI Completed <i>(Configurable in PCP Nexus Settings interface)</i>	☐
Exception Folder	AI Exceptions <i>(All errors, expired links, and corrupted downloads are moved here. There is no separate Expired Links folder. Configurable in PCP Nexus Settings interface.)</i>	☐
Output Folder for Merged PDF Files	Configurable in PCP Nexus Settings interface <i>Default: 172.31.47.151 psaffidavits AI_Inbound File_Stamped_Petitions</i>	☐

No Separate Expired Links Folder: There is no separate folder for expired links. Download links from Tyler Technologies are active for 45 days. If a link has expired or is corrupted, the email is moved to the **AI Exceptions** folder. If in the future PCP determines that a separate Expired Links sub-folder is needed, this can be configured in the PCP Nexus Settings interface.

3.2 Phase 2 Workflow - Step by Step

Step 1. Bot opens Microsoft Outlook and navigates to the shared mailbox **efiling@pcpusa.net**.

Step 2. Bot opens the input folder **1 - Accepted Filing**.

Step 3. Bot scans the folder for unread emails. For each email, the bot validates: (a) Sender email address equals **no-reply@efilingmail.tylertech.cloud**, and (b) Subject line contains **Filing Accepted**.

Emails that fail either check are moved to **AI Exceptions**.

Step 4. Bot reads the email body and extracts the **Envelope ID** (a unique identifier assigned by Tyler Technologies to group related documents). If no Envelope ID is found, the email is moved to **AI Exceptions**.

Step 5. Bot identifies the **Lead Document prefix** from the email body. The prefix determines how the document is handled:

- **Actionable prefixes** (download and merge): AX40, AXPB, AXPE, AXPM, AXPL, AXPA
- **Ignored identifiers** (discard - do not save or merge): AX69 (Misc Court Request), AX81 (Misc Court Request), CL (Clerk Letter)

The discard check scans the **entire filename** (case-insensitive), not just the prefix. For example, a file named **AX40A25C05955CL.pdf** will be discarded because "CL" appears in the filename, even though the prefix is AX40.

Step 6. Once the Envelope ID is identified, the bot **searches the entire input folder** for all other emails with the same Envelope ID. This ensures that all related documents for the same filing are gathered before merging, even if they arrived at different times.

Step 7. Bot waits for a **20-minute aggregation window** to allow all related documents to arrive. After 20 minutes, the bot proceeds with whatever documents have been collected for that Envelope ID.

Step 8. Bot clicks the hyperlink in each email to **download the file-stamped PDF document** from Tyler Technologies. If the download link leads to a Tyler **ViewDocuments** landing page (multi-document page), the bot automatically parses **all** documents listed on the page, extracts each document's filename, applies the discard rules per-file (skipping AX69, AX81, and CL documents), and downloads only actionable documents. If any download link has expired (links are active for 45 days) or is corrupted, that email is moved to **AI Exceptions**.

Step 9. Bot **sorts the downloaded documents** for merging. The document with prefix **AX40 (Petition)** is always placed as **Page 1** (the anchor document). All other actionable documents (AXPB, AXPE, AXPM, AXPL, AXPA) are merged after AX40 in the order received. Documents with ignored prefixes (AX69, AX81, CL) are discarded and not included.

Step 10. Bot **merges all sorted documents into a single PDF file**. The merged file is named using the format: the prefix **AX40** (unchanged) followed by the **PCP Job Number** (9 characters, starting with the letter A), followed by **.pdf**. The PCP Job Number is extracted from the AX40 (Petition) document's original file name by removing the first 4 characters (the AX40 prefix).

Part	Value	Characters
Prefix	AX40	4 characters
PCP Job Number	A25C05955	9 characters (starts with A, alphanumeric)
Extension	.pdf	4 characters
Full File Name	AX40A25C05955.pdf	17 characters total

The AX40 prefix does not change (unlike Phase 1 where AX03 becomes AX43). The merged output uses the exact Lead Document filename from the Tyler email (e.g., AX40A26103433.PDF).

Step 11. Bot **saves the merged PDF file** to the configured output folder (default: \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Petitions).

Step 12. Bot **marks all related emails as read** and **moves all of them** to the completed folder **3 - AI Completed**. All emails for the same Envelope ID move together.

Step 13. Bot **logs the processed filing** to the SQLite database and the PCP Nexus Dashboard.

Step 14. Bot checks for more unprocessed Envelope IDs. If more exist, return to Step 4. If none remain, the processing cycle is complete.

3.3 Phase 2 Prefix Reference Table

Prefix	Document Type	Action	Merge Role	Confirm
AX40	Petition	Actionable - Download, Merge, Save	Page 1 (Anchor Document)	☐
AXPB	Business Records Affidavit	Actionable - Download, Merge, Save	Merge Part (placed after AX40)	☐
AXPE	Exhibits	Actionable - Download, Merge, Save	Merge Part (placed after AX40)	☐
AXPM	Military Affidavit	Actionable - Download, Merge, Save	Merge Part (placed after AX40)	☐

AXPL	Last Known Address	Actionable - Download, Merge, Save	Merge Part (placed after AX40)	☐
AXPA	Attachments (General)	Actionable - Download, Merge, Save	Merge Part (placed after AX40)	☐
AX69	Misc Court Request	IGNORED - Do not save or merge	N/A - Discarded	☐
AX81	Misc Court Request	IGNORED - Do not save or merge	N/A - Discarded	☐
CL	Clerk Letter	IGNORED - Do not save or merge	N/A - Discarded	☐

3.4 Phase 2 Key Rules

#	Rule	Description	Confirm
1	Envelope ID Required	Every email must contain an Envelope ID. If missing, the email is moved to AI Exceptions.	☐
2	20-Minute Aggregation Window	The bot waits 20 minutes after detecting a new Envelope ID to allow all related documents to arrive before merging.	☐
3	AX40 Is Always Page 1	The Petition document (AX40) is always placed as the first page of the merged PDF.	☐
4	Discard Ignored Identifiers	Documents containing AX69, AX81, or CL anywhere in the filename (case-insensitive) are discarded and never included in the merged PDF. The discard check scans the entire filename, not just the prefix. For example, AX40A25C05955CL.pdf would be discarded because "CL" appears in the filename.	☐
5	All Parts Move Together	When processing is complete, all emails for the same Envelope ID are moved to 3 - AI Completed together.	☐
6	Search Entire Folder	Once an Envelope ID is identified, the bot searches the entire input folder for all emails with the same Envelope ID to ensure no documents are missed.	☐

7	Tyler Multi-Document Pages	A single Tyler download link can lead to a ViewDocuments page listing multiple documents (e.g., one Lead Document and two Clerk Letters). The bot parses all documents from the Tyler page, extracts each filename, applies discard rules per-file, and downloads only actionable documents. Previously missed documents on multi-document pages are now captured.	☐
---	----------------------------	---	--------------------------

4. Data Output - CSV Spreadsheet Specifications

4.1 CSV File - Phase 1 (eAffidavits)

Setting	Value	Confirm
File Format	.csv (comma-separated values)	☐
File Name Format	eaffidavits_accepted_MMDDYYYY.csv <i>Example: eaffidavits_accepted_02072026.csv</i>	☐
Folder Pathway	Configurable in PCP Nexus Settings interface <i>Default: \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Affidavits</i>	☐
Title Row (Row 1)	eaffidavits Accepted Spreadsheet	☐
Frequency	Once per day at 10:00 PM (configurable in PCP Nexus Settings interface)	☐
Rotation Behavior	Before the nightly CSV is placed, all existing files in the output folder are moved to the Archive Folder (configurable, default: \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Affidavits\Archive). The output folder is then cleared and the fresh CSV is placed. Historical data is preserved in timestamped archive subfolders for audit purposes.	☐
Auto-Email	The CSV file will also be automatically emailed to the designated recipient via the same Outlook connection the bot already uses. The recipient email address, send time, and on/off toggle are all configurable in the PCP Nexus Settings interface.	☐

4.2 CSV Column Headers (Row 2) - In Exact Order, Left to Right

Column	Header Name	Description	Format	Example
Column A	Envelope_Num	The Envelope ID number from the Tyler Technologies filing notification email	Numeric	108795043

Column B	Case_Num	The Case Number extracted from the body of the filing notification email	Text (alphanumeric with dashes)	JPC-25-13269-11
Column C	Date_Submitted	The date the filing was originally submitted to the court	MM/DD/YYYY	12/05/2025
Column D	Time_Submitted	The time the filing was originally submitted to the court	H:MM AM/PM	4:58 PM
Column E	Date_Accepted	The date the filing was accepted by the court	MM/DD/YYYY	12/06/2025
Column F	Time_Accepted	The time the filing was accepted by the court	H:MM AM/PM	11:12 AM
Column G	Lead_Document	The full file name of the lead document as received in the email, including the .pdf extension	Text	AX02A25C05955.pdf
Column H	PCP_Job_Num	The PCP Job Number extracted from the Lead Document file name by removing the 4-character prefix (AX##). The Job Number starts with the letter A and is always 9 characters long.	Text (9 characters)	A25C05955

How PCP_Job_Num Is Extracted: The PCP Job Number is derived from the Lead_Document column by removing the first 4 characters (the AX## prefix). For example, if the Lead_Document is **AX02A25C05955.pdf**, remove the prefix **AX02** to get **A25C05955**. The Job Number always starts with the letter A and is always exactly 9 characters long (including the A).

4.3 Excel Spreadsheet - Additional Detail Report

Answer to Brandy's Question - CSV and Excel Files:

Yes, the system will generate **both** a CSV file and an Excel spreadsheet. The CSV file (described above) contains the 8 columns needed for FilePro import: Envelope_Num, Case_Num, Date_Submitted, Time_Submitted, Date_Accepted, Time_Accepted, Lead_Document, and PCP_Job_Num. The Excel spreadsheet contains additional detail columns such as accepted comments, download URLs, processing timestamps, and status information. The Excel file is stored separately in the PCP Nexus application's local data folder on the server and will **not** be placed in the same folder as the CSV file. This eliminates any risk of the Excel file interfering with the CSV file or your task scheduler.

CSV Folder Paths (Phase-Specific):

- Phase 1 (eAffidavits) CSV → \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Affidavits
- Phase 2 (eFiling Petitions) CSV → \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Petitions

Archive Folders (Phase-Specific):

- Phase 1 Archive → \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Affidavits\Archive
 - Phase 2 Archive → \\172.31.47.151\psaffidavits\AI_Inbound\File_Stamped_Petitions\Archive
- Before each scheduled CSV placement, existing files are moved to the archive folder. The output folder always contains only the latest report.

4.4 CSV Rotation & Archive Lifecycle

How CSV Rotation Works: The system operates a “rotate and replace” cycle for both phases. This ensures the output folder always contains only the freshest data, while historical reports are preserved in the archive folder for audit purposes.

Step	Phase 1 (Daily at 10:00 PM)	Phase 2 (Every Hour)
1. Archive	Move all files from \\...\File_Stamped_Affidavits to \\...\File_Stamped_Affidavits\Archive\YYYY-MM-DD_HHMMSS\	Move all files from \\...\File_Stamped_Petitions to \\...\File_Stamped_Petitions\Archive\YYYY-MM-DD_HHMMSS\
2. Generate	Query database for all completed Phase 1 jobs since last rotation. Write fresh eaffidavits_accepted_MMDDYYYY.csv	Query database for all completed Phase 2 jobs since last rotation. Write fresh accepted_petitions_MMDDYYYY_HHMM.csv
3. Place	Drop the new CSV into the now-empty \\...\File_Stamped_Affidavits folder	Drop the new CSV into the now-empty \\...\File_Stamped_Petitions folder

Phase 2 Edge Case — In-Flight Aggregation: If a petition envelope is still within the 20-minute aggregation window at the top of the hour, it will **not** be included in the current hourly CSV. The

system only includes fully processed (ARCHIVED status) jobs. The in-flight envelope will appear in the **next** hourly report once all documents have been received, merged, and processing is complete. This prevents partial or incomplete data from appearing in the CSV.

Key Points:

- **Nothing is ever deleted.** Old files are moved to archive, not destroyed.
- **Archive subfolders are timestamped** (YYYY-MM-DD_HHMMSS) to prevent collisions.
- **Both archive paths are configurable** in the PCP Nexus Settings interface.
- **If no jobs completed** since the last rotation, a CSV with headers only is still placed.
- **If the workstation is offline** during a scheduled rotation, the rotation will execute upon the next startup.

5. PCP Nexus Dashboard

The PCP Nexus Dashboard provides real-time visibility into the processing status of both Phase 1 (eAffidavits) and Phase 2 (eFiling Petitions). The dashboard is accessible through the PCP Nexus application interface.

5.1 Dashboard Metrics

Metric	Description	Confirm
Total Processed	Total number of emails successfully processed across both phases	☐
Success Rate	Percentage of emails processed without errors (expired links are not counted as application failures)	☐
Phase 1 Count	Number of eAffidavit emails processed	☐
Phase 2 Count	Number of eFiling Petition emails processed	☐
Exceptions	Number of emails moved to AI Exceptions across both phases	☐

5.2 Exceptions View

Answer to Brandy's Question - Combined Exceptions:

The dashboard will show all exceptions from both the eaffidavits@pcpusa.net mailbox (Phase 1) and the efiling@pcpusa.net mailbox (Phase 2) in a single Exceptions view. Each exception will be labeled with its **Phase** (Phase 1 or Phase 2) and its **Exception Type** (Expired Link, Download Error, Invalid Sender, Missing Envelope ID, etc.) so that you can filter and sort by either column. The two phases use separate AI Exceptions folders in Outlook, but the dashboard combines them into one view for convenience.

5.3 Recent Filings Table

The Recent Filings table now includes an **Env #** (Envelope Number) column, showing the Tyler Envelope Number for each processed filing. This provides immediate visibility into which envelope each processed document belongs to, without needing to open the full Activity Log.

5.4 CSV Data Export — Phase Segmentation

The 24-Hour Activity Log section of the dashboard now provides **two separate CSV export buttons**:

- **Phase 1 CSV** — Exports only Phase 1 (eAffidavit) records. Columns: ID, Time, Filename, Env ID, Job #, Orig Prefix, New Prefix, Status, Outcome, Next Steps.
- **Phase 2 CSV** — Exports only Phase 2 (eFiling Petition) records. Columns: ID, Time, Filename, Env ID, Case #, Job #, Lead Doc, Orig Prefix, New Prefix, Status, Outcome, Next Steps.

The phase filter works by examining the **Original Prefix** of each record. Phase 1 prefixes (AX02, AX03, AX07, AX09, AX42, AX43, AX47, AX89) produce the Phase 1 CSV. All other prefixes produce the Phase 2 CSV. The exported file is named **PCP_Phase1_Log_YYYYMMDD_HHMM.csv** or **PCP_Phase2_Log_YYYYMMDD_HHMM.csv** respectively.

6. Database Architecture - SQLite and MySQL

PCP Nexus uses a hybrid database strategy designed to minimize infrastructure requirements during initial deployment while providing a clear path to enterprise-grade database hosting when PCP is ready.

6.1 Initial Deployment - SQLite (Workstation Only)

Setting	Value
Database Engine	SQLite (file-based, no server required)
Location	Stored locally on the workstation running PCP Nexus
Purpose	Stores all processing logs, dashboard metrics, exception records, and CSV generation data
Accessibility	Workstation-only. The database file lives on the same machine running the bot. Other workstations or users cannot query this database directly.
Advantage	Zero additional infrastructure. No database server to install, configure, or maintain. PCP Nexus runs entirely self-contained on a single workstation.

Why SQLite First: SQLite allows PCP Nexus to be deployed and tested immediately without requiring PCP's IT team to provision a separate database server. This keeps the initial rollout simple and focused on validating the processing logic. Once the product is confirmed working in production, the transition to MySQL can be planned at PCP's convenience.

6.2 Long-Term Target - MySQL (Network Accessible)

PCP Nexus is architected as a **hybrid SQLite/MySQL system**. The application already supports both database engines. When PCP is ready to move to MySQL, the following will be needed:

#	Requirement	Description
1	MySQL Server Instance	A MySQL server (version 5.7 or higher) installed on a server accessible from the workstation running PCP Nexus. This can be a dedicated server, a virtual machine, or even the same workstation if desired.

2	Database Credentials	A MySQL username and password with permissions to create tables, insert records, and read data. PCP's IT team would provide these credentials.
3	Network Connectivity	The workstation running PCP Nexus must be able to reach the MySQL server over the network (typically TCP port 3306).
4	Configuration Update	Update the PCP Nexus Settings interface to enable MySQL as an additional database target. PCP Nexus supports running both SQLite and MySQL simultaneously - SQLite continues to serve as a local backup on the workstation while MySQL becomes the primary networked database. This is a settings change only - no code changes or redeployment required.

6.3 Data Migration - SQLite to MySQL

All data stored in SQLite can be easily ported to MySQL. The database schema (table structure, column names, data types) is identical between both engines. When PCP is ready to transition, all existing processing history, exception logs, and dashboard data accumulated during the SQLite phase will be migrated to MySQL automatically as part of the switchover. No data will be lost.

6.4 Benefits of MySQL (When Ready)

- **Multi-user access** - Multiple workstations or users can query the processing database simultaneously
- **Centralized reporting** - Dashboard data accessible from any machine on the network, not just the bot workstation
- **Backup and recovery** - Enterprise-grade backup tools and replication options
- **Scalability** - Handles larger data volumes as processing history grows over months and years

7. Final Confirmation and Sign-Off

7.1 Summary of All Open Items - Resolved

#	Open Item	Resolution
1	Will both a CSV file and an Excel spreadsheet be created?	Yes. The CSV file (8 columns: Envelope_Num, Case_Num, Date_Submitted, Time_Submitted, Date_Accepted, Time_Accepted, Lead_Document, PCP_Job_Num) is placed in the configured network folder for FilePro import. The Excel spreadsheet (additional columns including comments, download URLs, processing timestamps) is stored separately in the PCP Nexus application's local data folder and will not be placed in the same folder as the CSV.
2	Do we need a separate Expired Links folder?	No. Expired links and all errors are moved to the AI Exceptions folder. If PCP later determines that a separate Expired Links sub-folder is needed, this can be configured in the PCP Nexus Settings interface.
3	When will the CSV file be placed?	Phase 1 (eAffidavits): Once per day at 10:00 PM. Phase 2 (eFiling Petitions): Every hour. Both schedules are configurable in PCP Nexus Settings. Before each placement, existing files are rotated to a configurable Archive Folder. The CSV will also be automatically emailed to the designated recipient.
4	Will the two AI Exceptions folders be combined in the dashboard?	Yes. The dashboard shows exceptions from both phases in a single view, with Phase and Exception Type columns for filtering.

6.2 Sign-Off

By signing below, you confirm that the logic, naming conventions, folder paths, CSV specifications, and processing rules described in this document are correct and approved for implementation.

PCP - Client Approval

Developer - Chris

Name: _____

Name: _____

Title: _____

Title: _____

Date: _____

Date: _____

Signature:

Signature:
