```
node 951
                                                       <%=a0%>=theInterface.theNumber;
                                                                 0: Number out
                                                             0: Number out
                                                                       4edge_1031
                                                             1: Number in
                                                               node 1029
                                                             <\%=a0\%> = \{\};
                                                       <%=a0%>['a'] = <%=a1%>;
                                                       <\%=a0\%>['b'] = <\%=a2\%>;
                                        2: Number in
                                                    0: {a: Number, b: Number} out
                                                              1: Number in
                                                              2: Number in
                                               0: {a: Number, b: Number} out
                                                                       5edge_1030
                                                 2: {a: Number, b: Number} in
                                                                   node 1000
                   if(<\$=a0\$> === active \&\& <\$=a1\$>!==null \&\& <\$=a1\$>!==undefined) {<\$=a3\$> = <\$=a1\$>(<\$=a2\$>);}
                                                               0: Activation in
                                                  1: {{a: Number, b: Number} -> Number} in
                                                        2: {a: Number, b: Number} in
                                                                 3: Number out
                                   3: Number out
                                                     0: Activation in
                                                                             1: {{a: Number, b: Number} -> Number} in
                                           edge_1027
                                                                                  edge_1002
                             0: Number in/
                                                   0: {{a: Number, b: Number} -> Number} out
                                 node 955
                                                                                                 node 998
                    theInterface.theResult=<%=a0%>;
                                                                                           <%=a0%> = addition;
  edge_1032
                                                             edge_1001
                               0: Number in
                                                                               0: {{a: Number, b: Number} -> Number} out
                                                    0: Activation out
                                                               node 995
                                                          <%=a0%> = active;
                                                          0: Activation out
0: Number out
                        node 953
           <%=a0%>=theInterface.theOther;
```

0: Number out