```
<%=a0%>=theInterface.theNumber;
                                                                                                         0: Number out
                                                                                                     0: Number out
                                                                                                              |5<mark>|edge_4748</mark>
                                                                                                    2: Number in
                                                                                                       node_4747
                                                                                                    <\%=a0\%> = \{\};
                                                                                               <\$=a0\$>['a'] = <\$=a1\$>;
                                                                                               <\%=a0\%>['b'] = <\%=a2\%>;
                                                                                           0: {a: Number, b: Number} out
                                                                                                     1: Number in
                                                                                                     2: Number in
                                                                                                      1: Number in
                                                                    0: {a: Number, b: Number} out
                                                                                                                   edge_4749
                                                                                       edge_4750
                                                     2: {a: Number, b: Number} in
                                                node 4730
                                                                                                                      0: Number out
if(<%=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}
                                                                                                                   node_4728
                                                                                                                 <\%=a0\%> = 1;
                                            0: Activation in
                              1: {{a: Number, b: Number} -> Number} in
                                                                                                                 0: Number out
                                     2: {a: Number, b: Number} in
                                              3: Number out
                                                                            I:{{a: Number, b: Number} -> Number} in
                                                          Q: Activation in
                                          3: Number out
                                                                                      edge_4732
                                                         0: {{a: Number, b: Number} -> Number} out
                                                                                               node_4726
                                                                                         <%=a0%> = addition;
                                                                            0: {{a: Number, b: Number} -> Number} out
                                                                   edge_4757
                                                                                 node 4721
                                                                            <%=a0%> = active;
                                                     edge_4754
                                                                            0: Activation out
                                                                       0: Activation out
                                                                                 3/edge_4756
                                                            1: Activation Autivation in/
                                                                     node_4755
                                                                <\%=a1\%> = <\%=a0\%>;
                                                                <\%=a2\%> = <\%=a0\%>;
                                                                 0: Activation in
                                                                1: Activation out
                                                                2: Activation out
                                                   2: Activation out
                                                             edge_4758
                                           2: Number in
                                                          9: Activation in
                                                node_4751
                             if(<%=a0%> === active) {<%=a1%> = <%=a2%>;}
                                            0: Activation in
                                              1: Number out
                                               2: Number in
                                           1: Number out
                                                     8 edge_4753
                                            0: Number in
                                                node_4667
                                    theInterface.theResult=<%=a0%>;
                                               0: Number in
```

node_4665