

<%=a0%> = active;

0: Activation out

0: Activation in

<%=a1%> = <%=a0%>;

1: Activation out

<%=a2%> = <%=a0%>;

<%=a3%> = <%=a0%>;

3: Activation out

2: Activation out

0: Activation in

```
if(<%=a0%> === active) {  
  <%=a1%> = previousState['state_2868'];  
}
```

1: Number out

0: Number in

<%=a1%> = <%=a0%>;

<%=a2%> = <%=a0%>;

1: Number out

2: Number out

1: Number in

2: Number in

<%=a0%> = {};

<%=a0%>['a'] = <%=a1%>;

<%=a0%>['b'] = <%=a2%>;

0: {a: Number, b: Number} out

2: {a: Number, b: Number} out

```
if(<%=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}
```

3: Number out

0: Number in

theInterface=<%=a0%>;

1: {{a: Number, b: Number} -> Number} in

0: {{a: Number, b: Number} -> Number} out

<%=a0%> = addition;

0: Activation in

```
if(<%=a0%> === active) {  
  nextState['state_2868'] = <%=a1%>;  
}
```

1: Number in

0: Number out

<%=a0%>=theArgs.a;