```
<%=a0%> = active;
                                          0: out
                                           0: in
                                    <\%=a1\%> = <\%=a0\%>;
         <%=a0%>=theArgs.a;
                                   <\%=a2\%> = <\%=a0\%>;
                                    <\%=a3\%> = <\%=a0\%>;
                0: out
                                   3: out 1: out
                                                  2: out
                 1: in
                        0: in
                                                                0: in
                                                             if(<%=a0%> === active) {
     if(<%=a0%> === active) {
                                                    <%=a1%> = previousState['state 7914'];
nextState['state 7914'] = <%=a1%>;
                                                                      1: out
                                                                     0: in/
                                                            <\%=a1\%> = <\%=a0\%>;
                                                            <\%=a2\%> = <\%=a0\%>;
                                                                  1: out 2: out
                                                                   1: in 2: in
                                                               <\%=a0\%> = \{\};
                                                         <\%=a0\%>['0'] = <\%=a1\%>;
                                                         <\%=a0\%>['1'] = <\%=a2\%>;
                                                               0: out
   if(<\$=a0\$> === active \&\& <\$=a1\$>!==null \&\& <\$=a1\$>!==undefined) {<\$=a3\$> = <\$=a1\$>(<\$=a2\$>);}
                                                          3: out
                                                            theInterface=<%=a0%>;
                                 <%=a0%> = addition;
```