```
node_7892
                                                  <%=a1%> = <%=a0%>;
                                                  <%=a2%> = <%=a0%>;
                                                  <%=a3%> = <%=a0%>;
                                                                        3: Activation out
                                    0: Activation in
                                                   0: Activation in
                                                  1: Activation out
                                                  2: Activation out
                                                  3: Activation out
                                             1: Activation out
                                                                        2: Activation out
                                                                             edge_7895
                                                                   0: Activation in
                                                                                node_7881
                                                                       if(<%=a0%> === active) {
                                                               <%=a1%> = previousState['state_7880'];
                                                                            0: Activation in
                                                                             1: Number out
                                                                          1: Number out
                                                                                      1<mark>edge_7898</mark>
                                                                           0: Number in
                                                                               node_7897
                                                                          <%=a1%> = <%=a0%>;
                                                                          <%=a2%> = <%=a0%>;
                                                          edge_7894
                                                                             0: Number in
                                                                             1: Number out
                                                                             2: Number out
                                                                       1: Number out
                                                                                            ?: Number out
                                                                                |5 | edge_7899 | edge_7900
                                                                                           2: Number in
                                                                       1: Number in
                                                                           node 7888
                                                                        <\%=a0\%> = \{\};
                                                                   <%=a0%>['a'] = <%=a1%>;
                                                                   <\$=a0\$>['b'] = <\$=a2\$>;
                edge_7893
                                                               0: {a: Number, b: Number} out
                                                                         1: Number in
                                                                         2: Number in
                                                       0: {a: Number, b: Number} out
                                                                              6 edge_7889
                                                                                                                                              edge_7896
                                                     0: Activation in
                                                                             ▽ 2: {a: Number, b: Number} in
                                                                       node_7875
                    if(<\$=a0\$> === active \&\& <\$=a1\$>!==null \&\& <\$=a1\$>!==undefined) {<\$=a3\$> = <\$=a1\$>(<\$=a2\$>);}
                                                                   0: Activation in
                                                    1: {{a: Number, b: Number} -> Number} in
                                                           2: {a: Number, b: Number} in
                                                                    3: Number out
                 1: {{a: Number, b: Number} -> Number}in
                                                                      3: Number out
                                                 edge_7877
                                                                                    \edge_7879
                                                                          0: Number in
          0: {{<mark>a: Number, b: Number} -> Number} out/</mark>
                                       node_7873
                                                                                 node_7858
                                 <%=a0%> = addition;
                                                                          theInterface=<%=a0%>;
                    0: {{a: Number, b: Number} -> Number} out
                                                                               0: Number in
0: Activation out
       node 7867
                                                                                                                 node_7856
                                                                                                            <%=a0%>=\overline{theArgs.a};
   <%=a0%> = active;
                                                                                                               0: Number out
  0: Activation out
                                                                                                              0: Number out
                                                                                                                          9\edge_7887
                                                                                                                 1: Number in
                                                                                                                                        Q: Activation in
                                                                                                                        node_7885
                                                                                                               if(<%=a0%>====active) {
                                                                                                         nextState['state_7880'] = <%=a1%>;
```

0: Activation in 1: Number in