```
<\%=a1\%> = <\%=a0\%>;
                                     0: Activation in <%=a2%> = <%=a0%>; 3: Activation out
                                                   <\%=a3\%> = <\%=a0\%>;
                                                                        2: Activation out
                                                1: Activation out
                                                                       0: Activation in
                                                                          if(<%=a0%> === active) {
                                                                 <%=a1%> = previousState['state 2868'];
                                                                            1: Number out
                                                                            0: Number in/
                                                                          <\%=a1\%> = <\%=a0\%>;
                                                                          <\%=a2\%> = <\%=a0\%>;
                                                                       1: Number out /2: Number out
                                                                      1: Number in 2: Number in
                                                                         <\%=a0\%> = {};
                                                                  <%=a0%>['a'] = <%=a1%>;
                                                                  <%=a0%>['b'] = <%=a2%>;
                                                       0: {a: Number, b: Number} out
                                                      2: {a: Number b: Nuradtievation in
                    if(<\$=a0\$> === active \&\& <\$=a1\$>!==null \&\& <\$=a1\$>!==undefined) {<\$=a3\$> = <\$=a1\$>(<\$=a2\$>);}
                                    1: {{a: Number, b: Number} -> Number3:iNumber out
                      0: {{a: Number, b: Number} -> Number} out
                                                                          0: Number in
                                            <%=a0%> = addition;
                                                                        theInterface=<%=a0%>;
0: Activation out
                                                                                                               <%=a0%>=theArgs.a;
  <%=a0%> = active;
                                                                                                                  0: Number out
                                                                                                                       1: Number in
                                                                                                                                     № 0. Activation in
                                                                                                                    if(<%=a0%> === active) {
                                                                                                             nextState['state 2868'] = <%=a1%>;
```