```
node 5885
                                                    <%=a0%>=theInterface.theNumber;
                                                              0: Number out
                                                          0: Number out
                                                                    4edge 5976
                                                          1: Number in
                                                            node 5975
                                                          <\%=a0\%> = \{\};
                                                    <\%=a0\%>['a'] = <\%=a1\%>;
                                                    <%=a0%>['b'] = <%=a2%>;
                                     2: Number in
                                                0: {a: Number, b: Number} out
                                                          1: Number in
                                                          2: Number in
                                            0: {a: Number, b: Number} out
                                                                   5 edge_5978
                                              2: {a: Number, b: Number} in
                                                                node 5949
                if(<%=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}
                                                            0: Activation in
                                              1: {{a: Number, b: Number} -> Number} in
                                                     2: {a: Number, b: Number} in
                                                              3: Number out
                                   3: Number out
                                                                          X: {{a: Number, b: Number} -> Number} in
                                                  0: Activation in
                                          edge_5974
                                                                              edge 5951
                                                0: {{a: Number, b: Number} -> Number} out
                           0: Number in /
                             node 5889
                                                                                             node 5947
                 theInterface.theResult=<%=a0%>;
                                                                                       <%=a0%> = addition;
edge_5977
                                                          edge_5950
                           0: Number in
                                                                           0: {{a: Number, b: Number} -> Number} out
                                                0: Activation out
                                                           node 5944
                                                      <%=a0%> = active;
                                                      0: Activation out
            0: Number out
                                    node 5887
                        <%=a0%>=theInterface.theOther;
```

0: Number out