
node_6782
if(<%=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}
0: Activation in
1: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} in
2: {cond: Boolean, source: Activation} in
3: {a: Activation, b: Activation} out
0: Activation in
2: {cond: Boolean, source: Activation} in
1: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} in
3: {a: Activation, b: Activation} out
edge_6785
edge_6784
edge_6786
node_6677
Composition
{cond:$source:$}
0: {cond: Boolean, source: Activation} out
1: Boolean in
2: Activation in
0: {cond: Boolean, source: Activation} out
0: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} out
node_6771
<%=a0%> = 3;
0: Number out
node_6766
<%=a0%> = whenThenElse;
0: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} out
0: {a: Activation, b: Activation} in
node_6678
Composition
{a:$b:$}
0: {a: Activation, b: Activation} in
1: ?
2: ?
node_6774
<%=a0%> = 4;
0: Number out
1: Boolean in: cond
2: Activation in: source
3: Boolean out
edge_6789
edge_6783
edge_6792
edge_6773
1: a
2: b
edge_6702
edge_6704
edge_6776
0
0
2: Number in
node_6735
<%=a0%>=theArgs.t;
0: Number out
node_6768
<%=a0%> = 1;
0: Number out
node_6777
if(<%=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}
0: Activation in
1: {{a: Number, b: Number} -> Boolean} in
2: {a: Number, b: Number} in
3: Boolean out
2: {a: Number, b: Number} in
1: {{a: Number, b: Number} -> Boolean} in
0: Activation in
node_6671
Affectation
$=$
0: ?
1: Number out
2: Number in
node_6672
Affectation
$=$
0: ?
1: Number out
2: Number in
0: Number out
0: Number out
edge_6740
edge_6770
edge_6780
edge_6779
edge_6778
1: Number in: a
2: Number in: b
0: {a: Number, b: Number} out
0: {{a: Number, b: Number} -> Boolean} out
0: Activation out
0: Activation out
1: Number out
1: Number out
edge_6790
edge_6791
node_6626
Composition
{a:$.b:$}
0: {a: Number, b: Number} out
1: Number in
2: Number in
node_6764
<%=a0%> = isEqual;
0: {{a: Number, b: Number} -> Boolean} out
node_6755
<%=a0%> = active;
0: Activation out
0: Number in
0: Number in
node_6737
theInterface=<%=a0%>;
0: Number in