```
if(<%=a0%> === active) {<%=a2%> = <%=a1%>;}
                                                                                                                                                                                                                             if(<%=a0%> === active) {<%=a1%> = <%=a2%>;}
                                                                                                                                                                                                0: in \ 2: out
                                                                                                                                                                                                                                              1: out 2: in
                                                                                                                                                                                                                                          0: in /
                                                                                                                                                                                                                2: out
                  <\%=a0\%> = \{\};
                                                                                                                               <\%=a0\%> = \{\};
                                                                                                                                                                                               <%=a1%> = <%=a0%>['a'];
              <\%=a0\%>['a'] = <\%=a1\%>;
                                                                                                                         <%=a0%>['cond'] = <%=a1%>;
                                                                                                                                                          <%=a0%>=theInterface.theNumber;
                                                                                                                                                                                                                           theInterface.theResult=<%=a0%>;
                                                                                                                                                                                                                                                                <\%=a0\%> = -8000;
                                                                                                                                                                                               <\%=a2\%> = <\%=a0\%>['b'];
             <%=a0%>['b'] = <%=a2%>; 0: out
                                                                                                                        <%=a0%>['source'] = <%=a2%>;
      0: out
                                       if(<%=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}
                                                                                                                                                  if(<\$=a0\$> === active \&\& <\$=a1\$>!==null \&\& <\$=a1\$>!==undefined) {<\$=a3\$> = <\$=a1\$>(<\$=a2\$>);}
<\%=a0\%> = 1;
                <%=a0%>=theArgs.a;
                                                                                                  0: in
                                                                                      1: in
                                                                                     0: out
                                                                                                                                          0: out
                                                                               <%=a0%> = isEqual;
                                                                                                                                     <%=a0%> = active;
                                                                                                                                                                                       <%=a0%> = whenThenElse;
```