```
0: Activation out
                                                                                                                                                      0: Activation in
                                  <\%=a0\%> = \{\};
                                                                                                                                                        <\%=a1\%> = <\%=a0\%>;
                                                                                                                                                        <\%=a2\%> = <\%=a0\%>;
                            <%=a0%>['a'] = <%=a1%>;
                                                                                                                                          1: Activation out
                            <%=a0%>['b'] = <%=a2%>; 1: Number in
                                                                                                                                                        <\%=a3\%> = <\%=a0\%>;
                        2: Number in
                                         0: {a: Number, b: Number} out
                                                                                                                                                                             3: Activation out
                                                                                                                                                      2: Activation out
           0: Number out
                                                                              3: Number out
                                                                                                       0: Activation in
                                                                                                                                                                              0: Activation in
                                               if(<%=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}
<%=a0%>=theInterface.theNumber;
                                                                                                                                                                        if(<%=a0%> === active) {<%=a1%> = <%=a2%>;}
                                                                                 1: {Void -> Number} in
                                                                                                                                                                                2: Number in
                                                                                                                                                                                                  1: Number out
                                                                          0: {Void -> Number} out /
                                                                                                                                                      0: Activation in
                                                                                                                                                                           3: Number out
                                                                                                                                                                                                                           0: Number in
                                                                                                                  2: {a: Number, b: Number} in
                                                                                 <%=a0%> = return1;
                                                                                                           if(<\$=a0\$> === active \&\& <\$=a1\$>!==null \&\& <\$=a1\$>!==undefined) {<\$=a3\$> = <\$=a1\$>(<\$=a2\$>);}
                                                                                                                                                                                                                               theInterface.theResult=<%=a0%>;
                                                                                                                                1: {{a: Number, b: Number} -> Number} in
```

0: {{a: Number, b: Number} -> Number} out

<%=a0%> = active;

<%=a0%> = addition;