```
node_8103
                                                <%=a1%> = <%=a0%>;
                                                <%=a2%> = <%=a0%>;
                                                <%=a3%> = <%=a0%>;
                                                                      3: Activation out
                                   0: Activation in
                                                  0: Activation in
                                                 1: Activation out
                                                 2: Activation out
                                                 3: Activation out
                                            1: Activation out
                                                                      2: Activation out
                                                                           edge_8106
                                                                 0: Activation in
                                                                              node_8092
                                                                     if(<%=a0%> === active) {
                                                             <%=a1%> = previousState['state 8091'];
                                                                          0: Activation in
                                                                            1: Number out
                                                                         1: Number out
                                                                                    <mark>4</mark>edge_8109
                                                                         0: Number in
                                                                             node 8108
                                                                        <%=a1%> = <%=a0%>;
                                                                        <%=a2%> = <%=a0%>;
                                                        edge_8105
                                                                            0: Number in
                                                                           1: Number out
                                                                           2: Number out
                                                                      1: Number out
                                                                                         2: Number out
                                                                              1: Number in
                                                                                        2: Number in
                                                                         node 8099
                                                                       <\%=a0\%> = \{\};
                                                                 <%=a0%>['a'] = <%=a1%>;
                                                                 <\$=a0\$>['b'] = <\$=a2\$>;
               edge_8104
                                                             0: {a: Number, b: Number} out
                                                                       1: Number in
                                                                       2: Number in
                                                      0: {a: Number, b: Number} out
                                                                                                                                          edge_8107
                                                                            6|edge_8100
                                                                           † 2: {a: Number, b: Number} in
                                                    0: Activation in
                                                                     node_8086
                    if(<\$=a0\$> === active \&\& <\$=a1\$>!==null \&\& <\$=a1\$>!==undefined) {<\$=a3\$> = <\$=a1\$>(<\$=a2\$>);}
                                                                 0: Activation in
                                                   1: {{a: Number, b: Number} -> Number} in
                                                          2: {a: Number, b: Number} in
                                                                   3: Number out
                 1: {{a: Number, b: Number} -> Number}in
                                                                    3: Number out
                                                edge_8088
                                                                                  \edge_8090
          0: {{<mark>a: Number, b: Number} -> Number} out/</mark>
                                                                        0: Number in
                                      node 8084
                                                                               node 8069
                                 <%=a0%> = addition;
                                                                        theInterface=<%=a0%>;
                    0: {{a: Number, b: Number} -> Number} out
                                                                              0: Number in
0: Activation out
       node 8078
                                                                                                              node 8067
   <%=a0%> = active;
                                                                                                         <%=a0%>=theArgs.a;
                                                                                                            0: Number out
  0: Activation out
                                                                                                           0: Number out
                                                                                                                       9\edge_8098
                                                                                                               1: Number in
                                                                                                                                     Q: Activation in
                                                                                                                     node 8096
                                                                                                             if(<%=a0%>====active) {
                                                                                                       nextState['state_8091'] = <%=a1%>;
```

0: Activation in 1: Number in