```
node_3131
                                                                                             <%=a0%>=theArgs.t;
                                                                                                0: Number out
                                                                                        0: Number out
                                                                                              8 | edge_3188
                                                                                      1: Number in
                                                                                           node_3187
                                                                                        <\%=a0\% > = \{\};
                                                                                   <%=a0%>['a'] = <%=a1%>;
                                                                                   <%=a0%>['b'] = <%=a2%>;
                                                                    2: Number in
                                                                               0: {a: Number, b: Number} out
                                                                                         1: Number in
                                                                                         2: Number in
                                                                         0: {a: Number, b: Number} out
                                                                                                 \edge_3190
                                                                            2: {a: Number, b: Number} in
                                                                                                  node_3177
                                                  if(<=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}
                                                                                              0: Activation in
                                                                                1: {{a: Number, b: Number} -> Boolean} in
                                                                                       2: {a: Number, b: Number} in
                                                                                               3: Boolean out
                                                          1: {{a: Number, b: Number} -> Boolean} in 0: Activation in 3: Boolean out
                                                                                        edge_3179
                                               0: {{a: Number, b: Number} -> Boolean} out
                                                                     node_3167
                                                                <%=a0%> = isEqual;
                                                  0: {{a: Number, b: Number} -> Boolean} out
                                                                                                          edge_3209
                                                                                 node 3159
                                                                             <%=a0%> = active;
                                                                                                                             edge_3193
                                                                             0: Activation out
                                                                          0: Activation out
                                                                                     6 \edge_3208
                                                                              0: Activation in 1: Activation out
                                                                                                node_3207
                                                                                           <\%=a1\%> = <\%=a0\%>;
                                                                                           <%=a2%> = <%=a0%>;
                                                                                           <%=a3%> = <%=a0%>;
                                                                                            0: Activation in
                                                                                           1: Activation out
                                                                                           2: Activation out
                                                                                           3: Activation out
                                                                                                         3: Activation out
                                                                                   2: Activation out
                                                                                                            edge_3211
                                                                                                   2: Activation in 1: Boolean in
                                                                                                                          node_3191
                                                                                                                 <%=a0%> = {};
<%=a0%>['cond'] = <%=a1%>;
                                                                                                                <%=a0%>['source'] = <%=a2%>;
                                                                                             edge_3210
                                                                                                        0: {cond: Boolean, source: Activation} out
                                                                                                                        1: Boolean in
                                                                                                                       2: Activation in
                                                                                       0: {cond; Boolean, source: Activation} out
                                                                                                                  edge_3189
                                                                                                                    2: {cond: Boolean, source: Activation} in
                                                                                        0: Activation in
                                                                                                              node 3182
                                                             if(<=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}
                                                                                                          0: Activation in
                                                                      1: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} in 2: {cond: Boolean, source: Activation} in
                                                                                             3: {a: Activation, b: Activation} out
                                          1: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} in
                                                                                                                 3: {a: Activation, b: Activation} out
                                                                                                                  \edge_3198
                                                                                          0: {a: Activation, b: Activation} in
                                                                                                                            node 3195
                                                                                                                    <\%=a1\%> = <\sqrt{\%}=a0\%>['a'];
                                                                                                                     <\%=a2\%> = <\%=a0\%>['b'];
                                                                                                             0: {a: Activation, b: Activation} in
                                                                                                                                                        1: Activation out
                                                                                                                        1: Activation out
                                                                                                                        2: Activation out
                                                                                                                     2: Activation out
                                                                                                                            13 edge_3204
                                                                                                                     0: Activation in
                                                                                                                            node 3203
                                                                                                         if(<%=a0%> === active) {<%=a1%> = <%=a2%>;}
                                                                                                                        0: Activation in
                                                                                                                          1: Number out
                                                                                                                           2: Number in
                                                                                                                   1: Number ou<mark>t</mark>
                                                                                                                                2: Number in
                                                                                                                                 edge_3206
                                                                                                                        0: Number out
                                                                                                                                     node_3175
<%=a0%> = 4;
                                                                                            edge_3184
                                                                                                                                                                      edge_3200
                                                                                                                                     0: Number out
                                                                                                                                         node 3173
                                                                                                                                       < %=a0 %> = 3;
                                                                                                                          edge_3215
                                                                                                                                       0: Number out
                                                                                                                                 0: Number out
                                                                                                                                            | edge_3202
                                                                                                                                                     0: Activation in/
                                                                                                                                    2: Number in
                             0: Number out
                                                                                                                                                     node 3199
                                                                                                                                  if(<%=a0%> === active) {<%=a1%> = <%=a2%>;}
                                       node 3171
                                      <%=a0%> = 1;
                                                                                                                                                 0: Activation in
                                     0: Number out
                                                                                                                                                   1: Number out
                                                                                                                                                   2: Number in
                                                                                                                                               1: Number out
                                                                                                                                                     15 | edge_3214
                                                                                                                      2: Number in
                                                                                                                                                1: Number in
                                                                                                                                                     node_3212
                                                                                                                                                   <%=a0%>=null;
                                                                                                                                               if(<%=a0%>===null){
                                                                                                                                                  <\%=a0\%> = <\%=a1\%>;
                                                                                                                                          } else if (<%=a1%> !== null){
        0: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} out
                                                                                                throw new Error('Multiple active assignments to the same signal <%=a0%> : '+<%=a0%> + ' and ' + <%=a1%>);
                                       node_3169
                                                                                                                                               }if(<%=a0%>===null ){
                               <%=a0%> = whenThenElse;
                                                                                                                                                  <\%=a0\%> = <\%=a2\%>;
                                                                                                                                          } else if (<%=a2%> !== null){
0: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} out
                                                                                                throw new Error('Multiple active assignments to the same signal <%=a0%> : '+<%=a0%> + ' and ' + <%=a2%>);
                                                                                                                                                   0: Number out
                                                                                                                                                    1: Number in
                                                                                                                                                    2: Number in
                                                                                                                                                  0: Number out
                                                                                                                                                           16 edge_3213
                                                                                                                                                  0: Number in
                                                                                                                                                      node 3133
                                                                                                                                               theInterface=<%=a0%>;
                                                                                                                                                    0: Number in
```