node_11466
`<%=a0%>=theArgs.t;`

0: Number out

0: Number out
8 *edge_11525*
1: Number in

node_11524
```
<%=a0%> = {};
<%=a0%>['a'] = <%=a1%>;
<%=a0%>['b'] = <%=a2%>;
```

0: {a: Number, b: Number} out
1: Number in
2: Number in

2: Number in

0: {a: Number, b: Number} out
9 *edge_11527*
2: {a: Number, b: Number} in

node_11508
`if(<%=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}`

0: Activation in
1: {{a: Number, b: Number} -> Boolean} in
2: {a: Number, b: Number} in
3: Boolean out

1: {{a: Number, b: Number} -> Boolean} in *0: Activation in*   *3: Boolean out*

0: {{a: Number, b: Number} -> Boolean} out *edge_11510*

node_11495
`<%=a0%> = isEqual;`

0: {{a: Number, b: Number} -> Boolean} out

edge_11546

5

node_11486
`<%=a0%> = active;`

0: Activation out

0: Activation out
6 *edge_11545*
0: Activation in *1: Activation out*

10 *edge_11529*

node_11544
```
<%=a1%> = <%=a0%>;
<%=a2%> = <%=a0%>;
<%=a3%> = <%=a0%>;
```

0: Activation in
1: Activation out
2: Activation out
3: Activation out

2: Activation out   *3: Activation out*
edge_11548

2: Activation in   *1: Boolean in*

node_11528
```
<%=a0%> = {};
<%=a0%>['cond'] = <%=a1%>;
<%=a0%>['source'] = <%=a2%>;
```

0: {cond: Boolean, source: Activation} out
1: Boolean in
2: Activation in

edge_11547

0: {cond: Boolean, source: Activation} out
11 *edge_11531*
2: {cond: Boolean, source: Activation} in
0: Activation in

node_11513
`if(<%=a0%> === active && <%=a1%>!==null && <%=a1%>!==undefined) {<%=a3%> = <%=a1%>(<%=a2%>);}`

0: Activation in
1: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} in
2: {cond: Boolean, source: Activation} in
3: {a: Activation, b: Activation} out

1: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} in   *3: {a: Activation, b: Activation} out*
edge_11535 12

0: {a: Activation, b: Activation} in

node_11532
```
<%=a1%> = <%=a0%>['a'];
<%=a2%> = <%=a0%>['b'];
```

0: {a: Activation, b: Activation} in
1: Activation out
2: Activation out

1: Activation out

2: Activation out
13 *edge_11541*
0: Activation in

node_11540
`if(<%=a0%> !== inactive) {<%=a1%> = <%=a2%>;}`

0: Activation in
1: Number out
2: Number in

1: Number out   *2: Number in*
edge_11543

0: Number out

node_11505
`<%=a0%> = 4;`

0: Number out

1

node_11502
`<%=a0%> = 3;`

0: Number out

edge_11526
4

edge_11515

edge_11537

edge_11552

2

0: Number out

node_11499
`<%=a0%> = 1;`

0: Number out

3

0: Number out
edge_11539
2: Number in   *0: Activation in*

node_11536
`if(<%=a0%> !== inactive) {<%=a1%> = <%=a2%>;}`

0: Activation in
1: Number out
2: Number in

1: Number out
15 *edge_11551*
1: Number in

2: Number in

0: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} out

node_11497
`<%=a0%> = whenThenElse;`

0: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} out

node_11549
```
<%=a0%>=null;
if(<%=a0%>===null ){
<%=a0%> = <%=a1%>;
} else if (<%=a1%> !== null){
throw new Error('Multiple active assignments to the same signal <%=a0%> : '+<%=a0%> + ' and ' + <%=a1%>);
}if(<%=a0%>===null ){
<%=a0%> = <%=a2%>;
} else if (<%=a2%> !== null){
throw new Error('Multiple active assignments to the same signal <%=a0%> : '+<%=a0%> + ' and ' + <%=a2%>);
}
```

0: Number out
1: Number in
2: Number in

0: Number out
16 *edge_11550*
0: Number in

node_11468
`theInterface=<%=a0%>;`

0: Number in

7