```
0: Activation out
                                                                                                      0: Activation out
                                                                                                                   edge_6700
                                                                                                       0: Activation in
                                                                                                              node 6699
                                                                                                        <%=a1%> = <%=a0%>;
                                                                                                        <\%=a2\%> = <\%=a0\%>;
                                                                                                         0: Activation in
                                                                                                         1: Activation out
                                                                                                         2: Activation out
                                                                                                      1: Activation out
                                                                                                                              2: Activation out
                                                                                                                                    edge_6702
                                                                                                                               0: Activation in
                                          node 6691
                                        <\%=a0\%> = \{\};
                                                                                                                                                node 6695
                                                                                                                            if(<%=a0%> === active) {<%=a1%> = <%=a2%>;}
                                  <\%=a0\%>['a'] = <\%=a1\%>;
                                  <\%=a0\%>['b'] = <\%=a2\%>;
                                                                                                                  edge_6701
                                                                                                                                            0: Activation in
                              0: {a: Number, b: Number} out
                                                                                                                                              1: Number out
                                        1: Number in
                                                                                                                                              2: Number in
                                                                 0: {a: Number, b: Number} out
                                        2: Number in
                                                                                                                                 2: Number in
                                                                                                                                                     1: Number out
                          2: Number in 1: Number in
                                                                                                                                   'edge_6698
                                edge_6692
                                               edge_6693
                                                                                    edge 6694
                                                                    2: {a: Number, b: Number} in
                                                                                                     0: Activation in 3: Number out
                                                                                                            node 6674
            0: Number out
                                    0: Number out
                                                           if(<\$=a0\$> === active \&\& <\$=a1\$>!==null \&\& <\$=a1\$>!==undefined) {<\$=a3\$> = <\$=a1\$>(<\$=a2\$>);}
                                          node 6672
            node 6609
<%=a0%>=theInterface.theNumber;
                                        <\%=a0\%>=1;
                                                                                                        0: Activation in
                                                                                          1: {{a: Number, b: Number} -> Number} in
                                        0: Number out
          0: Number out
                                                                                                2: {a: Number, b: Number} in
                                                                                                         3: Number out
                                                                               1: {{a: Number, b: Number} -> Number} in
                                                                                                                 edge_6676
                                                                              0: {{a: Number, b: Number} -> Number} out
                                                                                                           node 6670
                                                                                                      <%=a0%> = addition;
                                                                                         0: {{a: Number, b: Number} -> Number} out
```

node\_6665
<%=a0%> = active;