

1. 排序不等式利用

2. 局部不等式，
积分思想



1. prove $\sum_{i=1}^n \frac{x_i}{x_{i+1}} \geq \sum_{i=1}^n \frac{x_i + 1}{x_{i+1} + 1}$ (subscript mod n) Xif [2017, 2019]

Proof.

$$f(t) \equiv \sum_{i=1}^n \frac{x_i + t}{x_{i+1} + t}$$

$$f'(t) = \sum_{i=1}^n \frac{x_{i+1} - x_i}{(x_{i+1} + t)^2} = \sum_{i=1}^n \frac{x_{i+1}}{(x_{i+1} + t)^2} - \sum_{i=1}^n \frac{x_i}{(x_{i+1} + t)^2}$$

where $\sum_{i=1}^n x_{i+1} \cdot \frac{1}{(x_{i+1} + t)^2}$ is a Reserved Order

$\sum_{i=1}^n x_i \cdot \frac{1}{(x_{i+1} + t)^2}$ is a Random Order

Chebyshov's Inequality.

$$a_1 \leq \dots \leq a_n \quad b_1 \leq \dots \leq b_n$$

$$\sum_{i=1}^n a_i b_i \geq \left(\sum_{i=1}^n a_i \right) \left(\sum_{i=1}^n b_i \right) \quad \text{equal iff } a_1 = \dots = a_n \text{ or } b_1 = \dots = b_n$$

thus $f'(t) \leq 0$

Q.E.D.

2. Prove $\sum_{i=1}^n \frac{x_{i+1}}{x_i} \geq \sum_{i=1}^n \frac{x_i + 1}{x_{i+1} + 1}$ $x_i \in [2017, 2019]$

Proof.

$$\begin{aligned} & \sum_{i=1}^n \frac{x_{i+1}}{x_i} - \sum_{i=1}^n \frac{x_i + 1}{x_{i+1} + 1} \\ &= \sum_{i=1}^n \frac{(x_{i+1} - x_i)(x_i + x_{i+1} + 1)}{x_i(x_{i+1} + 1)} \end{aligned}$$

The Definition of Definite Integral.

$$\int_a^b f(x) dx = \lim_{m \rightarrow \infty} \sum_{i=1}^m f(\xi_i) \cdot (t_i - t_{i-1})$$

Thus when x_{i+1} & x_i close enough.

$$\sum_{i=j}^k \frac{(x_{i+1} - x_i)(x_i + x_{i+1} + 1)}{x_i(x_{i+1} + 1)} = \int_{x_j}^{x_k} \frac{2x+1}{x(x+1)} dx = \ln \frac{x_k(x_k+1)}{x_j(x_j+1)}$$

Now prove such "Approximate" works:

$$\begin{aligned} & \text{for } \left(\frac{c}{a} - \frac{a+1}{c+1} \right) - \left(\frac{c}{b} - \frac{b+1}{c+1} \right) - \left(\frac{b}{a} - \frac{a+1}{b+1} \right) \\ &= (b-a)(c-b) \frac{1}{ab(b+1)(c+1)} [b(c-a) + b+c+1] \quad (1) \end{aligned}$$

when $c > b > a$, (1) > 0

$c < b < a$, $c \geq a-1$, (1) ≥ 0

here we have $|a-c| \leq 2$

so for the second case, if $a-2 \leq c < a$
we can add a limitation that $c < b < \min\{a, c+1\}$
then (1) is always ≥ 0

then the question is **Solved.**

In another way to express the main idea of above

To find an **Local Inequality**:

for $b \geq a-2$, $a > 0$, $b > 0$

$$\frac{b}{a} - \frac{a+1}{b+1} \geq \ln \frac{b(b+1)}{a(a+1)}$$

then apply the Inequality, the question is solved.

The proof of the Inequality:

$$\begin{aligned} \ln \frac{b(b+1)}{a(a+1)} &= \int_a^b \left(\frac{1}{x} + \frac{1}{x+1} \right) dx = \int_a^b \left(\frac{1}{x} + \frac{1}{a+b+1-x} \right) dx \\ &\leq \int_a^b \left(\frac{1}{a} + \frac{1}{b+1} \right) dx = (b-a) \left(\frac{1}{a} + \frac{1}{b+1} \right) = \frac{b}{a} - \frac{a+1}{b+1} \end{aligned}$$