

Reporting Remediation Stakeholder Brief

Public-safe portfolio evidence generated from sanitized source material.

Purpose

This public-safe brief summarizes a reporting remediation pattern used when a business-facing report needed a clearer serving contract, stronger validation, and a repeatable handoff path.

Situation

Stakeholders depended on a reporting asset whose upstream dependencies were not obvious to report authors. The delivery process needed a stable reporting endpoint, a validation checklist, and a plain-language explanation of what was ready for use.

Approach


1. Separate raw operational access from the reporting-facing endpoint.
2. Define a stable serving view with business-readable columns.
3. Validate row counts, freshness, key coverage, and source alignment.
4. Document ownership, refresh expectations, and troubleshooting steps.
5. Package the findings in a stakeholder-ready brief before handoff.

Evidence Pattern

The supporting code examples in this repository show the same operating model:

- SQL guardrails for freshness, row counts, and null coverage.
- Shell-based lineage checks for reporting views.
- Python report generation for repeatable discovery handoffs.

Public-Safe Architecture



Outcome

The work converted a one-off reporting delivery into a repeatable support pattern. Report authors received a clearer endpoint, validation became easier to rerun, and troubleshooting could start from documented dependencies rather than tribal knowledge.

What This Demonstrates

- Reporting contract design.
- Data quality validation before handoff.
- Stakeholder communication for technical delivery.
- Operational documentation that supports future maintenance.