Security at the Human Layer

Senior Security Researcher, QuillAudits

Anuoluwapo Adeleke

We Secure Systems. Not People.

Most failures are workflow failures.

The Expanded Attack Surface

Public Identity

Public Wallet

Public Reputation

When value becomes visible, attack surfaces expand.

The Largest Phishing Exploits Were Not Code Bugs

EXPLOIT

Multi-million wallet drain events

PRIMARY CAUSE

Trust Assumption

Manipulation of users, not protocol logic.

Strong Code / Weak Workflow

ASSUMED TRUST

Developer → **Multisig** → **Treasury**

Coordination fails where cryptography succeeds.

The Invisible Layer



Audits often cover protocol logic and access control. Very few evaluate operational assumptions.

Security That Scales

- **Behavioral**
- **Repeatable**
- **Assumption-light**

Security must work under fatigue, urgency, and shifting roles.

Monday Morning Changes

- Separate identity from authority: public and treasury wallets
- Verify Context, Not Just Payload - https://wise-signer.cyfrin.io/
- Remove shared-device workflows
- Simulate Failure Before It Happens -- phishing simulation, tabletop exercises

IMMEDIATE OPERATIONAL IMPROVEMENTS

Trust is infrastructure.

You clicked a link earlier. Nothing happened.

But you paused.

That pause is security.

SECURITY AT THE HUMAN LAYER