

# Incident Detail Report

Data Source: **Data Warehouse**  
Incident Status: **Active**  
Incident number: **26008775**  
Case Numbers:  
Incident Date: **01/21/2026 06:55:09**  
Report Generated: **01/21/2026 08:50:35**

## Incident Information

<b>Incident Type:</b>	A - Box Alarm	<b>Alarm Level:</b>	1
<b>Priority:</b>	1F	<b>Problem:</b>	BOX -Structure Fire
<b>Determinant:</b>		<b>Agency:</b>	FIRE
<b>Base Response#:</b>	2026-021-0001142	<b>Jurisdiction:</b>	AFD
<b>Confirmation#:</b>		<b>Division:</b>	AFD_B07
<b>Taken By:</b>	HEIM, SANDRA N	<b>Battalion:</b>	AFD_BAT07
<b>Response Area:</b>	00-1401	<b>Response Plan:</b>	00- A - Box Alarm
<b>Disposition:</b>	Fire - Fire Incident	<b>Command Ch:</b>	
<b>Cancel Reason:</b>		<b>Primary TAC:</b>	FTAC 201
<b>Incident Status:</b>	Active	<b>Secondary TAC:</b>	TRV MCOM-C
<b>Certification:</b>	ENG	<b>Delay Reason (if any):</b>	
<b>Longitude:</b>	97697293	<b>Latitude:</b>	30302361

## Incident Location

<b>Location Name:</b>	BARTHOLOMEW PARK	<b>County:</b>	TRAVIS
<b>Address:</b>	1700-2002 E 51st St	<b>Location Type:</b>	
<b>Apartment:</b>		<b>Cross Street:</b>	BERKMAN DR/E 51ST ST TO STATION
<b>Building:</b>		<b>Map Reference:</b>	556X
<b>City, State, Zip:</b>	AUSTIN TX 78723		

## Call Receipt

<b>Caller Name:</b>	NORMA	<b>Call Back Phone:</b>	(512) 383-6962
<b>Method Received:</b>		<b>Caller Location:</b>	1328 E 51ST ST - SE SECTOR
<b>Caller Type:</b>		<b>Caller Location Phone:</b>	
<b>Caller Address:</b>		<b>Caller Apartment:</b>	
<b>Caller Building:</b>	4	<b>Caller County:</b>	
<b>Caller City, State, Zip:</b>			

## Time Stamps

Description	Date	Time	User	Elapsed Times Description	Time
Phone Pickup	01/21/2026	06:55:09			
1st Key Stroke	01/21/2026	06:55:09		Received to In Queue	00:00:26
In Waiting Queue	01/21/2026	06:55:35		Call Taking	00:32:27
Call Taking Complete	01/21/2026	07:27:36	HEIM, SANDRA N	In Queue to 1st Assign	00:00:01
1st Unit Assigned	01/21/2026	06:55:36		Call Received to 1st Assign	00:00:27
1st Unit Enroute	01/21/2026	06:56:42		Assigned to 1st Enroute	00:01:06.2
1st Unit Arrived	01/21/2026	07:00:09		Enroute to 1st Arrived	00:03:27.5
Closed				Incident Duration	

## Resources Assigned

Unit	Primary Flag	Assigned	Disposition	Enroute	Staged	Arrived	At Patient	Delay Avail	Complete	Odm. Enroute	Odm. Arrived	Cancel Reason
ENG14	Y	06:55:36		06:57:55		07:00:09			08:18:48			
RES14	N	06:56:32	Fire - Fire Incident	06:58:07		07:00:41			08:24:28			
ENG18	N	06:56:32		06:57:48		07:01:45			08:02:07			
ENG09	N	06:56:32		06:57:03		07:04:33			07:25:40			
BAT06	N	06:56:32		06:58:03		07:02:17			07:50:33			
FTAC201	N	06:56:32		06:56:42					08:19:55			
LAD18	N	06:58:12	Fire - Fire Incident	06:59:06		07:02:25			07:45:01			
TK03	N	06:58:12	SrvOth - Services Other	06:59:00		07:09:14			07:26:21			

ENG05	N	06:58:12	Fire - Fire Incident	06:58:50	07:03:48	08:05:03
FTO01	N	06:58:12		07:00:46	07:22:54	07:49:57
BAT01	N	06:58:12		07:00:31	07:08:45	07:37:30
SAFE01	N	06:58:12		06:59:42	07:24:56	07:56:26
INV07	N	07:23:10		07:23:10	07:43:29	
INV06	N	07:23:25		07:23:25	07:43:33	

#### Personnel Assigned

Unit	Name
ENG14	BROWNLEE, JACOB W (FD002618) - AFD - Active; CANTU, MARCOS J (FD001769) - AFD - Active; HUIZAR, RICHARD J (FD002627) - AFD - Active; MERRITT, CYRUS J (FD002217) - AFD - Active
RES14	FROST, MARK A (FD002460) - AFD - Active; LAYTON, CHRISTOPHER R (FD001862) - AFD - Active; MCBRIDE, JACOB M (FD002759) - AFD - Active; RAZAVI, NEEK A (FD002765) - AFD - Active
ENG18	HASSENZAHL, NICHOLAS A (FD003010) - AFD - Active; KRAUSE, JUSTIN P (FD003056) - AFD - Active; LIAO, MELODY A (FD002355) - AFD - Active; NEAL, CARSON R (FD003189) - AFD - Active
ENG09	CHATFIELD, GOTTFRIED B (FD002491) - AFD - Active; KIMBROUGH, CHRISTOPHER S (FD002886) - AFD - Active; MICAN, HAROLD M (FD001624) - AFD - Active; STOCKDALE, CADEN B (FD003606) - AFD - Active
BAT06	BISHOP, DAVID F (FD001456) - AFD - Active
LAD18	ADLER, GRIFFIN K (FD003389) - AFD - Active; HERNANDEZ RIVERO, HANZELL M (FD003236) - AFD - Active; SMITH, ADRAIN L (FD001885) - AFD - Active; SMITH, RICHARD P (FD001993) - AFD - Active
TK03	CORBIN, ANDREW H (FD001835) - AFD - Active; GLASS, JACOB C (FD002501) - AFD - Active; LUPO, ARTIE D (FD002067) - AFD - Active; WARNER, RYAN W (FD003374) - AFD - Active
ENG05	BENAVIDEZ, EMILIANO G (FD002714) - AFD - Active; KEAN, EVAN G (FD002884) - AFD - Active; ROA VALENZUELA, PATRICK V (FD003602) - AFD - Active; SCHMUCK, JEFFREY (FD002811) - AFD - Active
FTO01	ANDERSON, JOSHUA W (FD001590) - AFD - Active
BAT01	DUFFEE, MICHAEL L (FD001298) - AFD - Active; POMROY, TODD A (FD001206) - AFD - Active
SAFE01	ALEXANDER, CLIFTON G (FD001669) - AFD - Active
INV07	GANCI, NICHOLAS R (FD001951) - AFD - Active
INV06	PAVLISKA, CY W (FD002022) - AFD - Active

#### Caution Notes

Notes	Type	Priority
AED @ Chapman/Leonard Studio Equipment - Office	Address	Low
AED @ Rooster Teeth Studios - Break Room	Address	Low
SATELLITE DIALYSIS - BLDG G - **** ENTER OFF BERKMAN DR BTWN GARCIA ST AND PHILOMENA ST ****	Address	High
KNOX - MAIN ENTRANCES BLDG A - FACING SOUTH BLDG B - RISER ROOM BLDG C - FACING NORTH BLDG D - RISER ROOM	Address	Medium
KNOX BOX - (STUDIO 1-5) AT MAIN ENTRANCE	Address	Medium

#### Pre-Scheduled Information

No Pre-Scheduled Information

#### Transports

No Transports Information

#### Transport Legs

No Transports Information

#### Comments

Date	Time	User	Type	Conf.	Comments
01/21/2026	06:55:32	SYS	Response		Multiple Response Areas found. Response Area Choices: 00-1401,00-1802
01/21/2026	06:55:38	PAGINGSERVICE	Response		Paging Groups Notified:ALL - Active 911
01/21/2026	06:55:52	FD002934	Response		CALLER SEES SMOKE COMING FROM POOL AREA
01/21/2026	06:55:59	FD002934	Response		BLACK SMOKE
01/21/2026	06:56:19	FD002934	Response		[Notification] [FIRE]-Problem changed from TRASH - Trash Fire to BOXL - Structure Fire by FIRE
01/21/2026	06:56:19	PAGINGSERVICE	Response		Paging Groups Notified:AFD - BOXL
01/21/2026	06:56:19	PAGINGSERVICE	Response		Paging Groups Notified:BC - Major Alarm Page
01/21/2026	06:56:19	PAGINGSERVICE	Response		Paging Groups Notified:ALL - Active 911

01/21/2026	06:56:43	SYS	Response	[Appended, 06:56:55] Multiple Response Areas found. Response Area Choices: 00-1401,00-1802
01/21/2026	06:56:43	FD002934	Response	BLACK SMOKE AND FLAMES COMING FROM CHANGING AREA OF POOL
01/21/2026	06:56:55	FD002094	Response	Duplicate call appended to incident at 06:56:55
01/21/2026	06:56:55	FD002934	Response	ENCLOSED BATHROOM TYPE BUILDING [Shared]
01/21/2026	06:56:57	AP8165	Response	Incident linked to [AUSTIN PD] [260210290]
01/21/2026	06:57:04	AP6232	Response	concrete bldg [Shared]
01/21/2026	06:57:10	AP10145	Response	[Page] Problem changed from *Assist Non Emergency to *Agency Assist HS by AUSTIN PD [Shared]
01/21/2026	06:57:13	AP6232	Response	comp is passerby [Shared]
01/21/2026	06:57:19	AP10145	Response	ug due to structure/bldg fire? [Shared]
01/21/2026	06:57:37	AP10145	Response	comp 5126407184 noi [Shared]
01/21/2026	06:58:03	PAGINGSERVICE	Response	Paging Groups Notified:AFD - BOX [Shared]
01/21/2026	06:58:03	PAGINGSERVICE	Response	Paging Groups Notified:BC - Major Alarm Page [Shared]
01/21/2026	06:58:03	PAGINGSERVICE	Response	Paging Groups Notified:ALL - Active 911 [Shared]
01/21/2026	06:58:04	FD002934	Response	Multi-Agency AUSTIN-TRAVIS COUNTY EMS Incident #: 26021-0085
01/21/2026	06:58:05	FD002934	Response	[Page] Problem changed from BOXL- Structure Fire to BOX -Structure Fire by FIRE [Shared]
01/21/2026	06:58:33	FD002934	Response	CALLER SAYS ITS CLOSE TO THE REST OF THE POOL BUILDINGS, [Shared]
01/21/2026	06:58:35	FD002934	Response	GETTING WORSE [Shared]
01/21/2026	06:58:55	AP7520	Response	ccc [Shared]
01/21/2026	06:58:55	PAGINGSERVICE	Response	Paging Groups Notified:OMD Response Group - Pager [Shared]
01/21/2026	06:59:10	AP8165	Response	Backed up I210 with I207 [Shared]
01/21/2026	06:59:54	SYS	Response	[Appended, 07:00:03] Multiple Response Areas found. Response Area Choices: BAKER 4,IDA 4 [Shared]
01/21/2026	07:00:03	AP9019	Response	Duplicate call appended to incident at 07:00:03 [Shared]
01/21/2026	07:00:06	AP9019	Response	***AFD NOTIFIED*** [Shared]
01/21/2026	07:00:10	AP9019	Response	afd asking questions [Shared]
01/21/2026	07:00:13	FD002934	Response	ENG14 ON SCENE, ASSUMING COMMAND [Shared]
01/21/2026	07:00:23	AP9019	Response	adv afd is onsc and disc female 602 717 4673 noi [Shared]
01/21/2026	07:00:56	FD002934	Response	BUILDING ON FIRE, LIMESTONE, PULLING RACKLINE, OFFENSIVE MODE [Shared]
01/21/2026	07:01:05	FD002934	Response	ENG18 ON SCENE, BACK UP [Shared]
01/21/2026	07:01:30	FD002934	Response	RES14, ASSUMING COMMAND, OFFENSIVE MODE, MAKING FORCIBLE ENTRY FOR LINES [Shared]
01/21/2026	07:02:02	FD002031	Response	[Page]Paging Group Notified: WORKING FIRE AFD, Sent From: CADPAFD06, Comment: ENG14 OUT AT LIMESTONE BLDG. OFFENSIVE MODE. PULLING A RACKLINE. [Shared]
01/21/2026	07:02:02	FD002934	Response	360 COMPLETE, SINGLE BUILDNG, NO EXPOSURES [Shared]
01/21/2026	07:02:29	FD002934	Response	LAD18 OUT, OUTSIDE TRUCK [Shared]
01/21/2026	07:02:41	FD002934	Response	ACCESS ISSUES ON INTERIOR [Shared]
01/21/2026	07:03:14	FD002934	Response	OUTSIDE TRUCK TO HELP WITH FORCIBLE ENTRY [Shared]
01/21/2026	07:03:25	FD002934	Response	POOL ON BRAVO SIDE [Shared]
01/21/2026	07:03:29	FD002934	Response	FIRE ON DELTA SIDE [Shared]
01/21/2026	07:03:57	FD002934	Response	BAT06 ASSUMING COMMAND, CP ON ALPHA BRAVO CORNER, [Shared]
01/21/2026	07:04:13	FD002934	Response	ENG05 LEVEL ONE STAGE AT HYDRANT ACROSS THE STREET [Shared]
01/21/2026	07:04:48	FD002934	Response	GETTING READY FOR TANK TRANSFER [Shared]
01/21/2026	07:04:59	FD002934	Response	ENG05 LAYING IN HYDRANT TO ENG 14 [Shared]
01/21/2026	07:05:25	FD002934	Response	ENG09 LEVEL ONE STAGE [Shared]
01/21/2026	07:05:30	FD002934	Response	ENG09 TO ASSUMME RIC [Shared]
01/21/2026	07:06:15	FD002934	Response	FIRE KNOCKED DOWN [Shared]
01/21/2026	07:06:38	FD002934	Response	SMOKE CHANGED TO WHITE [Shared]
01/21/2026	07:07:06	FD002934	Response	INSIDE TRUCK, BULK OF FIRE KNOCKED DOWN, LOOKING FOR EXTENSION [Shared]
01/21/2026	07:08:26	FD002934	Response	[Page] REMAINING UNITS RESPONDING TO BARTHOLOMEW PARK REDUCE TO CODE 1 [Shared]
01/21/2026	07:09:03	FD002934	Response	NO ESTABLISHED WATER SUPPLY TO MAINTAIN 51ST STREET ROADWAY [Shared]
01/21/2026	07:09:27	FD002934	Response	30X20 STRUCTURE [Shared]
01/21/2026	07:09:39	FD002934	Response	POSSIBLE EXTENSION INTO OVERHEAD AWNING [Shared]
01/21/2026	07:10:29	FD002934	Response	ENG14 DOING TANK TRANSFER CURRENTLY, JUST UNDER 3 QUARTER A TANK [Shared]
01/21/2026	07:10:34	FD002934	Response	ENG 18 JUST UNDER HALF A TANK [Shared]

01/21/2026	07:10:43	FD002934	Response	TK03 ON SCENE LEVEL ONE STAGED [Shared]
01/21/2026	07:10:50	FD002934	Response	BAT01 ON SCENE, HEADING TO COMMAND POST [Shared]
01/21/2026	07:12:24	FD002934	Response	ENG05 WORKING WITH ENG14 TO GET WATER TO ENG14 [Shared]
01/21/2026	07:17:30	FD002934	Response	PRIMARY AND SECONDARY SEARCH COMPLETE, NOTHING FOUND [Shared]
01/21/2026	07:17:55	FD002934	Response	FIRE UNDER CONTROL [Shared]
01/21/2026	07:18:32	FD002934	Response	[Page] TK03 CAN CLEAR [Shared]
01/21/2026	07:18:35	FD002934	Response	[Page] ENG 09 CAN PUT EVERYTHING BACK TOGETHER AND CLEAR [Shared]
01/21/2026	07:19:03	FD002934	Response	[Page] M33 CAN CLEAR PER COMMAND [Shared]
01/21/2026	07:20:35	M33	Response	[AUSTIN PD] has closed their incident [26021-0085]
01/21/2026	07:21:36	FD002934	Response	[Page]Paging Group Notified: AFD - Investigations, Sent From: CADPAFD08, Comment: FD COMMAND REQUESTING ARSON FOR FIRE AT BARTHOLOMEW CITY PARK. [Shared]
01/21/2026	07:23:09	I210	Response	[AUSTIN PD] has closed their incident [260210290]
01/21/2026	07:24:40	FD002934	Response	FIRE DISPATCH NO LONGER MONITORING FTAC 201 [Shared]
01/21/2026	07:27:21	FD002934	Response	AUSTIN PARKS NOTIFIED, ETA UNKNOWN [Shared]
01/21/2026	07:27:33	FD002934	Response	INV06, INV07 ASSIGNED TO CALL [Shared]
01/21/2026	07:32:14	FD002031	Response	COA MECHANIC IS RESPONDING - ETA 30 MINS [Shared]

#### Address Changes

No Address Changes

#### Priority Changes

Date	Time	Changed from Priority	Reason	User
01/21/2026	06:56:19	3F	ADDL - Additional Information	SNH

#### Alarm Level Changes

Date	Time	User	Change to Alarm
01/21/2026	06:55:36	AD	1

#### Activity Log

Date	Time	Radio	Activity	Location	Log Entry	User
01/21/2026	06:55:32		Read Comment		Comment for Incident 717 was marked as read.	FD002934
01/21/2026	06:55:35		Incident in Waiting Queue			
01/21/2026	06:55:35		Waiting Pending Incident Time Warning		Waiting Pending Incident Time Warning timer expired	
01/21/2026	06:55:36		ANI/ALI Statistics		INT Insert:Jan 21 2026 06:55:08 / INT SendNP:Jan 21 2026 06:55:08 / WS RecvNP:Jan 21 2026 06:55:08 / WS Process:Jan 21 2026 06:55:36	FD002934
01/21/2026	06:55:36		Read Comment		Comment for Incident 717 was Marked as Read.	FD002934
01/21/2026	06:55:36		Automatic Dispatch		Automatic Dispatch Successful for DYNAMIC-00- I - Still Pump - Alarm level 1	AUTODISPATCH
01/21/2026	06:55:36		SOP Displayed		TRASH	FD002934
01/21/2026	06:55:36	ENG14	DISP	1700-2002 E 51st St	Response Number (2026-021-0001142)	AUTODISPATCH
01/21/2026	06:55:36		Remove Waiting Pending Incident Warning		Removing Waiting Pending Incident Time Warning timer expired	
01/21/2026	06:55:36		Problem Nature	1700-2002 E 51st St	Incident problem nature changed from <Blank> to TRASH - Trash Fire	FD002934
01/21/2026	06:55:36		Incident Transfer	1700-2002 E 51st St	Incident has been has been transferred, fusion ID 6970ccc84a2b731eb86384fd	C2CSERVICE1
01/21/2026	06:55:36		Incident Primary TAC Channel	1700-2002 E 51st St	Primary TAC Channel TRV FCOM N has been added.	AUTODISPATCH
01/21/2026	06:55:36		Incident Alternate TAC Channel	1700-2002 E 51st St	Alternate TAC Channel TRV MCOM-C has been added.	AUTODISPATCH
01/21/2026	06:55:38		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	PAGINGSERVICE
01/21/2026	06:55:46		Station Alert		USDD has sent the following message: 0014 successfully ACK'd incident <incidentNumber> from <terminalID>	USDD
01/21/2026	06:56:19		Incident Priority Change		Incident priority changed from 3F to 1F due to ADDL - Additional Information	FD002934
01/21/2026	06:56:19		SOP Updated		Updated SOP information is available	FD002934
01/21/2026	06:56:19		SOP Displayed		BOXL	FD002934
01/21/2026	06:56:19	ENG14	Change Unit Priority		Change Unit Priority from 3F to 1F	FD002934

01/21/2026	06:56:19		Problem Nature	1700-2002 E 51st St	Incident problem nature changed from TRASH - Trash	FD002934
01/21/2026	06:56:27		UserAction		Fire to BOXL- Structure Fire	
01/21/2026	06:56:28		Reconfigure Response		User selected Response Reconfigure from PowerLine	FD002475
					The following unit(s) is (are) recommended for assignment: RES14 (00:02:31),ENG14 (00:02:14),ENG18 (00:02:37),ENG09 (00:04:32),BAT06 (00:02:02),FTAC201 (*00:00:05)	FD002475
01/21/2026	06:56:28		Read Incident		Incident 717 was Marked as Read.	FD002475
01/21/2026	06:56:32	ENG18	DISP	1700-2002 E 51st St	Response Number (2026-021-0001144)	FD002475
01/21/2026	06:56:32	FTAC201	DISP	1700-2002 E 51st St	Response Number (2026-021-0001147)	FD002475
01/21/2026	06:56:32	ENG09	DISP	1700-2002 E 51st St	Response Number (2026-021-0001145)	FD002475
01/21/2026	06:56:32	RES14	DISP	1700-2002 E 51st St	Response Number (2026-021-0001143)	FD002475
01/21/2026	06:56:32	BAT06	DISP	1700-2002 E 51st St	Response Number (2026-021-0001146)	FD002475
01/21/2026	06:56:33		Read Comment		Comment for Incident 717 was Marked as Read.	FD002511
01/21/2026	06:56:38		Incident Primary TAC Channel		Primary TAC Channel has been modified from TRV FCOM N to FTAC 201.	FD002475
01/21/2026	06:56:42	FTAC201	RESP	1700-2002 E 51st St	Responding From = FS00CM.	FD002475
01/21/2026	06:56:43		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002934
01/21/2026	06:56:44		Station Alert		USDD has sent the following message: 00CM,0009,0014,0018,00AX successfully ACK'd incident <incidentNumber> from <terminalID>	USDD
01/21/2026	06:56:52		Read Comment		Comment for Incident 717 was Marked as Read.	FD002797
01/21/2026	06:56:55		Duplicate Call Warning		Duplicate Call Warning - New call appended to incident	FD002094
01/21/2026	06:56:55		Read Comment		Comment for Incident 717 was Marked as Read.	FD002094
01/21/2026	06:56:55		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002094
01/21/2026	06:56:57		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	AP8165
01/21/2026	06:56:57		MultiAgency Response Linked Incident	1700-2002 E 51st St	Incident link created for [AUSTIN PD] Inc # [260210290]	AP8165
01/21/2026	06:56:58		UserAction		User clicked Exit/Save	FD002094
01/21/2026	06:57:03	ENG09	RESP	1700-2002 E 51st St	Responding From = E 43RD\SPEEDWAY.	FD19D478
01/21/2026	06:57:09		UserAction		User clicked Exit/Save	FD002475
01/21/2026	06:57:12		Read Comment		Comment for Incident 717 was Marked as Read.	FD002475
01/21/2026	06:57:13		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	AP6232
01/21/2026	06:57:19		Read Comment		Comment for Incident 717 was Marked as Read.	FD002094
01/21/2026	06:57:21		Incident Late		Active incident marked as late	
01/21/2026	06:57:37		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	AP10145
01/21/2026	06:57:48	ENG18	RESP	1700-2002 E 51st St	Responding From = BERKMAN\ASHBERRY DR.	FD22D600
01/21/2026	06:57:48		Incident Late		Active incident marked as late	
01/21/2026	06:57:55	ENG14	RESP	1700-2002 E 51st St	Responding From = AIRPORT BLVD TO STATION\AIRPORT BLVD.	FD24D720
01/21/2026	06:57:59		UserAction		User clicked Exit/Save	FD002511
01/21/2026	06:58:02		MultiAgencyResponse		A Change in the Problem from BOX -Structure Fire to BOX -Structure Fire has resulted in the recommendation of the following additional agencies AUSTIN-TRAVIS COUNTY EMS	FD002934
01/21/2026	06:58:02		Problem Nature	1700-2002 E 51st St	Incident problem nature changed from BOXL- Structure Fire to BOX -Structure Fire	FD002934
01/21/2026	06:58:03	BAT06	RESP	1700-2002 E 51st St	Responding From = AIRPORT BLVD TO STATION\AIRPORT BLVD.	FD23B716
01/21/2026	06:58:04		MultiAgencyResponse		Generated Inc: AUSTIN-TRAVIS COUNTY EMS Inc#26021-0085	FD002934
01/21/2026	06:58:05		MultiAgencyResponse		The following additional Agencies have been sent because of a Problem/Nature change:AUSTIN-TRAVIS COUNTY EMS	FD002934
01/21/2026	06:58:05		SOP Updated		Updated SOP information is available	FD002934
01/21/2026	06:58:05		SOP Displayed		BOX	FD002934
01/21/2026	06:58:06		UserAction		User clicked Exit/Save	FD002094
01/21/2026	06:58:07	RES14	RESP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Responding From = AIRPORT\AIRPORT BLVD TO STATION.	FD19D514
01/21/2026	06:58:08		UserAction		User clicked Reconfigure	FD002475

01/21/2026	06:58:10		Reconfigure Response		The following unit(s) is (are) recommended for assignment: LAD18 (00:02:54),RES14 (00:02:28),TK03 (00:06:25),ENG14 (00:01:57),ENG18 (00:02:37),ENG09 (00:04:32),ENG05 (00:04:38),FTO01 (00:14:55),BAT06 (00:02:03),BAT01 (00:05:11),SAFE01 (00:15:35),FTAC201 (*00:00:05) Response Number (2026-021-0001153)	FD002475
01/21/2026	06:58:12	SAFE01	DISP	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD002475
01/21/2026	06:58:12	LAD18	DISP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Response Number (2026-021-0001148)	FD002475
01/21/2026	06:58:12	ENG05	DISP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Response Number (2026-021-0001150)	FD002475
01/21/2026	06:58:12	BAT01	DISP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Response Number (2026-021-0001152)	FD002475
01/21/2026	06:58:12	FTO01	DISP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Response Number (2026-021-0001151)	FD002475
01/21/2026	06:58:12	TK03	DISP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Response Number (2026-021-0001149)	FD002475
01/21/2026	06:58:23		SOP Updated		Updated SOP information is available	FD002797
01/21/2026	06:58:23		Station Alert		USDD has sent the following message: 0052,BC01,0013-Safety,0018,0003,0005,00AX successfully ACK'd incident <incidentNumber> from <terminalID>	USDD
01/21/2026	06:58:50	ENG05	RESP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Responding From = WEBBERVILLE RD TO STATION\NICKOLS AVE.	FD20D492
01/21/2026	06:59:00	TK03	RESP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Responding From = W 30TH\WHITIS AVE.	FD23D958
01/21/2026	06:59:06	LAD18	RESP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Responding From = BERKMAN\BERKMAN DR.	FD21D262
01/21/2026	06:59:42	SAFE01	RESP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Responding From = MC CARTY\MC CARTY LN.	FD21B042
01/21/2026	06:59:48		UserAction		User clicked Exit/Save	FD002475
01/21/2026	06:59:55		Read Comment		Comment for Incident 717 was Marked as Read.	FD002315
01/21/2026	06:59:57		Incident Late		Active incident marked as late	
01/21/2026	07:00:03		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	AP9019
01/21/2026	07:00:05		UserAction		User clicked Exit/Save	FD002797
01/21/2026	07:00:08		UserAction		User clicked Exit/Save	FD002315
01/21/2026	07:00:09	ENG14	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD24D720
01/21/2026	07:00:10		Incident Late		Active incident marked as late	
01/21/2026	07:00:31	BAT01	RESP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Responding From = W MARTIN LUTHER KING JR\NUECES ST.	FD14B895
01/21/2026	07:00:32		Incident Late		Active incident marked as late	
01/21/2026	07:00:41	RES14	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD19D514
01/21/2026	07:00:42		Incident Late		Active incident marked as late	
01/21/2026	07:00:43		Read Comment		Comment for Incident 717 was Marked as Read.	FD002376
01/21/2026	07:00:46	FTO01	RESP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Responding From = WESTLAKE\ST STEPHENS DR.	FD20B116
01/21/2026	07:00:56		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002934
01/21/2026	07:01:12		Read Comment		Comment for Incident 717 was Marked as Read.	FD002031
01/21/2026	07:01:30		Read Comment		Comment for Incident 717 was marked as read.	FD002934
01/21/2026	07:01:34	ENG09	Route Deviation	1700-2002 E 51st St AIRPORT\AIRPORT NB TO IH 35 SV NB RAMP	Unit ENG09 deviated from original driving directions route	FD19D478
01/21/2026	07:01:45	ENG18	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD22D600
01/21/2026	07:02:17	BAT06	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD23B716
01/21/2026	07:02:25	LAD18	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD21D262
01/21/2026	07:03:30		UserAction		User clicked Exit/Save	FD002031

01/21/2026	07:03:48	ENG05	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD20D492
01/21/2026	07:04:33	ENG09	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD19D478
01/21/2026	07:06:31		Read Comment		Comment for Incident 717 was Marked as Read.	FD002934
01/21/2026	07:06:38		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002934
01/21/2026	07:07:11	BAT01	Route Deviation	BARBARA JORDAN~1	Unit BAT01 deviated from original driving directions route	FD14B895
01/21/2026	07:08:45	BAT01	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD14B895
01/21/2026	07:08:55		Read Comment		Comment for Incident 717 was Marked as Read.	FD002475
01/21/2026	07:08:57		UserAction		User clicked Exit/Save	FD002475
01/21/2026	07:09:02		UserAction		User clicked Exit/Save	FD002475
01/21/2026	07:09:03		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002934
01/21/2026	07:09:05		Read Comment		Comment for Incident 717 was Marked as Read.	FD002475
01/21/2026	07:09:08		UserAction		User clicked Exit/Save	FD002475
01/21/2026	07:09:14		UserAction		User clicked Exit/Save	FD002475
01/21/2026	07:09:14	TK03	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD23D958
01/21/2026	07:09:27		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002934
01/21/2026	07:10:52		Read Comment		Comment for Incident 717 was Marked as Read.	FD002475
01/21/2026	07:10:56		UserAction		User clicked Exit/Save	FD002475
01/21/2026	07:12:24		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002934
01/21/2026	07:17:39		Read Comment		Comment for Incident 717 was Marked as Read.	FD002934
01/21/2026	07:17:55		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002934
01/21/2026	07:18:45		Read Comment		Comment for Incident 717 was Marked as Read.	FD002475
01/21/2026	07:18:46		UserAction		User clicked Exit/Save	FD002475
01/21/2026	07:18:49		UserAction		User clicked Exit/Save	FD002475
01/21/2026	07:19:03		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002934
01/21/2026	07:19:39		Read Comment		Comment for Incident 717 was Marked as Read.	FD002475
01/21/2026	07:19:40		UserAction		User clicked Exit/Save	FD002475
01/21/2026	07:20:35		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	Mobile1
01/21/2026	07:22:54	FTO01	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD20B116
01/21/2026	07:23:10	INV07	DISP	W 30TH\GUADALUPE ST	1700-2002 E 51st St; Response Number: 2026-021-0001154;	FDINV07
01/21/2026	07:23:10	INV07	Update Sector	1700-2002 E 51st St	From Sector B01 to B07	FDINV07
01/21/2026	07:23:10	INV07	RESP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Responding From = W 30TH\GUADALUPE ST.	FDINV07
01/21/2026	07:23:20		Station Alert		USDD has sent the following message: 00AR,00AX successfully ACK'd incident <incidentNumber> from <terminalID>	USDD
01/21/2026	07:23:25	INV06	DISP	W 30TH\GUADALUPE ST	1700-2002 E 51st St; Response Number: 2026-021-0001155;	FDINV06
01/21/2026	07:23:25	INV06	Update Sector	1700-2002 E 51st St	From Sector B01 to B07	FDINV06
01/21/2026	07:23:25	INV06	RESP	1700-2002 E 51st St [BARTHOLOMEW PARK]	Responding From = W 30TH\GUADALUPE ST.	FDINV06
01/21/2026	07:23:33		Station Alert		USDD has sent the following message: 00AR,00AX successfully ACK'd incident <incidentNumber> from <terminalID>	USDD
01/21/2026	07:24:19		Read Comment		Comment for Incident 717 was Marked as Read.	FD002934
01/21/2026	07:24:40		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002934
01/21/2026	07:24:56	SAFE01	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FD21B042
01/21/2026	07:25:40	ENG09	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD19D478
01/21/2026	07:26:21	TK03	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD23D958
01/21/2026	07:27:36		UserAction		User clicked Exit/Save	FD002934
01/21/2026	07:31:42		Read Comment		Comment for Incident 717 was Marked as Read.	FD002031
01/21/2026	07:32:15		Read Comment	1700-2002 E 51st St	Comment for Incident 717 was marked as read.	FD002031

01/21/2026	07:32:17		UserAction		User clicked Exit/Save	FD002031
01/21/2026	07:37:30	BAT01	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD14B895
01/21/2026	07:42:21		UserAction		User clicked Exit/Save	FD002376
01/21/2026	07:43:29	INV07	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FDINV07
01/21/2026	07:43:33	INV06	ONSC	1700-2002 E 51st St [BARTHOLOMEW PARK]		FDINV06
01/21/2026	07:45:01	LAD18	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD21D262
01/21/2026	07:49:57	FTO01	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD20B116
01/21/2026	07:50:33	BAT06	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD23B716
01/21/2026	07:56:26	SAFE01	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD21B042
01/21/2026	08:02:07	ENG18	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD22D600
01/21/2026	08:05:03	ENG05	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD20D492
01/21/2026	08:18:48	ENG14	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD24D720
01/21/2026	08:19:55	FTAC201	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD002315
01/21/2026	08:24:28	RES14	AVCL	1700-2002 E 51st St [BARTHOLOMEW PARK]	Unit Cleared From Incident 26008775	FD19D514
01/21/2026	08:32:32		Read Comment		Comment for Incident 717 was Marked as Read.	FD002511
01/21/2026	08:32:53		UserAction		User clicked Exit/Save	FD002511

#### Edit Log

Date	Time	Field	Changed From	Changed To	Reason	Table	Workstation	User
01/21/2026	06:55:09	Call_Back_Phone		(512) 383-6962	(Response Viewer)	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:09	Agency Name		FIRE	(Response Viewer)	Incident	CADPAFD08	FD002934
01/21/2026	06:55:09	Call Back Phone		(512) 383-6962	(Response Viewer)	Incident	CADPAFD08	FD002934
01/21/2026	06:55:13	Address	(Blank)	(Blank)	New Entry	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:30	Address	(Blank)	30°18'8 / 97°41'50	New Entry	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:32	Jurisdiction		AFD	(Response Viewer)	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:32	Division		AFD_B07	(Response Viewer)	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:32	Battalion		AFD_BAT07	(Response Viewer)	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:32	Response_Area		00-1401	(Response Viewer)	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:32	ResponsePlanType	0	0	(Response Viewer)	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:32	Address	30°18'8 / 97°41'50	1700-2002 E 51ST ST	Entry	Response_Master_Incident	CADPAFD08	FD002934
					Selected/Returned from GeoLocator			
01/21/2026	06:55:32	City		AUSTIN	Updated City	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:32	Latitude	0	30302361	Entry	Response_Master_Incident	CADPAFD08	FD002934
					Selected/Returned from GeoLocator			
01/21/2026	06:55:32	Longitude	0	97697293	Entry	Response_Master_Incident	CADPAFD08	FD002934
					Selected/Returned from GeoLocator			
01/21/2026	06:55:32	Unread Comment	False	True	(Response Viewer)	Incident	CADPAFD08	FD002934
01/21/2026	06:55:35	Problem		TRASH - Trash Fire	(Response Viewer)	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:36	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:36	Primary TAC Channel		TRV FCOM N	(Response Viewer)	Incident	CADPADS101	AUTODISPATCH
01/21/2026	06:55:36	Alternate TAC Channel		TRV MCOM-C	(Response Viewer)	Incident	CADPADS101	AUTODISPATCH
01/21/2026	06:55:36	Pickup_Map_Info		556X		Response_Transports	CADPAFD08	FD002934
01/21/2026	06:55:36	Map_Info		556X		Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:36	Caller_Building		4	Polygon Lookup	Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:55:38	Unread Comment	False	True	(Response Viewer)	Incident	CADPPAG101	PAGINGSERVICE



01/21/2026	06:56:19	Current_UnitRespPriorityDescENG14: 3F	1F	ADDL - Additional Response_Vehicles_Assigned Information	CADPAFD08	FD002934
01/21/2026	06:56:19	Problem	TRASH - Trash Fire	(Response Viewer)Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:56:19	RespReconfigState	0	Response Response_Master_Incident reconfigure needed	CADPAFD08	FD002934
01/21/2026	06:56:19	Response_Plan	00- I - Still Pump	(Response Viewer)Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:56:19	Priority_Description	3F	ADDL - Additional Response_Master_Incident Information	CADPAFD08	FD002934
01/21/2026	06:56:19	Priority_Number	8	ADDL - Additional Response_Master_Incident Information	CADPAFD08	FD002934
01/21/2026	06:56:19	Incident_Type	I - Still Pump	(Response Viewer)Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:56:28	Read Call	False	(Launch Initial Response_Master_Incident Assign)	CADPAFD03	FD002475
01/21/2026	06:56:33	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD02	FD002511
01/21/2026	06:56:38	Primary_TAC_Channel	TRV FCOM N	(Response Viewer)Response_Master_Incident	CADPAFD03	FD002475
01/21/2026	06:56:43	Unread Comment	False	(Response Viewer)Incident	CADPAFD08	FD002934
01/21/2026	06:56:52	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD04	FD002797
01/21/2026	06:56:55	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD05	FD002094
01/21/2026	06:56:55	Unread Comment	False	(Response Viewer)Incident	CADPAFD05	FD002094
01/21/2026	06:56:57	Unread Comment	False	(Response Viewer)Incident	CADPAFD48	AP8165
01/21/2026	06:57:06	Caller_Name	WIREL ESS-Verizon Wireless	(Response Viewer)Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:57:12	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD03	FD002475
01/21/2026	06:57:13	Unread Comment	False	(Response Viewer)Incident	CADPAFD24	AP6232
01/21/2026	06:57:19	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD05	FD002094
01/21/2026	06:57:37	Unread Comment	False	(Response Viewer)Incident	CADPAFD22	AP10145
01/21/2026	06:58:02	Problem	BOXL- Structure Fire	(Response Viewer)Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:58:02	RespReconfigState	0	Response Response_Master_Incident reconfigure needed	CADPAFD08	FD002934
01/21/2026	06:58:02	Response_Plan	00- A - Box Alarm / Light	(Response Viewer)Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:58:02	Incident_Type	A - Box Alarm / Light	(Response Viewer)Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	06:58:06	Location_Name		(Response Viewer)Response_Master_Incident	CADPAFD05	FD002094
01/21/2026	06:59:55	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD01	FD002315
01/21/2026	07:00:03	Unread Comment	False	(Response Viewer)Incident	CADPAFD07	AP9019
01/21/2026	07:00:43	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD12	FD002376
01/21/2026	07:00:56	Unread Comment	False	(Response Viewer)Incident	CADPAFD08	FD002934
01/21/2026	07:01:12	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD06	FD002031
01/21/2026	07:01:30	Unread Comment	False	(Response Viewer)Incident	CADPAFD08	FD002934
01/21/2026	07:06:31	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	07:06:38	Unread Comment	False	(Response Viewer)Incident	CADPAFD08	FD002934
01/21/2026	07:08:55	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD03	FD002475
01/21/2026	07:09:03	Unread Comment	False	(Response Viewer)Incident	CADPAFD08	FD002934
01/21/2026	07:09:05	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD03	FD002475
01/21/2026	07:09:27	Unread Comment	False	(Response Viewer)Incident	CADPAFD08	FD002934
01/21/2026	07:10:52	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD03	FD002475
01/21/2026	07:12:24	Unread Comment	False	(Response Viewer)Incident	CADPAFD08	FD002934
01/21/2026	07:17:36	Date_Time		PRIM - PRIMARY Response_User_TimeStamps Search Complete	CADPAFD08	FD002934
01/21/2026	07:17:37	Date_Time		SECON - SECONDARY Response_User_TimeStamps Search Complete	CADPAFD08	FD002934
01/21/2026	07:17:39	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	07:17:50	Date_Time		Fire Under Control Response_User_TimeStamps	CADPAFD08	FD002934
01/21/2026	07:17:55	Unread Comment	False	(Response Viewer)Incident	CADPAFD08	FD002934
01/21/2026	07:18:45	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD03	FD002475
01/21/2026	07:19:03	Unread Comment	False	(Response Viewer)Incident	CADPAFD08	FD002934
01/21/2026	07:19:39	Read Comment	False	(Response Viewer)Response_Master_Incident	CADPAFD03	FD002475
01/21/2026	07:20:35	Unread Comment	False	(Response Viewer)Incident	CADPMOB103Mobile1	

01/21/2026	07:22:45	Date_Time		Jan 21 2026 07:22:45	FG MONITORING Response_User_TimeStamps CEASED	CADPAFD08	FD002934
01/21/2026	07:24:19	Read Comment	False	True	(Response Viewer)Response_Master_Incident	CADPAFD08	FD002934
01/21/2026	07:24:40	Unread Comment	False	True	(Response Viewer)Incident	CADPAFD08	FD002934
01/21/2026	07:31:42	Read Comment	False	True	(Response Viewer)Response_Master_Incident	CADPAFD06	FD002031
01/21/2026	07:32:15	Unread Comment	False	True	(Response Viewer)Incident	CADPAFD06	FD002031
01/21/2026	08:32:32	Read Comment	False	True	(Response Viewer)Response_Master_Incident	CADPAFD02	FD002511

Custom Time Stamps

Description	Date	Time	User
PRIM - PRIMARY Search Complete	01/21/2026	07:17:36	FD002934
SECON - SECONDARY Search Complete	01/21/2026	07:17:37	FD002934
Fire Under Control	01/21/2026	07:17:50	FD002934
FG MONITORING CEASED	01/21/2026	07:22:45	FD002934

Custom Data Fields  
No Custom Data Fields

Attachments  
No Attachment