

AGENT-NATIVE HACKATHON

Blueprint

See, rehearse, and ship Postgres schema changes before production finds out.

Rahul Joshi

github.com/crypticsaiyan/blueprint

THE PROBLEM

Schema changes are the riskiest deploys.

01 You can't see what a migration will break.

02 Real data hides duplicates, nulls, and orphaned rows.

03 Code that reads the table breaks quietly.

04 You find out in production.

THE SOLUTION

An agent-native workspace for schema changes.

01

See

Map every table and the code that touches it. Plan the change with the agent, or draw it.

02

Rehearse

Run the real migration on a copy of your data. See every changed row and every conflict.

03


Ship

Your tests run on the migrated data, the agent fixes the code, and one click opens the PR.

01 · SEE

One map of your schema and code.


- **Import a repo** with a SQL dump or its migrations.
- **The map** shows tables with row counts, code modules above, and lines for who reads or writes what.
- **Ask the agent** in plain English. It proposes ghost tables and columns, each with a reason.
- **Steer it:** accept, reject, lock, or edit each change. Re-plan around your locks.




01 · SEE

Draw the change. Know what it touches.

- **Drag a relationship** and get the column, backfill, and foreign key, plus how many rows the backfill fills.
- **Sketch a table** and the agent fills in its columns.
- **Code impact** lists every affected query, with file and line.
- **Architecture rules** forbid imports between modules; the agent fixes violations.






02 · REHEARSE

Run it on real data first.


- **The real migration** runs on a PGlite copy of your data, step by step, with timings.
- **Every changed row** is shown, before and after.
- **Conflicts** show the exact rows that would fail: duplicates, nulls, orphans.
- **Pick a fix** for each, and the rehearsal runs again until it passes.



03 · SHIP

A pull request that already works.

- **Generated migration:** columns, backfills parents first, constraints last, in one transaction.
- **Schemas regenerated:** Drizzle, Prisma, and Supabase types.
- **Your tests and typecheck** run on the migrated data. The agent fixes what breaks.
- **Every file is labeled** generated or agent fix. One click opens the PR.



BUILT ON AGENT-NATIVE

Every button is an agent action.

The UI and the agent call the same actions, so you and the agent work on one plan.

`import-repo · get-project-map`
Import and read the map

`propose-changeset · replan-changeset`
Plan and re-plan

`draw-table · draw-relationship`
Draw on the map

`rehearse-migration · resolve-conflict`
Rehearse and fix conflicts

`find-code-impact · fix-queries`
Find and fix broken code

`run-tests · create-pr`
Test and ship

WORKS ON REAL REPOS

Not just the demo.

- Reads the schema from Postgres itself: SQL dumps or replayed migrations.
- Understands **Drizzle**, **Prisma**, **supabase-js**, and plain SQL.
- Run on Documenso, Rallly, Kan, Basejump, Vercel's AI Chatbot and Subscription Payments, and the Next.js SaaS Starter.

Code

`github.com/crypticsaiyan/blueprint`

Demo PR

`github.com/crypticsaiyan/tallyhub/pull/3`

