

PROJECT CONTEXT: Nexus Designs Catalogue

Project Overview

This is a React-based interactive web design catalogue ("Nexus Designs"). It serves as a portfolio showcase where users can browse different industry-specific website templates. The application features a main dashboard (catalogue view) and several "Live Preview" templates that act as immersive, single-page website demos for different niches.

Tech Stack

- **Framework:** React (Vite)
- **Styling:** Tailwind CSS
- **Icons:** Lucide React
- **Fonts:** Google Fonts (imported dynamically in components)

Current Functionality

1. **Main Dashboard:** Grid view of projects with filtering by category.
2. **Live Previews:** Clicking "Live Preview" launches a full-screen modal overlaying the specific template.
3. **Templates Implemented:**
 - **Luxury (Real Estate):** Elegant, dark mode, serif fonts, parallax effects.
 - **Cafe (Hospitality):** "The Roastery" - warm tones, menu grid, vibe-focused.
 - **Lifestyle (E-commerce):** "Urban Threads" - streetwear aesthetic, carousel, ticker, sidebar nav.
 - **Trust (Healthcare):** "Dr. Sharma" - clean, blue/white palette, emergency bar, services grid.
 - **Education (EdTech):** "EduPrime" - vibrant, course listings, stats.
 - **Tech (Coworking):** "TechSpace" - dark mode, bento grid, SaaS aesthetic.

File Structure & Contents

1. Package Configuration (`package.json`)

```
{  
  "name": "nexus-designs-catalogue",  
  "private": true,  
  "version": "1.0.0",  
  "type": "module",  
  "scripts": {
```

```

    "dev": "vite",
    "build": "vite build",
    "lint": "eslint . --ext js,jsx --report-unused-disable-directives --max-warnings 0"
    "preview": "vite preview"
  },
  "dependencies": {
    "lucide-react": "^0.294.0",
    "react": "^18.2.0",
    "react-dom": "^18.2.0"
  },
  "devDependencies": {
    "@types/react": "^18.2.43",
    "@types/react-dom": "^18.2.17",
    "@vitejs/plugin-react": "^4.2.1",
    "autoprefixer": "^10.4.16",
    "eslint": "^8.55.0",
    "eslint-plugin-react": "^7.33.2",
    "eslint-plugin-react-hooks": "^4.6.0",
    "eslint-plugin-react-refresh": "^0.4.5",
    "postcss": "^8.4.32",
    "tailwindcss": "^3.4.0",
    "vite": "^5.0.8"
  }
}

```

2. Tailwind Configuration (tailwind.config.js)

Note: Contains custom animations for marquees and pulses used in templates.

```

/** @type {import('tailwindcss').Config} */
export default {
  content: [
    "./index.html",
    "./src/**/*.{js,ts,jsx,tsx}",
  ],
  theme: {
    extend: {
      animation: {
        'pulse-slow': 'pulse 4s cubic-bezier(0.4, 0, 0.6, 1) infinite',
        'bounce-short': 'bounce 1s infinite',
      },
      keyframes: {
        marquee: {
          '0%': { transform: 'translateX(0)' },
          '100%': { transform: 'translateX(-50%)' },
        }
      }
    },
  },
  plugins: [],
}

```

3. Global CSS (src/index.css)

Note: Includes a custom utility for hiding scrollbars.

```
@tailwind base;
@tailwind components;
@tailwind utilities;

body {
  margin: 0;
  padding: 0;
  background-color: #000; /* Matches the Catalogue theme */
}

/* Custom scrollbar hiding utility used in templates */
.scrollbar-hide::-webkit-scrollbar {
  display: none;
}
.scrollbar-hide {
  -ms-overflow-style: none;
  scrollbar-width: none;
}
```

4. Main Entry Point (src/main.jsx)

```
import React from 'react'
import ReactDOM from 'react-dom/client'
import App from './Showcase.jsx'
import './index.css'

ReactDOM.createRoot(document.getElementById('root')).render(
  <React.StrictMode>
    <App />
  </React.StrictMode>,
)
```

5. HTML Entry (index.html)

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Nexus Designs | Interactive Catalogue</title>
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.jsx"></script>
  </body>
```

</html>

6. Application Logic (src/Showcase.jsx)

This is the core file containing all template components and state logic.

```
import React, { useState, useEffect, useRef } from 'react';
import { X, ExternalLink, Eye, Smartphone, Monitor, ChevronRight, Search, MapPin, Layout } from 'react-icons/ri';

// --- Mock Data for Portfolio ---
const PORTFOLIO_ITEMS = [
  {
    id: 1,
    title: "Skyline Heights Realty",
    category: "Real Estate",
    templateType: "luxury",
    location: "Gurgaon, Sector 42",
    image: "[https://images.unsplash.com/photo-1600607687939-ce8a6c25118c?ixlib=rb-4.0.3&auto=format&fit=crop&w=1200&q=80]",
    description: "A luxury property showcase featuring virtual tours, interactive floor plans, and premium listings.",
    tags: ["Lead Gen", "3D Tours", "Premium UI"],
  },
  {
    id: 2,
    title: "The Roastery: Hauz Khas",
    category: "Cafe & Hospitality",
    templateType: "cafe",
    location: "Hauz Khas Village, Delhi",
    image: "[https://images.unsplash.com/photo-1554118811-1e0d58224f24?ixlib=rb-4.0.3&auto=format&fit=crop&w=1200&q=80]",
    description: "An atmospheric website for a boutique cafe. Features include a QR-integrated menu, online reservations, and social media integration.",
    tags: ["Menu System", "Reservations", "Social Integration"],
  },
  {
    id: 3,
    title: "Dr. Sharma Cardiology",
    category: "Healthcare",
    templateType: "trust",
    location: "South Extension, Delhi",
    image: "[https://images.unsplash.com/photo-1638202993928-7267aad84c31?ixlib=rb-4.0.3&auto=format&fit=crop&w=1200&q=80]",
    description: "Trust-building medical practice website. Includes online appointment booking, patient portal, and secure communication.",
    tags: ["Booking Engine", "Clean Design", "SEO Optimized"],
  },
  {
    id: 4,
    title: "EduPrime Coaching",
    category: "Education",
    templateType: "education",
    location: "Noida, Sector 62",
    image: "[https://images.unsplash.com/photo-1503676260728-1c00da094a0b?ixlib=rb-4.0.3&auto=format&fit=crop&w=1200&q=80]",
    description: "LMS-ready website for a coaching institute. Features student login, course catalog, and video hosting.",
    tags: ["LMS", "Student Portal", "Video Hosting"],
  },
  {
    id: 5,
    title: "Urban Threads",
    category: "E-Commerce",
    templateType: "ecommerce",
    location: "Connaught Place, Delhi",
    image: "[https://images.unsplash.com/photo-1512000000000-000000000000?ixlib=rb-4.0.3&auto=format&fit=crop&w=1200&q=80]",
    description: "Modern e-commerce website for a fashion brand. Features product catalog, shopping cart, and user accounts.",
    tags: ["Product Catalog", "Shopping Cart", "User Accounts"],
  }
];
```

```

    templateType: "lifestyle",
    location: "Connaught Place, Delhi",
    image: "[https://images.unsplash.com/photo-1441986300917-64674bd600d8?ixlib=rb-4.0.
    description: "A high-conversion Shopify-style store for a local fashion brand. Incl
    tags: ["Shopify", "Payments", "Inventory"],
  },
  {
    id: 6,
    title: "TechSpace Coworking",
    category: "Real Estate",
    templateType: "tech",
    location: "Cyber City, Gurgaon",
    image: "[https://images.unsplash.com/photo-1497366216548-37526070297c?ixlib=rb-4.0.
    description: "Modern booking platform for coworking spaces. Calendar integration fc
    tags: ["Booking System", "Membership", "Modern UI"],
  }
];

const CATEGORIES = [
  { id: 'All', label: 'All Projects', icon: Layout },
  { id: 'Real Estate', label: 'Real Estate', icon: Building2 },
  { id: 'Cafe & Hospitality', label: 'Hospitality', icon: Coffee },
  { id: 'Healthcare', label: 'Healthcare', icon: Stethoscope },
  { id: 'Education', label: 'Education', icon: GraduationCap },
  { id: 'E-Commerce', label: 'E-Commerce', icon: ShoppingBag },
];

// --- UTILITIES ---

const RevealOnScroll = ({ children, className = "" }) => {
  const [isVisible, setIsVisible] = useState(false);
  const ref = useRef(null);

  useEffect(() => {
    const observer = new IntersectionObserver(
      ([entry]) => {
        if (entry.isIntersecting) {
          setIsVisible(true);
          observer.disconnect();
        }
      },
      { threshold: 0.1 }
    );
    if (ref.current) observer.observe(ref.current);
    return () => observer.disconnect();
  }, []);

  return (
    <div
      ref={ref}
      className={`transition-all duration-1000 ease-out transform ${
        isVisible ? "opacity-100 translate-y-0" : "opacity-0 translate-y-10"
      } ${className}`}
    >
      {children}
    </div>
  );
};

```

```

const handleError = (e) => {
  e.target.src = "[https://images.unsplash.com/photo-1557683316-973673baf926?auto=format&q=80]";
  e.target.onerror = null; // Prevent infinite loop
};

// --- TEMPLATE ENGINE -----

// 1. LUXURY TEMPLATE (Skyline Heights)
const LuxuryTemplate = ({ project }) => {
  const [isNavVisible, setIsNavVisible] = useState(true);
  const [isAtTop, setIsAtTop] = useState(true);
  const lastScrollY = useRef(0);

  const handleScroll = (e) => {
    const currentScrollY = e.target.scrollTop;
    if (currentScrollY < 10) {
      setIsAtTop(true);
      setIsNavVisible(true);
    } else {
      setIsAtTop(false);
      if (currentScrollY > lastScrollY.current) setIsNavVisible(false);
      else setIsNavVisible(true);
    }
    lastScrollY.current = currentScrollY;
  };

  return (
    <div
      className="font-luxury-serif bg-[#0c0c0c] text-[#e5e5e5] min-h-screen overflow-y-hidden onScroll={handleScroll}
    >
      <style>{`
        @import url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:ital,font-luxury-serif { font-family: 'Cormorant Garamond', serif; }
        .font-luxury-sans { font-family: 'Montserrat', sans-serif; }
        .scrollbar-hide::-webkit-scrollbar { display: none; }
        .scrollbar-hide { -ms-overflow-style: none; scrollbar-width: none; }
      `}</style>

      <nav
        className={`fixed w-full z-50 transition-all duration-500 transform ${
          isNavVisible ? 'translate-y-0' : '-translate-y-full'
        } ${isAtTop ? 'bg-transparent py-4 md:py-8' : 'bg-[#0c0c0c]/95 backdrop-blur-md`}
      >
        <div className="max-w-7xl mx-auto px-4 md:px-8 flex justify-between items-center">
          <div className="text-lg md:text-3xl tracking-[0.2em] uppercase font-light text-white">
            {project.title.split(' ')[0]}<span className="text-[#d4af37] font-bold"> .</span>
          </div>
          <div className="hidden md:flex space-x-10 text-xs font-luxury-sans tracking-[0.2em]">
            {['Residences', 'Philosophy', 'Amenities', 'Neighborhood'].map((item) => (
              <a key={item} href={`#${item.toLowerCase()}`} className="hover:text-[#d4af37] text-white">
                {item.toUpperCase()}
              </a>
            ))}
          </div>
          <button className="font-luxury-sans text-[10px] md:text-xs tracking-[0.2em] text-white">

```

```

    INQUIRE
  </button>
</div>
</nav>

<header className="relative h-screen flex items-center justify-center overflow-hidden" >
  <div className="absolute inset-0 z-0">
    <img
      src={project.image}
      className="w-full h-full object-cover scale-105 animate-pulse-slow"
      alt="Luxury Architecture"
      style={{ animationDuration: '20s' }}
      onError={handleImageError}
    />
    <div className="absolute inset-0 bg-gradient-to-b from-black/40 via-black/20 to-transparent">
    </div>
  </div>

  <div className="relative z-10 text-center max-w-4xl px-6">
    <RevealOnScroll>
      <div className="font-luxury-sans text-[#d4af37] text-xs md:text-base tracking-wider">
        {project.location}
      </div>
      <h1 className="text-4xl md:text-7xl lg:text-8xl font-thin mb-6 md:mb-8 leading-tight">
        Beyond <br/> <span className="italic font-normal text-gray-200">Extraordinary
      </h1>
      <p className="text-sm md:text-xl font-luxury-sans font-light text-gray-300">
        A sanctuary of sophistication tailored for the modern elite.
        Experience the pinnacle of urban living.
      </p>
      <div className="flex flex-col md:flex-row justify-center gap-4 md:gap-6">
        <button className="bg-[#d4af37] text-black font-luxury-sans px-8 md:px-10">
          EXPLORE RESIDENCES
        </button>
        <button className="border border-white/30 text-white font-luxury-sans px-8 md:px-10">
          <Play size={14} className="mr-3" /> WATCH FILM
        </button>
      </div>
    </RevealOnScroll>
  </div>
</header>

<section className="border-y border-white/10 bg-[#0c0c0c]">
  <div className="max-w-7xl mx-auto grid grid-cols-2 md:grid-cols-4">
    {
      [
        { label: 'Stories', value: '42' },
        { label: 'Residences', value: '128' },
        { label: 'Ceiling Height', value: '12 FT' },
        { label: 'City Views', value: '360°' }
      ].map((stat, index) => (
        <div key={index} className={`py-12 text-center border-r border-white/10 ${index % 2 === 0 ? 'border-l' : ''}`}>
          <div className="text-4xl md:text-5xl font-light text-[#d4af37] mb-2">{stat.value}
          <div className="font-luxury-sans text-xs tracking-[0.2em] text-gray-500">{stat.label}
        </div>
      ))
    }
  </div>
</section>

<section id="philosophy" className="py-32 px-6 bg-[#111]">

```

```

<div className="max-w-7xl mx-auto flex flex-col md:flex-row items-center gap-20"
  <div className="w-full md:w-1/2 relative">
    <RevealOnScroll>
      <div className="absolute -top-4 -left-4 w-24 h-24 border-t border-l border-r border-b"
        
      <div className="absolute -bottom-4 -right-4 w-24 h-24 border-b border-r"
    </RevealOnScroll>
  </div>
<div className="w-full md:w-1/2">
  <RevealOnScroll>
    <span className="text-[#d4af37] font-luxury-sans text-xs tracking-[0.3em]"
    <h2 className="text-4xl md:text-6xl font-light leading-tight mb-8">
      Curated for the <br/> <span className="italic text-gray-400">Uncompromi
    </h2>
    <p className="text-gray-400 font-luxury-sans font-light leading-loose mb-8">
      Every line, every curve, and every material has been chosen with deliberation.
      We believe that true luxury lies not in excess, but in the precision of craftsmanship.
    </p>
    <a href="#" className="inline-flex items-center text-[#d4af37] font-luxury-sans"
      READ THE STORY <ChevronRight size={14} className="ml-2" />
    </a>
  </RevealOnScroll>
</div>
</div>
</section>

{/* Residence Layouts (Horizontal Scroll) */}
<section id="residences" className="py-32 bg-[#0c0c0c] overflow-hidden">
  <div className="px-6 mb-16 text-center">
    <RevealOnScroll>
      <h2 className="text-4xl md:text-5xl font-light mb-4 text-white">The Collection
      <p className="text-gray-500 font-luxury-sans tracking-wider">SELECT YOUR SPACE
    </RevealOnScroll>
  </div>

  <div className="flex overflow-x-auto pb-12 px-6 space-x-8 scrollbar-hide">
    <div>
      {
        { name: "The Penthouse", size: "6,500 SQ.FT", img: "[https://images.unsplash.com/photo-1613490493576-7fde63acd811?ixl
        { name: "Sky Villa", size: "4,200 SQ.FT", img: "[https://images.unsplash.com/photo-1613490493576-7fde63acd811?ixl
        { name: "Garden Suite", size: "3,800 SQ.FT", img: "[https://images.unsplash.com/photo-1613490493576-7fde63acd811?ixl
        { name: "The Atelier", size: "2,900 SQ.FT", img: "[https://images.unsplash.com/photo-1613490493576-7fde63acd811?ixl
      ].map((item, i) => (
        <div key={i} className="flex-none w-[85vw] md:w-[400px] group cursor-pointer">
          <div className="h-[500px] overflow-hidden relative mb-6">
            <div className="absolute inset-0 bg-black/20 group-hover:bg-transparent">
              <img src={item.img} className="w-full h-full object-cover transform grayscale-0 group-hover:grayscale-0" />
            </div>
            <div className="flex justify-between items-end border-b border-white/20 padding">
              <div>
                <h3 className="text-2xl font-light text-white">{item.name}</h3>
                <p className="text-xs font-luxury-sans text-gray-500 mt-2">{item.size}</p>
              </div>
              <ArrowRight className="text-[#d4af37] opacity-0 group-hover:opacity-100" />
            </div>
          </div>
        </div>
      )
    </div>
  </div>

```

```

        </div>
      </div>
    )))
  </div>
</section>

{/* Amenities Grid */}
<section id="amenities" className="py-32 px-6 bg-[#111]">
  <div className="max-w-7xl mx-auto">
    <RevealOnScroll>
      <div className="grid grid-cols-1 md:grid-cols-3 gap-1px bg-white/10 border
        {[
          { icon: Coffee, title: "Private Lounge", desc: "For intimate gatherings
          { icon: Star, title: "Infinity Pool", desc: "Overlooking the skyline" }
          { icon: Monitor, title: "Cinema", desc: "Private screening room" },
          { icon: GraduationCap, title: "Library", desc: "Curated collection" },
          { icon: Stethoscope, title: "Wellness Spa", desc: "Holistic rejuvenatic
          { icon: Car, title: "Valet Service", desc: "24/7 Assistance" },
        ].map((amenity, idx) => {
          const Icon = amenity.icon;
          return (
            <div key={idx} className="bg-[#111] p-12 text-center group hover:bg-[
              <div className="flex justify-center mb-6 text-gray-600 group-hover:
                <Icon size={32} strokeWidth={1} />
              </div>
              <h3 className="text-xl font-light text-white mb-2">{amenity.title}<
              <p className="text-sm font-luxury-sans text-gray-500">{amenity.desc
            </div>
          )
        })}
      </div>
    </RevealOnScroll>
  </div>
</section>

{/* Inquiry Form Section */}
<section id="contact" className="py-32 px-6 bg-[#0c0c0c] relative overflow-hidder
  <div className="absolute top-0 right-0 w-1/2 h-full bg-[#111] -skew-x-12 transl
  <div className="max-w-4xl mx-auto relative z-10">
    <RevealOnScroll>
      <div className="text-center mb-16">
        <h2 className="text-4xl md:text-5xl font-light mb-4 text-white">Begin the
        <p className="text-gray-500 font-luxury-sans tracking-wider">SCHEDULE A F
      </div>

      <form className="space-y-8" onSubmit={(e) => e.preventDefault()}>
        <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
          <div className="group">
            <input type="text" placeholder="First Name" className="w-full bg-trar
          </div>
          <div className="group">
            <input type="text" placeholder="Last Name" className="w-full bg-trans
          </div>
        </div>
        <div className="group">
          <input type="email" placeholder="Email Address" className="w-full bg-tr
        </div>
        <div className="group">

```

```

        <select className="w-full bg-transparent border-b border-white/20 py-4"
          <option className="bg-[#0c0c0c]">Interested in 3 BHK</option>
          <option className="bg-[#0c0c0c]">Interested in 4 BHK</option>
          <option className="bg-[#0c0c0c]">Penthouse Inquiry</option>
        </select>
      </div>

      <div className="flex justify-center pt-8">
        <button className="bg-[#d4af37] text-black font-luxury-sans px-16 py-4"
          SUBMIT INQUIRY
        </button>
      </div>
    </form>
  </RevealOnScroll>
</div>
</section>

<footer className="bg-black py-12 text-center border-t border-white/5 font-luxury"
  <div className="mb-4 text-white text-xl font-luxury-serif">{project.title}</div>
  <p>© 2025 {project.title.toUpperCase()}. ALL RIGHTS RESERVED.</p>
</footer>
</div>
);
};

// 2. CAFE TEMPLATE (The Roastery)
const CafeTemplate = ({ project }) => (
  <div className="font-cafe-body bg-[#FDFBF7] text-[#2c2c2c] min-h-screen overflow-y-al"
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght
      .font-cafe-head { font-family: 'Playfair Display', serif; }
      .font-cafe-body { font-family: 'Oswald', sans-serif; }
      .scrollbar-hide::-webkit-scrollbar { display: none; }
      .scrollbar-hide { -ms-overflow-style: none; scrollbar-width: none; }
    `}</style>

    <nav className="sticky top-0 bg-[#FDFBF7]/95 backdrop-blur z-50 border-b border-[#2c2c2c]"
      <div className="text-2xl font-cafe-head font-bold tracking-tighter flex items-center justify-center"
        <Coffee className="mr-2 text-orange-800" size={24} />
        THE ROASTERY<span className="text-orange-600">.</span>
      </div>
      <div className="hidden md:flex space-x-8 text-sm font-medium tracking-widest uppercase"
        {[ 'Our Story', 'Menu', 'Vibes', 'Visit Us' ].map(link => (
          <a key={link} href="#" className="text-orange-800 transition-colors">{link}</a>
        ))}
      </div>
      <button className="bg-[#2c2c2c] text-white px-6 py-2 text-sm uppercase tracking-widest"
        Reserve Table
      </button>
    </nav>

    <header className="relative h-[85vh] flex items-center justify-center bg-[#1a1a1a]"
      

```

```

<div className="relative z-10 text-center px-4">
  <RevealOnScroll>
    <span className="text-orange-400 tracking-[0.3em] text-sm uppercase mb-4 bloc
    <h1 className="text-6xl md:text-8xl font-cafe-head text-white mb-6 italic lec
      Roasting Stories, <br/> <span className="not-italic text-[#FDFBF7]">Brewing
    </h1>
    <p className="text-gray-300 text-lg max-w-lg mx-auto mb-10 font-light trackir
      Small batch artisanal coffee sourced from the finest estates in India.
      Poured with love in the heart of Delhi.
    </p>
    <div className="flex justify-center space-x-4">
      <button className="px-8 py-4 bg-white text-black font-bold tracking-widest
        View Menu
      </button>
    </div>
  </RevealOnScroll>
</div>
</header>

<div className="bg-orange-800 py-4 overflow-hidden whitespace-nowrap text-[#FDFBF7]
  <div className="inline-flex animate-marquee font-cafe-body text-2xl font-bold trc
    {[...Array(8)].map((_, i) => (
      <span key={i} className="mx-8 flex items-center">
        <Star size={16} className="mr-4 text-orange-300" /> Fresh Roast Daily <spar
      </span>
    )]}
  </div>
</div>

<section className="py-24 px-6 md:px-12 max-w-7xl mx-auto">
  <div className="flex flex-col md:flex-row items-center gap-16">
    <div className="w-full md:w-1/2">
      <RevealOnScroll>
        <div className="relative">
          
          <div className="absolute -bottom-6 -right-6 bg-[#2c2c2c] text-white p-6 n
            <p className="font-cafe-head italic text-xl">"Coffee is a language in i
            <p className="text-xs text-gray-400 mt-2 uppercase tracking-wider">- Jc
          </div>
        </div>
      </RevealOnScroll>
    </div>
    <div className="w-full md:w-1/2">
      <RevealOnScroll>
        <h2 className="text-5xl font-cafe-head mb-6 leading-tight text-[#2c2c2c]">
          From the Hills of Coorg to <span className="italic text-orange-800">Hauz
        </h2>
        <p className="text-gray-600 text-lg leading-relaxed font-light mb-6">
          We don't just serve coffee; we curate experiences. Our beans are hand-pic
          The aroma that hits you when you walk in? That's the smell of dedication.
        </p>
        <div className="grid grid-cols-2 gap-6 mt-8 border-t border-gray-200 pt-8">
          <div>

```

```

        <h4 className="text-3xl font-cafe-head text-orange-800 mb-1">100%</h4>
        <p className="text-sm uppercase tracking-wider text-gray-500">Arabica
      </div>
      <div>
        <h4 className="text-3xl font-cafe-head text-orange-800 mb-1">Daily</h4>
        <p className="text-sm uppercase tracking-wider text-gray-500">Fresh Bc
      </div>
    </div>
  </RevealOnScroll>
</div>
</div>
</section>

<section className="py-24 bg-[#F3EFE6]">
  <div className="max-w-7xl mx-auto px-6">
    <RevealOnScroll>
      <div className="text-center mb-16">
        <span className="text-orange-800 uppercase tracking-[0.2em] font-bold text">
          <h2 className="text-5xl font-cafe-head mt-3 text-[#2c2c2c]">The Daily Pour
        </div>

        <div className="grid grid-cols-1 md:grid-cols-3 gap-8">
          {[
            { title: "Signature Cold Brew", desc: "Steeped for 18 hours, notes of chc
            { title: "Smashed Avo Toast", desc: "Sourdough, poached farm egg, chili f
            { title: "Hazelnut Croissant", desc: "French butter, roasted hazelnuts, c
          ].map((item, idx) => (
            <div key={idx} className="bg-white p-4 shadow-sm hover:shadow-xl transiti
              <div className="h-64 overflow-hidden mb-6 relative">
                <img src={item.img} onError={handleImageError} className="w-full h-fl
              </div>
              <h3 className="text-2xl font-cafe-head mb-2">{item.title}</h3>
              <p className="text-gray-500 font-light">{item.desc}</p>
            </div>
          )))
        </div>

        <div className="text-center mt-12">
          <button className="border-b-2 border-[#2c2c2c] pb-1 text-lg hover:text-orar
            View Full Menu
          </button>
        </div>
      </RevealOnScroll>
    </div>
  </section>

  <section className="py-32 bg-fixed bg-center bg-cover relative" style={{ background
    <div className="absolute inset-0 bg-black/60"></div>
    <div className="relative z-10 text-center max-w-3xl mx-auto px-6">
      <RevealOnScroll>
        <h2 className="text-5xl md:text-7xl font-cafe-head text-white italic leading-
          "Life happens, <br/> Coffee helps."
        </h2>
      </RevealOnScroll>
    </div>
  </section>

  <section className="py-24 px-6 max-w-7xl mx-auto">

```

```

<RevealOnScroll>
  <div className="flex justify-between items-end mb-12">
    <div>
      <h2 className="text-4xl font-cafe-head mb-2">The Vibe</h2>
      <p className="text-gray-500 tracking-wide">@TheRoasteryHKV</p>
    </div>
    <button className="flex items-center text-sm uppercase tracking-widest hov
      <Instagram size={18} className="mr-2" /> Follow Us
    </button>
  </div>

  <div className="grid grid-cols-2 md:grid-cols-4 gap-4 h-[600px]">
    <div className="col-span-2 row-span-2 relative overflow-hidden group">
      
      
      
      
  <div className="max-w-7xl mx-auto grid grid-cols-1 md:grid-cols-3 gap-12 text-cer
    <div>
      <h3 className="text-2xl font-cafe-head mb-6">THE ROASTERY</h3>
      <p className="text-gray-400 text-sm leading-loose mb-6">
        Crafting the finest coffee experiences in Delhi since 2018.
        Come for the coffee, stay for the vibes.
      </p>
      <div className="flex justify-center md:justify-start space-x-4">
        <Instagram className="text-gray-400 hover:text-white cursor-pointer" />
        <Facebook className="text-gray-400 hover:text-white cursor-pointer" />
        <Twitter className="text-gray-400 hover:text-white cursor-pointer" />
      </div>
    </div>
    <div>
      <h4 className="text-lg font-bold uppercase tracking-widest mb-6 text-orange-5
      <p className="text-gray-300 mb-2 flex items-center justify-center md:justify-
      <p className="text-gray-300 mb-2">Building No. 12, Lake View</p>
      <p className="text-gray-300 flex items-center justify-center md:justify-start
    </div>
    <div>
      <h4 className="text-lg font-bold uppercase tracking-widest mb-6 text-orange-5
      <div className="text-gray-300 space-y-2">
        <p className="flex justify-between max-w-[200px] mx-auto md:mx-0"><span>Mor
        <p className="flex justify-between max-w-[200px] mx-auto md:mx-0"><span>Sat
      </div>
    </div>
  </div>
  <div className="border-t border-gray-800 mt-16 pt-8 text-center text-gray-600 tex
    © 2025 The Roastery. All Rights Reserved.

```

```

    </div>
  </footer>
</div>
);

// 3. LIFESTYLE TEMPLATE (Urban Threads)
const LifestyleTemplate = ({ project }) => {
  const [isMenuOpen, setIsMenuOpen] = useState(false);

  // --- HERO CAROUSEL LOGIC ---
  const [currentHeroIndex, setCurrentHeroIndex] = useState(0);
  const heroImages = [
    project.image,
    "[https://images.unsplash.com/photo-1617137984095-74e4e5e3613f?auto=format&fit=crop",
    "[https://images.unsplash.com/photo-1536766820879-059fec98ec0a?auto=format&fit=crop",
    "[https://images.unsplash.com/photo-1503342217505-b0815a046baf?auto=format&fit=crop",
  ];

  useEffect(() => {
    const timer = setInterval(() => {
      setCurrentHeroIndex((prev) => (prev + 1) % heroImages.length);
    }, 4000);
    return () => clearInterval(timer);
  }, []);

  // --- PRODUCT SLIDER LOGIC ---
  const sliderRef = useRef(null);
  const scrollSlider = (direction) => {
    if (sliderRef.current) {
      const scrollAmount = 320; // width of card + gap
      sliderRef.current.scrollToBy({
        left: direction === 'left' ? -scrollAmount : scrollAmount,
        behavior: 'smooth'
      });
    }
  };

  return (
    <div className="font-street-body bg-white text-black min-h-screen overflow-x-hidden"
      <style>{`
        @import url('[https://fonts.googleapis.com/css2?family=Anton&family=Inter:wght@
        .font-street-head { font-family: 'Anton', sans-serif; }
        .font-street-body { font-family: 'Inter', sans-serif; }
        .scrollbar-hide::-webkit-scrollbar { display: none; }
        .scrollbar-hide { -ms-overflow-style: none; scrollbar-width: none; }
        @keyframes marquee {
          0% { transform: translateX(0); }
          100% { transform: translateX(-50%); }
        }
        .animate-marquee {
          display: inline-block;
          white-space: nowrap;
          animation: marquee 20s linear infinite;
        }
      `}</style>

    </* Sidebar Overlay */>
    <div className={`fixed inset-0 bg-black/60 z-[60] transition-opacity duration-30

```

```

{ /* Sidebar */ }
<div className={`fixed top-0 left-0 h-full w-80 bg-zinc-950 text-white z-[70] trc
  <div className="flex justify-between items-center mb-16">
    <span className="font-street-head text-3xl tracking-wider text-white">MENU</
    <X className="cursor-pointer hover:text-yellow-400 transition-colors" onClic
  </div>
  <nav className="flex flex-col space-y-8 font-street-head text-4xl tracking-wide
    {[ 'New Arrivals', 'Men', 'Women', 'Accessories', 'Collections', 'Sale' ].map(
      <a
        key={item}
        href="#"
        className="hover:text-yellow-400 transition-all origin-left hover:trans
        style={{ transitionDelay: `${i * 50}ms` }}
      >
        {item.toUpperCase()}
      </a>
    )]}
  </nav>
  <div className="mt-auto space-y-6 text-zinc-500 font-street-body text-sm font-r
    <div className="flex items-center cursor-pointer hover:text-white transitior
    <div className="flex items-center cursor-pointer hover:text-white transitior
    <div className="flex items-center cursor-pointer hover:text-white transitior
  </div>
</div>

{ /* Navbar */ }
<nav className="flex justify-between items-center p-4 md:p-6 sticky top-0 bg-whit
  <div className="flex items-center gap-4 md:gap-6">
    <Menu className="cursor-pointer hover:scale-110 transition-transform" onCli
    <Search className="cursor-pointer hidden md:block hover:text-zinc-600" size
  </div>
  <div className="font-street-head text-2xl md:text-4xl tracking-tighter uppercc
  <div className="flex items-center gap-4 md:gap-6">
    <div className="relative cursor-pointer hover:scale-110 transition-transfor
      <ShoppingBag size={24} strokeWidth={2} />
      <span className="absolute -top-1 -right-1 bg-black text-white text-[10px
    </div>
  </div>
</nav>

{ /* Hero Carousel */ }
<header className="relative h-[80vh] w-full bg-zinc-100 overflow-hidden flex iter
  {heroImages.map((img, index) => (
    <div
      key={index}
      className={`absolute inset-0 w-full h-full transition-opacity duration-10
    >
      <img
        src={img}
        className="w-full h-full object-cover object-center grayscale hover:c
        alt={`Urban Fashion ${index + 1}`}
        onError={handleImageError}
      />
      <div className="absolute inset-0 bg-gradient-to-r from-black/60 to-trar
    </div>
  )]}

```

```

<div className="absolute bottom-8 right-8 flex space-x-2 z-20">
  {heroImages.map((_, idx) => (
    <button
      key={idx}
      onClick={() => setCurrentHeroIndex(idx)}
      className={`w-12 h-1 transition-all ${idx === currentHeroIndex ? 'bg-ye
    />
  )}}
</div>

<div className="relative z-10 px-8 md:px-16 max-w-4xl">
  <RevealOnScroll>
    <div className="bg-yellow-400 text-black font-bold text-xs px-4 py-1 inl
      Fall / Winter 2025
    </div>
    <h1 className="font-street-head text-5xl md:text-9xl text-white leading-
      STREETWEAR <br/> <span className="text-transparent bg-clip-text bg-gr
    </h1>
    <button className="bg-white text-black px-10 py-4 font-street-head text-
      SHOP THE DROP
    </button>
  </RevealOnScroll>
</div>
</header>

{/* Ticker */}
<div className="bg-black text-white py-3 overflow-hidden border-y border-white/10
  <div className="inline-flex animate-marquee font-street-body font-bold text-sr
    [...Array(6)].map((_, i) => (
      <span key={i} className="mx-8">Free Shipping on orders over ₹2000 • 30-D
    )}}
  </div>
</div>

{/* Collections Grid */}
<section className="grid grid-cols-1 md:grid-cols-3 h-auto md:h-[80vh]">
  {[
    { title: "MEN", img: "[https://images.unsplash.com/photo-1552374196-1ab2a1c
    { title: "WOMEN", img: "[https://images.unsplash.com/photo-1550614000-4b951
    { title: "ACCESSORIES", img: "[https://images.unsplash.com/photo-1523381210
  ].map((cat, i) => (
    <div key={i} className="relative group overflow-hidden cursor-pointer borde
      <img src={cat.img} className="w-full h-full object-cover transition-trar
      <div className="absolute inset-0 bg-black/20 group-hover:bg-transparent
      <div className="absolute inset-0 flex items-center justify-center">
        <h2 className="font-street-head text-6xl text-white tracking-tighter
          {cat.title}
        </h2>
      </div>
    </div>
    <div className="absolute bottom-8 left-1/2 -translate-x-1/2 opacity-0 gr
      <span className="bg-white text-black px-6 py-2 font-bold uppercase t
    </div>
  </div>
  )}}
</section>

{/* The Drop (Product Slider) */}
<section className="py-24 px-6 overflow-hidden border-b-2 border-black">

```

```

<div className="max-w-full mx-auto">
  <div className="flex justify-between items-end mb-12 px-4">
    <h2 className="font-street-head text-6xl md:text-8xl leading-none">LATES
    <div className="hidden md:flex space-x-4">
      <button
        onClick={() => scrollSlider('left')}
        className="w-12 h-12 border-2 border-black flex items-center justif
      >
        <ArrowRight className="rotate-180" />
      </button>
      <button
        onClick={() => scrollSlider('right')}
        className="w-12 h-12 border-2 border-black flex items-center justif
      >
        <ArrowRight />
      </button>
    </div>
  </div>

  <div
    ref={sliderRef}
    className="flex overflow-x-auto pb-8 space-x-8 scrollbar-hide px-4 scroll
  >
    {[
      { name: "Oversized Graphic Tee", price: "₹1,499", img: "[https://image
      { name: "Cargo Utility Pants", price: "₹2,999", img: "[https://images.
      { name: "Retro High-Tops", price: "₹5,499", img: "[https://images.unsp
      { name: "Distressed Denim Jacket", price: "₹3,299", img: "[https://imc
      { name: "Bucket Hat", price: "₹899", img: "[https://images.unsplash.cc
    ]}.map((prod, i) => (
      <div key={i} className="flex-none w-[300px] group cursor-pointer">
        <div className="h-[400px] bg-zinc-100 mb-4 relative overflow-hidde
          <img src={prod.img} className="w-full h-full object-cover mix-b
          <div className="absolute top-4 right-4 bg-black text-white px-2
            <button className="absolute bottom-0 w-full bg-black text-white
          </div>
        <div className="flex justify-between items-start">
          <h3 className="font-bold text-lg leading-tight max-w-[70%]">{pr
          <span className="font-street-head text-xl">{prod.price}</span>
        </div>
      </div>
    ))}
  </div>
</div>
</section>

{/* Shop The Look */}
<section className="py-24 bg-black text-white">
  <div className="max-w-7xl mx-auto px-6 flex flex-col md:flex-row items-center
    <div className="w-full md:w-1/2">
      <RevealOnScroll>
        
      <RevealOnScroll>
        <h2 className="font-street-head text-8xl mb-6">ESSENTIALS <br/> ONLY.
        <p className="text-zinc-400 text-lg mb-8 max-w-md font-street-body le

```

```

        Quality fabrics, oversized fits, and designs that speak for themse
        Upgrade your wardrobe with our curated selection of everyday esser
    </p>
    <button className="bg-white text-black px-12 py-4 font-street-head te
        VIEW LOOKBOOK
    </button>
    </RevealOnScroll>
  </div>
</div>
</section>

{/* Footer */}
<footer className="bg-white text-black py-16 px-6 border-t-2 border-black">
  <div className="max-w-7xl mx-auto grid grid-cols-1 md:grid-cols-4 gap-12">
    <div className="col-span-1 md:col-span-2">
      <h3 className="font-street-head text-5xl mb-6">{project.title}</h3>
      <p className="max-w-sm text-zinc-600 font-medium mb-8">
        Redefining street culture through fashion. Based in New Delhi.
        Designed for the world.
      </p>
      <div className="flex space-x-4">
        <Instagram className="hover:text-zinc-600 cursor-pointer" strokeWidth=
        <Facebook className="hover:text-zinc-600 cursor-pointer" strokeWidth=
        <Twitter className="hover:text-zinc-600 cursor-pointer" strokeWidth={
      </div>
    </div>
    <div>
      <h4 className="font-bold uppercase tracking-wider mb-6">Shop</h4>
      <ul className="space-y-2 text-sm font-medium text-zinc-600">
        <li className="hover:text-black cursor-pointer">New Arrivals</li>
        <li className="hover:text-black cursor-pointer">Best Sellers</li>
        <li className="hover:text-black cursor-pointer">Sale</li>
        <li className="hover:text-black cursor-pointer">Gift Cards</li>
      </ul>
    </div>
    <div>
      <h4 className="font-bold uppercase tracking-wider mb-6">Support</h4>
      <ul className="space-y-2 text-sm font-medium text-zinc-600">
        <li className="hover:text-black cursor-pointer">Order Status</li>
        <li className="hover:text-black cursor-pointer">Returns & Exchanges</li>
        <li className="hover:text-black cursor-pointer">Size Guide</li>
        <li className="hover:text-black cursor-pointer">Contact Us</li>
      </ul>
    </div>
  </div>
  <div className="text-center text-xs font-bold uppercase mt-16 pt-8 border-t bc
    © 2025 Urban Threads. All Rights Reserved.
  </div>
</footer>
</div>
);
};

// 4. TRUST TEMPLATE (Healthcare - Dr. Sharma)
const TrustTemplate = ({ project }) => (
  <div className="font-trust-sans bg-white text-slate-700 min-h-screen overflow-y-auto
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600

```

```

.font-trust-sans { font-family: 'Inter', sans-serif; }
.font-trust-serif { font-family: 'Merriweather', serif; }
.scrollbar-hide::-webkit-scrollbar { display: none; }
.scrollbar-hide { -ms-overflow-style: none; scrollbar-width: none; }
`}</style>

{/* Emergency Bar */}
<div className="bg-[#E63946] text-white text-xs font-bold py-2 px-6 flex justify-be
  <div className="flex items-center animate-pulse"><Activity size={14} className="
    <div className="hidden md:block">CALL AMBULANCE: 102</div>
  </div>

{/* Top Info Bar */}
<div className="bg-[#F1FAEE] text-[#1D3557] text-sm py-3 px-6 border-b border-[#A8C
  <div className="flex space-x-6">
    <span className="flex items-center"><MapPin size={14} className="mr-1 text-[#4E
    <span className="flex items-center"><Mail size={14} className="mr-1 text-[#457E
  </div>
  <div className="flex items-center font-semibold">
    <Clock size={14} className="mr-1 text-[#457B9D]" /> Mon - Sat: 9:00 AM - 7:00 F
  </div>
</div>

{/* Nav */}
<nav className="bg-white shadow-lg sticky top-0 z-50">
  <div className="max-w-7xl mx-auto px-6 h-20 flex justify-between items-center">
    <div className="flex items-center space-x-3">
      <div className="w-10 h-10 bg-[#457B9D] rounded-lg flex items-center justify-c
        <Stethoscope size={20} />
      </div>
      <div>
        <span className="font-trust-serif font-bold text-xl text-[#1D3557] block le
        <span className="text-[10px] uppercase tracking-widest text-[#457B9D] font-
      </div>
    </div>
    <div className="hidden md:flex space-x-8 text-sm font-medium text-[#1D3557]">
      {[ 'Home', 'About Doctor', 'Services', 'Patient Portal'].map(item => (
        <a key={item} href="#" className="hover:text-[#E63946] transition-colors p
      )))
    </div>
    <button className="bg-[#1D3557] text-white px-6 py-3 rounded-full font-bold tex
      <Calendar size={16} className="mr-2" /> Book Appointment
    </button>
  </div>
</nav>

{/* Hero */}
<header className="bg-gradient-to-r from-[#F1FAEE] to-white py-20 px-6 relative ove
  <div className="max-w-7xl mx-auto flex flex-col md:flex-row items-center gap-16 r
    <div className="flex-1">
      <span className="bg-[#E63946]/10 text-[#E63946] font-bold text-xs px-3 py-1 r
        #1 CARDIOLOGIST IN DELHI NCR
      </span>
      <h1 className="text-5xl md:text-6xl font-trust-serif font-bold text-[#1D3557]
        Your Heart is in <br/> <span className="text-[#457B9D]">Safe Hands.</span>
      </h1>
      <p className="text-lg text-slate-500 mb-10 leading-relaxed max-w-lg">
        Combining 20+ years of experience with advanced medical technology to provi

```

```

</p>
<div className="flex flex-col sm:flex-row gap-4">
  <button className="px-8 py-4 bg-[#E63946] text-white rounded-lg font-bold s
    Make an Appointment
  </button>
  <button className="px-8 py-4 bg-white border border-slate-200 text-[#1D3557]
    <Play size={16} className="mr-2 text-[#E63946]" /> Learn More
  </button>
</div>
<div className="mt-12 flex items-center space-x-8 border-t border-slate-200 p
  <div>
    <div className="text-3xl font-bold text-[#1D3557]">10k+</div>
    <div className="text-xs text-slate-500 uppercase tracking-wide">Patient
  </div>
  <div>
    <div className="text-3xl font-bold text-[#1D3557]">20+</div>
    <div className="text-xs text-slate-500 uppercase tracking-wide">Years E
  </div>
</div>
</div>
<div className="flex-1 relative">
  <div className="absolute top-1/2 left-1/2 -translate-x-1/2 -translate-y-1/2 w
  
  <div className="absolute -bottom-6 -left-6 bg-white p-6 rounded-xl shadow-xl
    <div className="flex items-center mb-2">
      {[1,2,3,4,5].map(i => <Star key={i} size={16} className="text-yellow-40
    </div>
    <p className="text-sm font-bold text-[#1D3557]">"Best cardiac care in the
    <p className="text-xs text-slate-400 mt-1">- Rajesh K., Patient</p>
  </div>
</div>
</div>
</header>

{/* Services Grid */}
<section className="py-24 bg-white">
  <div className="max-w-7xl mx-auto px-6">
    <RevealOnScroll>
      <div className="text-center max-w-2xl mx-auto mb-16">
        <h2 className="text-3xl md:text-4xl font-trust-serif font-bold text-[#1D3
        <p className="text-slate-500">We utilize the latest diagnostic and treatr
      </div>

      <div className="grid grid-cols-1 md:grid-cols-3 gap-8">
        {[
          { title: "Clinical Cardiology", icon: Activity, desc: "Diagnosis and t
          { title: "Intervention", icon: Shield, desc: "Minimally invasive proce
          { title: "Preventive Care", icon: CheckCircle, desc: "Risk assessment
          { title: "Heart Failure", icon: Activity, desc: "Specialized care plan
          { title: "Diagnostic Labs", icon: Monitor, desc: "In-house ECG, EchoCC
          { title: "Rehabilitation", icon: User, desc: "Post-procedure recovery
        ].map((s, i) => (
          <div key={i} className="p-8 rounded-2xl border border-slate-100 hover:

```

```

        <div className="w-14 h-14 bg-[#F1FAEE] text-[#457B9D] rounded-xl fl
          <s.icon size={28} />
        </div>
        <h3 className="text-xl font-bold text-[#1D3557] mb-3">{s.title}</h3>
        <p className="text-slate-500 text-sm leading-relaxed">{s.desc}</p>
      </div>
    ))}
  </div>
</RevealOnScroll>
</div>
</section>

{/* CTA Section */}
<section className="py-20 bg-[#1D3557] text-white relative overflow-hidden">
  <div className="absolute inset-0 opacity-10 bg-[url('https://www.transparenttex
  <div className="max-w-4xl mx-auto px-6 text-center relative z-10">
    <RevealOnScroll>
      <h2 className="text-3xl md:text-4xl font-trust-serif font-bold mb-6">Prior
      <p className="text-blue-100 mb-10 text-lg">Don't wait for symptoms to wors
      <div className="bg-white rounded-2xl p-2 inline-flex items-center p-2 max-
        <input type="text" placeholder="Enter your phone number" className="fle
        <button className="bg-[#E63946] text-white px-6 py-3 rounded-xl font-bc
          Request Call
        </button>
      </div>
    </RevealOnScroll>
  </div>
</section>

{/* Footer */}
<footer className="bg-[#F1FAEE] pt-16 pb-8 border-t border-[#A8DADC]">
  <div className="max-w-7xl mx-auto px-6 grid grid-cols-1 md:grid-cols-4 gap-12 mb
    <div>
      <div className="flex items-center space-x-2 mb-6">
        <div className="w-8 h-8 bg-[#1D3557] rounded flex items-center justify-
          <Stethoscope size={16} />
        </div>
        <span className="font-trust-serif font-bold text-lg text-[#1D3557]">Dr.
      </div>
      <p className="text-slate-500 text-sm leading-relaxed">
        Dedicated to providing the highest quality cardiac care with compassion
      </p>
    </div>
    <div>
      <h4 className="font-bold text-[#1D3557] mb-4">Quick Links</h4>
      <ul className="space-y-2 text-sm text-slate-600">
        <li><a href="#" className="hover:text-[#E63946]">About Us</a></li>
        <li><a href="#" className="hover:text-[#E63946]">Our Services</a></li>
        <li><a href="#" className="hover:text-[#E63946]">Doctors</a></li>
        <li><a href="#" className="hover:text-[#E63946]">Contact</a></li>
      </ul>
    </div>
    <div>
      <h4 className="font-bold text-[#1D3557] mb-4">Legal</h4>
      <ul className="space-y-2 text-sm text-slate-600">
        <li><a href="#" className="hover:text-[#E63946]">Privacy Policy</a></li>
        <li><a href="#" className="hover:text-[#E63946]">Terms of Service</a></li>
        <li><a href="#" className="hover:text-[#E63946]">Patient Rights</a></li>

```

```

        </ul>
      </div>
      <div>
        <h4 className="font-bold text-[#1D3557] mb-4">Contact</h4>
        <p className="text-sm text-slate-600 mb-2 flex items-center"><Phone size={
        <p className="text-sm text-slate-600 mb-2 flex items-center"><Mail size={1
        <p className="text-sm text-slate-600 flex items-start"><MapPin size={14} c
      </div>
    </div>
    <div className="text-center text-slate-400 text-xs border-t border-slate-200 pt-
      © 2025 Dr. Sharma Cardiology. All Rights Reserved.
    </div>
  </footer>
</div>
);

```

```
// 5. EDUCATION TEMPLATE (EduPrime)
```

```

const EducationTemplate = ({ project }) => (
  <div className="font-sans bg-slate-50 text-slate-800 min-h-screen overflow-y-auto scr
    <style>{`
      @import url('[https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;60
      .font-edu-head { font-family: 'Outfit', sans-serif; }
      .font-edu-body { font-family: 'Plus Jakarta Sans', sans-serif; }
      .scrollbar-hide::-webkit-scrollbar { display: none; }
      .scrollbar-hide { -ms-overflow-style: none; scrollbar-width: none; }
    `}</style>

    {/* Announcement Bar */}
    <div className="bg-gradient-to-r from-[#fff9f1c] to-[#ffb703] text-[#1e293b] font-ec
      <span className="animate-pulse mr-2">🔥</span> ADMISSIONS OPEN FOR 2025 BATCH - N
    </div>

    {/* Navbar */}
    <nav className="sticky top-0 bg-white/95 backdrop-blur z-50 border-b border-slate-1
      <div className="max-w-7xl mx-auto px-6 h-20 flex justify-between items-center">
        <div className="flex items-center space-x-2">
          <div className="w-10 h-10 bg-[#2ec4b6] rounded-xl rotate-3 flex items-center
            <GraduationCap size={24} strokeWidth={2.5} />
          </div>
          <span className="font-edu-head font-extrabold text-2xl text-[#0f172a] trackir
        </div>
        <div className="hidden md:flex space-x-8 text-sm font-edu-body font-semibold te
          {[ 'Courses', 'Results', 'Study Material', 'Faculty' ].map(link => (
            <a key={link} href="#" className="hover:text-[#2ec4b6] transition-colors">
          )))
        </div>
        <div className="flex items-center space-x-4">
          <button className="hidden md:block text-sm font-bold text-[#2ec4b6] hover:tex
          <button className="bg-[#0f172a] text-white px-6 py-2.5 rounded-full font-bolc
            Join Demo Class
          </button>
        </div>
      </div>
    </nav>

    {/* Hero */}
    <header className="bg-[#0f172a] text-white py-24 px-6 relative overflow-hidden">
      {/* Abstract Shapes */}

```

```

<div className="absolute top-0 right-0 w-[600px] h-[600px] bg-[#2ec4b6]/20 rounded
<div className="absolute bottom-0 left-0 w-[400px] h-[400px] bg-[#ff9f1c]/20 rour

<div className="max-w-7xl mx-auto flex flex-col md:flex-row items-center gap-16 r
  <div className="flex-1">
    <span className="inline-flex items-center px-4 py-1 rounded-full bg-white/10
      <span className="w-2 h-2 bg-[#2ec4b6] rounded-full mr-2 animate-pulse"></
    </span>
    <h1 className="font-edu-head font-extrabold text-5xl md:text-7xl mb-6 leadir
      Unlock Your <br/> <span className="text-transparent bg-clip-text bg-gradient
    </h1>
    <p className="font-edu-body text-slate-300 text-lg mb-10 max-w-xl leading-re
      India's most trusted coaching institute for JEE, NEET, and Foundation cour
      Learn from top IITian faculty and get personalized mentorship.
    </p>
    <div className="flex flex-col sm:flex-row gap-4">
      <button className="px-8 py-4 bg-[#2ec4b6] text-white rounded-xl font-bold
        View All Courses
      </button>
      <button className="px-8 py-4 bg-white/5 border border-white/10 text-white
        <Play size={18} className="mr-2 fill-current" /> Watch Success Story
      </button>
    </div>
    <div className="mt-12 flex items-center space-x-8">
      <div className="flex -space-x-4">
        {[1,2,3,4].map(i => (
          <div key={i} className="w-10 h-10 rounded-full border-2 border-[#0f17
            <img src={`https://source.unsplash.com/random/100x100?face,${i}`} c
          </div>
        ))}
      </div>
      <div className="text-sm font-semibold">
        <span className="text-[#ff9f1c]">5000+</span> Students Trusted Us
      </div>
    </div>
  </div>
  <div className="flex-1 relative hidden md:block">
    <div className="relative z-10 bg-gradient-to-b from-slate-800 to-slate-900 p
      
      <div className="absolute -bottom-10 -right-10 bg-white p-6 rounded-2xl shc
        <div className="text-[#0f172a] font-extrabold text-4xl font-edu-head">98
        <div className="text-slate-500 text-xs font-bold uppercase mt-1">Selecti
      </div>
    </div>
    {/* Floating Elements */}
    <div className="absolute top-10 -left-10 bg-white p-4 rounded-xl shadow-lg c
      <BookOpen size={24} className="text-[#2ec4b6]" />
    </div>
    <div className="absolute bottom-20 -left-5 bg-white p-4 rounded-xl shadow-lg
      <Award size={24} className="text-[#ff9f1c]" />
    </div>
  </div>
</div>

```

```

</header>

{/* Stats Strip */}
<div className="bg-[#2ec4b6] py-8">
  <div className="max-w-7xl mx-auto px-6 flex flex-wrap justify-around gap-8 text-c
    [[
      { num: "15+", label: "Years Experience" },
      { num: "200+", label: "Expert Faculty" },
      { num: "10k+", label: "Selections" },
      { num: "50+", label: "Centers" }
    ]].map((stat, i) => (
      <div key={i} className="text-white">
        <div className="text-3xl font-extrabold font-edu-head mb-1">{stat.num}</di
        <div className="text-xs font-bold uppercase tracking-wider opacity-80">{st
      </div>
    )))
</div>
</div>

{/* Popular Courses */}
<section className="py-24 bg-white">
  <div className="max-w-7xl mx-auto px-6">
    <RevealOnScroll>
      <div className="text-center mb-16">
        <h2 className="text-4xl font-extrabold font-edu-head text-[#0f172a] mb-4">
        <p className="text-slate-500 max-w-2xl mx-auto">Comprehensive study progrc
      </div>

      <div className="grid grid-cols-1 md:grid-cols-3 gap-8">
        [[
          { title: "JEE Main & Advanced", tag: "ENGINEERING", color: "bg-blue-100
          { title: "NEET Medical", tag: "MEDICAL", color: "bg-green-100 text-greer
          { title: "Foundation (8th-10th)", tag: "EARLY START", color: "bg-orange-
        ]].map((course, i) => (
          <div key={i} className="border border-slate-100 rounded-2xl p-8 hover:sh
            <div className={`inline-block px-3 py-1 rounded-full text-[10px] font
              {course.tag}
            </div>
            <h3 className="text-2xl font-bold font-edu-head text-[#0f172a] mb-4">
            <ul className="space-y-3 mb-8">
              [['Daily Live Classes', 'Comprehensive Study Material', 'Regular Mc
                <li key={j} className="flex items-center text-sm text-slate-600">
                  <CheckCircle size={16} className="text-[#2ec4b6] mr-2" /> {feat
                </li>
              ]])
            </ul>
            <button className="w-full py-3 border-2 border-[#0f172a] text-[#0f172
              View Details
            </button>
            <div className="absolute -right-10 -bottom-10 w-32 h-32 bg-slate-50 r
          </div>
        ]])
      </div>
    </RevealOnScroll>
  </div>
</section>

{/* LMS Features */}

```

```

<section className="py-24 bg-slate-50">
  <div className="max-w-7xl mx-auto px-6 flex flex-col md:flex-row items-center gap-6">
    <div className="w-full md:w-1/2">
      <RevealOnScroll>
        
      </RevealOnScroll>
    </div>
    <div className="w-full md:w-1/2">
      <RevealOnScroll>
        <h2 className="text-4xl font-extrabold font-edu-head text-[#0f172a] mb-6">
        <p className="text-slate-500 text-lg mb-8 leading-relaxed">
          Access your classroom from anywhere. Our AI-powered learning management
        </p>
        <div className="space-y-6">
          {[
            { icon: Video, title: "Recorded Lectures", desc: "Missed a class? Wc
            { icon: BookOpen, title: "Digital Library", desc: "Access thousands
            { icon: Activity, title: "Performance Analytics", desc: "Track your
          ].map((feat, i) => (
            <div key={i} className="flex items-start">
              <div className="w-12 h-12 bg-white rounded-xl shadow-sm flex items-
                <feat.icon size={24} />
              </div>
              <div>
                <h4 className="font-bold text-[#0f172a] text-lg">{feat.title}</h
                <p className="text-slate-500 text-sm">{feat.desc}</p>
              </div>
            </div>
          )))
        </div>
      </RevealOnScroll>
    </div>
  </div>
</section>

{/* Footer */}
<footer className="bg-[#0f172a] text-slate-400 py-16 px-6">
  <div className="max-w-7xl mx-auto grid grid-cols-1 md:grid-cols-4 gap-12">
    <div className="col-span-1 md:col-span-2">
      <div className="flex items-center space-x-2 mb-6">
        <div className="w-8 h-8 bg-[#2ec4b6] rounded-lg flex items-center justify-
          <GraduationCap size={18} />
        </div>
        <span className="font-edu-head font-bold text-2xl text-white">Edu<span cl
      </div>
      <p className="max-w-sm text-sm leading-relaxed mb-8">
        EduPrime is committed to empowering students with the knowledge and skills
      </p>
      <div className="flex space-x-4">
        <Instagram className="hover:text-[#2ec4b6] cursor-pointer" />
        <Facebook className="hover:text-[#2ec4b6] cursor-pointer" />
        <Twitter className="hover:text-[#2ec4b6] cursor-pointer" />
      </div>
    </div>
  </div>

```

```

</div>
<div>
  <h4 className="text-white font-bold mb-6">Courses</h4>
  <ul className="space-y-3 text-sm">
    <li className="hover:text-[#2ec4b6] cursor-pointer">JEE Main & Advanced</li>
    <li className="hover:text-[#2ec4b6] cursor-pointer">NEET Medical</li>
    <li className="hover:text-[#2ec4b6] cursor-pointer">Class 11th & 12th</li>
    <li className="hover:text-[#2ec4b6] cursor-pointer">Foundation (8-10)</li>
  </ul>
</div>
<div>
  <h4 className="text-white font-bold mb-6">Contact</h4>
  <ul className="space-y-3 text-sm">
    <li>Noida Sector 62, UP</li>
    <li>support@eduprime.com</li>
    <li>+91 98765 43210</li>
  </ul>
</div>
</div>
<div className="border-t border-slate-800 mt-12 pt-8 text-center text-xs">
  © 2025 EduPrime Coaching. All Rights Reserved.
</div>
</footer>
</div>
);

```

```
// 6. TECH/COWORKING TEMPLATE (TechSpace)
```

```

const TechTemplate = ({ project }) => (
  <div className="font-tech-sans bg-zinc-950 text-white min-h-screen overflow-y-auto sc
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Space+Grotesk:wght@300;400
        .font-tech-head { font-family: 'Space Grotesk', sans-serif; }
        .font-tech-sans { font-family: 'Inter', sans-serif; }
        .scrollbar-hide::-webkit-scrollbar { display: none; }
        .scrollbar-hide { -ms-overflow-style: none; scrollbar-width: none; }
      `}</style>

    {/* Navbar */}
    <nav className="sticky top-0 z-50 bg-zinc-950/80 backdrop-blur-lg border-b border-w
      <div className="max-w-7xl mx-auto px-6 h-20 flex justify-between items-center">
        <div className="text-2xl font-tech-head font-bold tracking-tighter flex items-c
          <div className="w-8 h-8 bg-emerald-500 rounded-lg mr-3 flex items-center just
            <Zap size={20} fill="currentColor" />
          </div>
          TechSpace
        </div>
        <div className="hidden md:flex space-x-8 text-sm font-medium text-zinc-400">
          {[ 'Locations', 'Membership', 'Enterprise', 'Events' ].map(link => (
            <a key={link} href="#" className="hover:text-white transition-colors">{link
          )]}
        </div>
        <div className="flex items-center space-x-4">
          <button className="hidden md:block text-sm text-zinc-300 hover:text-white">Lc
          <button className="bg-white text-black px-5 py-2 rounded-lg font-bold text-sm
            Book a Tour
          </button>
        </div>
      </div>
    </div>
  )
);

```

```

</nav>

{/* Hero */}
<header className="relative py-32 px-6 overflow-hidden">
  <div className="absolute top-0 right-0 w-[500px] h-[500px] bg-emerald-500/20 rour
  <div className="max-w-7xl mx-auto grid grid-cols-1 md:grid-cols-2 gap-16 items-ce
    <div>
      <div className="inline-flex items-center space-x-2 bg-white/5 border border-w
        <span className="w-2 h-2 bg-emerald-500 rounded-full animate-pulse"></span>
        <span className="text-xs font-medium text-emerald-400 uppercase tracking-wi
      </div>
      <h1 className="font-tech-head text-5xl md:text-7xl font-bold leading-tight mk
        Workspace for <br/>
        <span className="text-transparent bg-clip-text bg-gradient-to-r from-emeral
      </h1>
      <p className="text-zinc-400 text-lg mb-10 leading-relaxed max-w-md">
        Join a community of innovators, creators, and tech leaders.
        High-speed internet, 24/7 access, and coffee on tap.
      </p>
      <div className="flex flex-col sm:flex-row gap-4">
        <button className="px-8 py-4 bg-emerald-500 text-black rounded-xl font-bolc
          Get Started <ArrowRight size={18} className="ml-2" />
        </button>
        <button className="px-8 py-4 bg-zinc-900 border border-zinc-800 text-white
          View Locations
        </button>
      </div>
    </div>
    <div className="relative">
      <div className="relative z-10 rounded-2xl overflow-hidden border border-white
        
        <div className="absolute bottom-6 left-6 bg-black/80 backdrop-blur-md p-4 r
          <div className="flex -space-x-3">
            {[1,2,3].map(i => (
              <div key={i} className="w-8 h-8 rounded-full border border-black ov
                <img src={`https://source.unsplash.com/random/100x100?portrait,${
              </div>
            )])}
          </div>
          <div className="text-xs">
            <span className="block font-bold text-white">500+ Members</span>
            <span className="text-emerald-400">Active Now</span>
          </div>
        </div>
      </div>
      <div className="absolute -bottom-10 -right-10 w-40 h-40 bg-[url('https://www
    </div>
  </div>
</header>

{/* Amenities (Bento Grid) */}

```

```

<section className="py-24 bg-zinc-900">
  <div className="max-w-7xl mx-auto px-6">
    <div className="text-center mb-16">
      <h2 className="font-tech-head text-3xl md:text-4xl font-bold mb-4">Engineerec
      <p className="text-zinc-400">Everything you need to ship faster.</p>
    </div>

    <div className="grid grid-cols-1 md:grid-cols-3 gap-6">
      <div className="bg-zinc-950 p-8 rounded-3xl border border-white/5 col-span-1">
        <div>
          <div className="w-12 h-12 bg-zinc-900 rounded-full flex items-center jus
            <Wifi size={24} />
          </div>
          <h3 className="text-xl font-bold mb-2">Gigabit Internet</h3>
          <p className="text-zinc-400 text-sm">Dedicated fiber lines with redundar
        </div>
        <div className="text-4xl font-tech-head font-bold text-zinc-800 group-hove
        </div>
        <div className="bg-zinc-950 p-8 rounded-3xl border border-white/5 group hover">
          <div className="w-12 h-12 bg-zinc-900 rounded-full flex items-center justi
            <Coffee size={24} />
          </div>
          <h3 className="text-xl font-bold mb-2">Unlimited Brews</h3>
          <p className="text-zinc-400 text-sm">Artisanal coffee & tea on tap.</p>
        </div>
        <div className="bg-zinc-950 p-8 rounded-3xl border border-white/5 group hover">
          <div className="w-12 h-12 bg-zinc-900 rounded-full flex items-center justi
            <MonitorPlay size={24} />
          </div>
          <h3 className="text-xl font-bold mb-2">Zoom Rooms</h3>
          <p className="text-zinc-400 text-sm">Soundproof pods for calls.</p>
        </div>
        <div className="bg-zinc-950 p-8 rounded-3xl border border-white/5 col-span-1">
          <div className="flex items-start justify-between">
            <div>
              <div className="w-12 h-12 bg-zinc-900 rounded-full flex items-center
                <Users size={24} />
              </div>
              <h3 className="text-xl font-bold mb-2">Community Events</h3>
              <p className="text-zinc-400 text-sm">Weekly workshops, founder talks
            </div>
            <div className="flex -space-x-2">
              {[1,2,3,4].map(i => <div key={i} className="w-8 h-8 rounded-full bg-
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>

{/* Pricing */}
<section className="py-24 px-6">
  <div className="max-w-7xl mx-auto">
    <h2 className="font-tech-head text-3xl md:text-4xl font-bold mb-16 text-center">
    <div className="grid grid-cols-1 md:grid-cols-3 gap-8">
      {[
        { title: "Hot Desk", price: "₹7,999", period: "/mo", desc: "Access to open
        { title: "Dedicated Desk", price: "₹12,999", period: "/mo", desc: "Your own

```

```

    { title: "Private Office", price: "₹24,999", period: "/mo", desc: "Fully fu
  ].map((plan, i) => (
    <div key={i} className={`relative p-8 rounded-3xl border ${plan.featured ?
      {plan.featured && <div className="absolute -top-4 left-1/2 -translate-x-
    <div className="mb-6 p-3 bg-zinc-900 rounded-xl w-fit">
      <plan.icon size={24} className="text-white" />
    </div>
    <h3 className="text-xl font-bold mb-2">{plan.title}</h3>
    <div className="flex items-baseline mb-6">
      <span className="text-3xl font-bold">{plan.price}</span>
      <span className="text-zinc-500 text-sm ml-1">{plan.period}</span>
    </div>
    <p className="text-zinc-400 text-sm mb-8 flex-1">{plan.desc}</p>
    <button className={`w-full py-3 rounded-xl font-bold transition-colors $
      Choose Plan
    </button>
    </div>
  )}}
</div>
</div>
</section>

{/* Footer */}
<footer className="border-t border-white/10 py-12 px-6 bg-zinc-950 text-sm text-zir
  <div className="max-w-7xl mx-auto flex flex-col md:flex-row justify-between items
    <div className="flex items-center mb-4 md:mb-0">
      <Zap size={16} className="text-emerald-500 mr-2" />
      <span className="text-white font-bold">TechSpace</span>
    </div>
    <div className="flex space-x-6">
      <a href="#" className="hover:text-white">Instagram</a>
      <a href="#" className="hover:text-white">Twitter</a>
      <a href="#" className="hover:text-white">LinkedIn</a>
    </div>
    <div className="mt-4 md:mt-0">
      &copy; 2025 TechSpace Coworking.
    </div>
  </div>
</footer>
</div>
);

// --- MAIN APP COMPONENTS ---

const Navbar = () => (
  <nav className="sticky top-0 z-50 bg-black/80 backdrop-blur-md border-b border-white/
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
      <div className="flex items-center justify-between h-20">
        <div className="flex-shrink-0">
          <span className="text-2xl font-bold bg-gradient-to-r from-purple-400 to-pink-
            NEXUS.DESIGNS
          </span>
        </div>
        <div>
          <div className="hidden md:block">
            <div className="ml-10 flex items-baseline space-x-8">
              <span className="text-white hover:text-purple-400 px-3 py-2 rounded-md text
              <span className="text-white hover:text-purple-400 px-3 py-2 rounded-md text
              <button className="bg-white text-black hover:bg-purple-400 hover:text-white

```

```

        Start Project
      </button>
    </div>
  </div>
</div>
</div>
</nav>
);

const Modal = ({ project, onClose, onPreview }) => {
  if (!project) return null;

  return (
    <div className="fixed inset-0 z-[100] flex items-center justify-center p-4 sm:p-6">
      <div className="absolute inset-0 bg-black/90 backdrop-blur-sm transition-opacity"

      <div className="relative bg-zinc-900 rounded-2xl shadow-2xl w-full max-w-4xl max-
        <button
          onClick={onClose}
          className="absolute top-4 right-4 p-2 bg-black/50 hover:bg-white/20 rounded-f
        >
          <X size={20} />
        </button>

        <div className="w-full md:w-1/2 h-64 md:h-auto relative group">
          <img
            src={project.image}
            alt={project.title}
            className="w-full h-full object-cover"
          />
          <div className="absolute inset-0 bg-black/40 flex items-center justify-center"
            <span className="text-white text-sm font-medium">Preview Available</span>
          </div>
        </div>

        <div className="w-full md:w-1/2 p-8 flex flex-col">
          <div className="mb-6">
            <span className="inline-block px-3 py-1 text-xs font-medium text-purple-400"
              {project.category}
            </span>
            <h2 className="text-3xl font-bold text-white mb-2">{project.title}</h2>
            <div className="flex items-center text-zinc-400 text-sm mb-4">
              <MapPin size={14} className="mr-1" />
              {project.location}
            </div>
            <p className="text-zinc-300 leading-relaxed">
              {project.description}
            </p>
          </div>

          <div className="mb-8">
            <h3 className="text-sm font-semibold text-white uppercase tracking-wider mb">
            <div className="flex flex-wrap gap-2">
              {project.tags.map(tag => (
                <span key={tag} className="px-3 py-1 bg-white/5 border border-white/10"
                  {tag}
                </span>
              ))}
            </div>
          </div>
        </div>
      </div>
    </div>
  );
};

```

```

    </div>
  </div>

  <div className="mt-auto pt-6 border-t border-white/10">
    <button
      onClick={() => onPreview(project)}
      className="w-full bg-purple-600 hover:bg-purple-700 text-white py-4 round
    >
      Launch Live Preview
      <ExternalLink size={20} className="ml-2 group-hover:translate-x-1 transit
    </button>
    <p className="text-zinc-500 text-xs text-center mt-3">
      Opens interactive demo tailored for {project.category}
    </p>
  </div>
</div>
</div>
</div>
);
};

const ProjectCard = ({ project, onClick }) => {
  return (
    <div
      className="group relative bg-zinc-900 rounded-xl overflow-hidden border border-w
      onClick={() => onClick(project)}
    >
      <div className="aspect-w-16 aspect-h-12 overflow-hidden">
        <img
          src={project.image}
          alt={project.title}
          className="w-full h-64 object-cover transform group-hover:scale-105 transitic
        />
        <div className="absolute inset-0 bg-black/60 opacity-0 group-hover:opacity-100
          <span className="bg-white text-black px-6 py-2 rounded-full font-bold transfc
            View Project <Eye size={16} className="ml-2" />
          </span>
        </div>
      </div>

      <div className="p-5">
        <div className="flex justify-between items-start mb-2">
          <div>
            <h3 className="text-xl font-bold text-white group-hover:text-purple-400 trc
              {project.title}
            </h3>
            <p className="text-zinc-500 text-sm mt-1 flex items-center">
              {project.category}
            </p>
          </div>
          <div className="p-2 bg-zinc-800 rounded-full text-zinc-400 group-hover:bg-pur
            <ChevronRight size={16} />
          </div>
        </div>
      </div>
    </div>
  );
};

```

```

const App = () => {
  const [viewModel, setViewModel] = useState('catalogue'); // 'catalogue' | 'preview'
  const [selectedCategory, setSelectedCategory] = useState('All');
  const [searchQuery, setSearchQuery] = useState('');
  const [selectedProject, setSelectedProject] = useState(null);
  const [activePreviewProject, setActivePreviewProject] = useState(null);
  const [filteredProjects, setFilteredProjects] = useState(PORTFOLIO_ITEMS);

  useEffect(() => {
    const lowerQuery = searchQuery.toLowerCase();
    const filtered = PORTFOLIO_ITEMS.filter(item => {
      const matchesCategory = selectedCategory === 'All' || item.category === selectedCategory;
      const matchesSearch = item.title.toLowerCase().includes(lowerQuery) ||
        item.tags.some(tag => tag.toLowerCase().includes(lowerQuery)) ||
        item.location.toLowerCase().includes(lowerQuery);
      return matchesCategory && matchesSearch;
    });
    setFilteredProjects(filtered);
  }, [selectedCategory, searchQuery]);

  const handleLivePreview = (project) => {
    setSelectedProject(null); // Close modal
    setActivePreviewProject(project);
    setViewModel('preview');
  };

  const closePreview = () => {
    setViewModel('catalogue');
    setActivePreviewProject(null);
  };

  // --- PREVIEW RENDERER ---
  if (viewModel === 'preview' && activePreviewProject) {
    return (
      <div className="relative w-full h-screen overflow-hidden bg-black">
        {/* Preview Controls */}
        <div className="fixed bottom-6 right-6 z-50 flex flex-col gap-4">
          <button
            onClick={closePreview}
            className="bg-black text-white px-6 py-3 rounded-full font-bold shadow-2xl">
            <X size={18} className="mr-2" /> Close Preview
          </button>
        </div>

        {/* Template Switcher */}
        <div className="h-full w-full overflow-y-auto bg-white animate-in fade-in duration-300">
          {activePreviewProject.templateType === 'luxury' && <LuxuryTemplate project={activePreviewProject} />
          {activePreviewProject.templateType === 'cafe' && <CafeTemplate project={activePreviewProject} />
          {activePreviewProject.templateType === 'lifestyle' && <LifestyleTemplate project={activePreviewProject} />
          {activePreviewProject.templateType === 'trust' && <TrustTemplate project={activePreviewProject} />
          {activePreviewProject.templateType === 'education' && <EducationTemplate project={activePreviewProject} />
          {activePreviewProject.templateType === 'tech' && <TechTemplate project={activePreviewProject} />
        </div>
      </div>
    );
  }
}

```

```
// --- CATALOGUE VIEW ---
return (
  <div className="min-h-screen bg-black text-white font-sans selection:bg-purple-500"
    <Navbar />

    <main className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-12">

      {/* Header Section */}
      <div className="text-center max-w-3xl mx-auto mb-16">
        <h1 className="text-4xl md:text-6xl font-bold tracking-tight mb-6 bg-gradient"
          Curated Web Experiences<br />
          <span className="text-white">For Delhi NCR Businesses</span>
        </h1>
        <p className="text-lg text-zinc-400 mb-8">
          Explore our catalogue of premium, conversion-focused websites.
          Click <span className="text-purple-400 font-bold">Live Preview</span> to se
        </p>

        {/* Search Bar */}
        <div className="relative max-w-md mx-auto">
          <div className="absolute inset-y-0 left-0 pl-3 flex items-center pointer-ev"
            <Search className="h-5 w-5 text-zinc-500" />
          </div>
          <input
            type="text"
            className="block w-full pl-10 pr-3 py-3 border border-zinc-700 rounded-fl"
            placeholder="Search by niche (e.g. 'Real Estate', 'South Delhi')..."
            value={searchQuery}
            onChange={(e) => setSearchQuery(e.target.value)}
          />
        </div>
      </div>

      {/* Filters */}
      <div className="mb-12">
        <div className="flex flex-wrap justify-center gap-3">
          {CATEGORIES.map((cat) => {
            const Icon = cat.icon;
            return (
              <button
                key={cat.id}
                onClick={() => setSelectedCategory(cat.id)}
                className={`
                  flex items-center px-5 py-2.5 rounded-full text-sm font-medium trar
                  ${selectedCategory === cat.id
                    ? 'bg-white text-black border-white shadow-[0_0_20px_rgba(255,255'
                    : 'bg-zinc-900 text-zinc-400 border-zinc-800 hover:border-zinc-60
                `}
              >
                <Icon size={16} className="mr-2" />
                {cat.label}
              </button>
            );
          })}
        </div>
      </div>
    </div>
  )
}
```

```
{/* Grid */}
<div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
  {filteredProjects.map((project) => (
    <ProjectCard
      key={project.id}
      project={project}
      onClick={setSelectedProject}
    />
  ))}
</div>

{/* Footer CTA */}
<div className="mt-24 bg-gradient-to-r from-zinc-900 to-zinc-800 rounded-3xl p-
  <div className="absolute top-0 left-0 w-full h-full opacity-30 bg-[url('http
```