



BioCore: A Four-Primitive Deterministic Biological Flow Organism for Human Health, Wellness, Recovery, and Internal Equilibrium Governance

The First Lume-Native Organism Specification Governing an Internal Biological Domain with Cross-Cultural Wellness Framework Integration

Ronald “Jason” Andrews

DarkWave Studios LLC
Nashville, Tennessee, United States
ORCID: [0009-0007-5214-649X](https://orcid.org/0009-0007-5214-649X)

Version 1.0 — May 2026

Target Container: VedaSolutus.io

Companion Papers: Meridian Architecture [DOI to be assigned] · HydroCore [DOI to be assigned]
· Verdara Ultra [DOI to be assigned]

Related: Lume [10.5281/zenodo.19382282](https://doi.org/10.5281/zenodo.19382282) · Trust Layer [10.5281/zenodo.19560674](https://doi.org/10.5281/zenodo.19560674) · DAIGS
[10.5281/zenodo.19491784](https://doi.org/10.5281/zenodo.19491784)

Lume-V [10.5281/zenodo.19645097](https://doi.org/10.5281/zenodo.19645097) · Lume-X [10.5281/zenodo.19443968](https://doi.org/10.5281/zenodo.19443968) · Dissolution
[10.5281/zenodo.15065493](https://doi.org/10.5281/zenodo.15065493)

Patent Pending — DarkWave Studios LLC
Systems and Methods for Deterministic Multi-Layer Wireless Energy Routing

Lume-X: Provisionally patented deterministic control runtime
Patent Pending — DarkWave Studios LLC

Preprint v1 — Not peer-reviewed. Submitted for early dissemination.

Abstract

I present BioCore, a Lume-native deterministic biological flow organism for human health, wellness, recovery, and internal equilibrium governance. BioCore implements the Lume 4/42 organism architecture — four irreducible flow primitives governing forty-two operational nodes — in the domain of the human biological system. The four primitives are Metabolic Flow, Circulatory Flow, Neurological Flow, and Stress/Thermal Flow. The forty-two nodes encode the complete internal state space of the human organism from basal energy level and glucose stability through heart rate variability, sleep quality, autonomic balance, burnout risk, and global resilience index.

BioCore ingests biological signals from wearable devices, self-report data, clinical measurements, and contextual inputs, maintains a stable internal state of bio equilibrium, and outputs deterministic guidance, warnings, recovery recommendations, and long-term trend insights for health, wellness, and resilience across time. Unlike conventional health and wellness platforms that aggregate biometric data into readiness scores or wellness percentages, BioCore governs biological flow as a continuous organism: it enforces hard constraint rules that suppress performance-pushing recommendations when any node crosses a critical threshold, operates in four distinct mode states (Recovery, Performance, Stabilization, Healing), and evaluates trend patterns rather than isolated daily readings before escalating or modifying guidance.

BioCore is the first Lume organism specification to govern an internal biological domain rather than an external physical environment. Its design deliberately bridges Eastern, Western, and traditional Indian wellness frameworks within a single deterministic structure — acknowledging that different traditions have identified different dimensions of human biological flow, all of which are real and governable, without privileging any single clinical or cultural paradigm. BioCore does not replace clinical medicine. It provides the continuous, deterministic governance layer that clinical medicine cannot practically deliver between appointments.

The canonical implementation container for BioCore is VedaSolutio, a health and wellness application that provides the input channels (wearables, self-report, ritual practices) and output surfaces (daily guidance, ritual

recommendations, trend visualizations, recovery plans) through which BioCore interacts with the practitioner.

Keywords: deterministic biological governance, Lume synthetic organism, human biological flow, health equilibrium, recovery governance, 4/42 organism architecture, biometric integration, VedaSolus, wellness technology, burnout prevention, autonomic balance

1 Introduction

1.1 The Problem with Health and Wellness Technology Today

The contemporary health and wellness technology landscape is characterized by a paradox: I have more biometric data than at any point in human history, and I have less coherent governance of that data than the scale of collection would suggest. A person wearing a modern fitness tracker may generate continuous heart rate, heart rate variability, sleep stage, skin temperature, respiratory rate, blood oxygen, and activity data — thousands of data points per day — which are then aggregated into a single readiness score, a sleep score, a strain metric. The reduction from a rich continuous biological signal to a scalar number is not synthesis. It is compression. And compression loses the information that matters most: the relationships between signals, the trajectories of change, the interactions between metabolic state and neurological state that determine whether the organism is recovering or declining.

The problem is compounded by the temporal structure of clinical medicine, which is not designed for continuous governance. A physician sees a patient for fifteen to thirty minutes at intervals of months. In that window, they receive a static snapshot of a dynamic system. The continuous biological state — how the nervous system has been coping under chronic stress, whether the metabolic trajectory has been stable or drifting, how recovery debt has been accumulating — is largely invisible except through self-report, which is itself imprecise. This is not a failure of clinical medicine. It is a structural property of the clinical appointment model. Clinical medicine is designed for diagnosis and intervention. It is not designed for continuous flow governance.

The wellness industry has attempted to fill this gap with apps, programs, and coaching platforms. Most of these operate on one of two models: static protocols (eat this, sleep eight hours, meditate daily) that do not respond to the individual's current state, or reactive readout models (your HRV was low today, rest more) that respond to individual data points without maintaining a coherent multi-domain state model. Neither model

constitutes governance. Neither maintains a persistent internal model of the person's biological equilibrium across all relevant domains simultaneously. Neither enforces hard constraints that prioritize safety when the organism is in distress.

BioCore is the first deterministic biological flow organism specification designed to address this gap.

1.2 The Internal Flow Reframe

Every Lume physical domain organism — Meridian for energy, Verdara Ultra for outdoor environment, HydroCore for water — governs a system of continuous, interacting external physical flows. BioCore applies the same framework to internal biological flows.

The human organism is a flow system. Metabolic flow governs the production and utilization of energy at the cellular and systemic level. Circulatory flow governs the transport of oxygen, nutrients, and signaling molecules throughout the body. Neurological flow governs the nervous system's tone, balance, and processing capacity. Stress/Thermal flow governs the organism's resilience envelope — how much adaptive capacity remains before recovery debt begins compromising function.

These four flows are not independent. Metabolic dysfunction elevates stress/thermal load. Neurological imbalance impairs circulatory recovery. Stress-induced inflammation degrades metabolic flexibility. The organism that optimizes one flow at the expense of the others is not healthy — it is asymmetrically loaded. BioCore governs all four flows simultaneously, seeks equilibrium across them, and never recommends actions that push one primitive at the cost of catastrophic degradation in another.

1.3 The BioCore Architecture

BioCore is a 4/42 deterministic biological flow organism. The four primitives are Metabolic Flow, Circulatory Flow, Neurological Flow, and Stress/Thermal Flow. The forty-two nodes encode the full internal biological state space:

- **Metabolic Flow (M1–M10):** Basal energy level, glucose stability, nutrient sufficiency, metabolic flexibility, digestive stability, appetite regulation, weight stability, inflammation load, oxidative stress, metabolic recovery capacity.
- **Circulatory Flow (C1–C10):** Resting heart rate, heart rate variability, blood pressure stability, peripheral circulation, oxygenation, hydration level, electrolyte balance, circulatory load, edema/fluid retention, circulatory recovery capacity.
- **Neurological Flow (N1–N11):** Sleep duration, sleep quality, circadian alignment, cognitive clarity, emotional stability, autonomic balance, anxiety load, depression

load, sensory overload, social connection/support, neurological recovery capacity.

- **Stress/Thermal Flow (S1–S11):** Acute stress load, chronic stress load, inflammation spike risk, body temperature stability, overtraining/overexertion risk, burnout risk, immune activation, recovery debt, circadian stress, healing momentum, global resilience index.

1.4 Novel Contributions

This work makes seven distinct contributions not present in existing health technology or wellness science literature:

1. **The first formal 4/42 internal biological flow organism specification** — applying the Lume synthetic organism architecture to human health governance with complete node definitions, threshold bands, and cross-domain interaction modeling.
2. **Trend-aware deterministic guidance** — BioCore evaluates short-term and medium-term trends before escalating guidance, distinguishing a single bad day (spike) from a developing pattern (trend) from systemic collapse — each requiring qualitatively different responses.
3. **Hard constraint suppression of performance recommendations** — when any node crosses a critical threshold, BioCore actively suppresses performance-pushing guidance and enforces recovery prioritization.
4. **Cross-primitive equilibrium governance** — no primitive is optimized at the expense of catastrophic damage to another.
5. **Mode-based governance architecture** — four operating modes (Recovery, Performance, Stabilization, Healing) selected deterministically based on node patterns.
6. **Cross-cultural wellness framework integration** — BioCore’s node definitions deliberately encompass biomarkers recognized across Eastern, Western, and traditional Indian wellness frameworks.
7. **VedaSolus integration architecture** — a formal specification of the input/output contract between the BioCore governance engine and the VedaSolus.io container application.

1.5 Scope and Honest Limitations

BioCore does not diagnose disease. It does not replace clinical medicine. It does not provide medical advice. It is a continuous biological flow governance system

designed to help practitioners maintain equilibrium, recognize degradation before it becomes dysfunction, and prioritize recovery when the organism is under stress.

All node threshold bands are initial specifications. Thresholds for clinical nodes (heart rate variability, blood pressure, blood oxygen) are grounded in published literature. Thresholds for subjective and proxy nodes (basal energy, emotional stability, social support) are initial heuristics requiring empirical calibration against real populations.

Individual baseline calibration is a design priority: BioCore is designed to treat deviations from an individual's personal baseline as more diagnostically significant than absolute values. A resting heart rate that is normal at population level may be elevated for a specific individual. The system's primary reference is the individual's own history.

1.6 Paper Organization

Section 2 reviews related work. Section 3 presents the BioCore system overview. Sections 4 through 6 define the primitives, nodes, and threshold architecture. Section 7 describes the guidance engine. Section 8 describes the four operating modes. Section 9 specifies the VedaSolus integration model. Section 10 defines global invariant enforcement. Sections 11 and 12 address implementation and evaluation.

2 Background and Related Work

2.1 Consumer Health Wearables and Biometric Platforms

The modern health wearable market (Whoop, Oura, Apple Watch, Garmin, Polar, Fitbit) provides continuous physiological monitoring with increasingly sophisticated signal processing. Whoop's recovery score aggregates HRV, resting heart rate, and sleep performance into a single daily readiness metric. Oura's readiness score similarly integrates sleep, activity, and physiological data. These are useful tools. They are single-domain scalar outputs, not multi-domain governance organisms [1, 2].

None of these platforms maintain a persistent multi-domain state model. None enforce hard constraints on recommendations based on multi-primitive state. None distinguish between Performance mode and Recovery mode deterministically based on node patterns. None implement the trend-awareness that distinguishes a spike from a developing collapse.

2.2 Health and Wellness Coaching Frameworks

Functional medicine, integrative health, and wellness coaching disciplines share an orientation toward whole-person health that is conceptually aligned with BioCore's multi-domain governance model [3, 4]. In practice, these frameworks are delivered through periodic appointments and protocols, not continuous real-time governance. The practitioner-client relationship provides qualitative guidance at the frequency of the appointment schedule, not at the frequency of biological change.

BioCore is not a replacement for the practitioner-client relationship. It is the continuous governance infrastructure that can make that relationship more effective by providing the practitioner with a rich longitudinal state model rather than a static snapshot.

2.3 Traditional Wellness Systems

Ayurveda, Traditional Chinese Medicine (TCM), and other traditional wellness systems have, over centuries of empirical observation, identified dimensions of human biological state that map onto BioCore's node definitions in striking ways. Ayurvedic agni (digestive fire) maps to M5 (Digestive Stability) and M10 (Metabolic Recovery Capacity). TCM's concept of qi flow maps to the aggregate of Metabolic Flow and Circulatory Flow primitives. The TCM Heart-Mind (Shen) concept maps to Neurological Flow nodes N4 (Cognitive Clarity), N5 (Emotional Stability), and N7 (Anxiety Load) [5, 6].

BioCore does not claim clinical equivalence between its nodes and traditional constructs. It acknowledges that these traditions have identified real dimensions of biological experience that are governable and that the 4/42 structure provides a framework within which they can coexist with biomedical measurements without hierarchy.

2.4 Lume Physical Flow Organisms

Meridian [Andrews, 2026] established the 4/42 organism architecture in the energy domain. Verdara Ultra [Andrews, 2026] established it in the outdoor environmental domain. HydroCore [Andrews, 2026] established it in the hydrological domain. BioCore is the fourth member of the Lume physical flow organism family, and the first to govern an internal rather than external physical domain.

3 System Overview — The BioCore Organism

3.1 Core Thesis

BioCore ingests biological signals from wearables, self-report, clinical data, and contextual inputs, maintains a stable internal state of bio equilibrium, and outputs deterministic guidance, warnings, recovery recommendations, and trend insights for health, wellness, and resilience.

Bio equilibrium is the BioCore target state. It is not perfect health. It is not peak performance. It is a stable, resilient state in which:

- Metabolic flow is stable and sufficient to meet current demands with reserve capacity
- Circulatory flow supports activity without imposing overload
- Neurological flow is calm, clear, and well-rested
- Stress/Thermal flow is within a safe adaptive envelope — the organism has capacity to absorb shocks without collapsing

Equilibrium is dynamic. It shifts as demands change, as seasons change, as the person's life changes. BioCore does not optimize toward a fixed target. It seeks to maintain the organism in the most resilient state available given its current conditions.

3.2 The 4/42 Structure

The global state of BioCore at any moment is represented by two vectors:

Primitive State Vector B:

```
B = [MetabolicFlow, CirculatoryFlow, NeurologicalFlow,
      StressThermalFlow]
```

Node State Ring R:

```
R = [M1..M10, C1..C10, N1..N11, S1..S11]
```

Each element of R is a normalized scalar in $[-1.0, +1.0]$. Each element is derived from available biological data — wearable measurements, self-report ratings, clinical values, or contextual proxies — via the normalized state mapping function.

3.3 Fractal and Scale-Invariant Structure

BioCore is fractal. The same 4/42 structure can represent biological state at multiple temporal scales:

- **Day-level organism:** Represents the organism's state on the current day. The primary operating resolution.
- **Week-level organism:** Represents the trend of the day-level organism over the past seven days. Used for pattern detection.
- **Month-level organism:** Represents the long-term trajectory. Used for detecting slow-developing collapse or sustained recovery.

The trend-awareness of the guidance engine operates across these three temporal scales simultaneously, distinguishing day-level spikes from week-level patterns from month-level structural changes.

3.4 Personal Baseline Calibration

Unlike the external physical domain organisms (Verdara Ultra, HydroCore, Meridian), which use universal physical thresholds, BioCore's most important reference is the individual's personal baseline. A resting heart rate of 55 bpm is optimal for one person and elevated for another. A sleep duration of 6.5 hours may be adequate for one person and chronically deficient for another.

BioCore collects a personal baseline during an initial calibration period (minimum 14 days of wearable data and self-report) and thereafter uses deviations from personal baseline as the primary diagnostic signal, not absolute values. The population-level thresholds in Appendix A represent initial defaults that are overridden by personal baselines once sufficient individual data is available.

4 The Four BioCore Primitives

4.1 Metabolic Flow

Metabolic Flow governs energy production, cellular metabolism, nutrient utilization, and the organism's capacity to sustain and recover from energetic demands. It is the fuel and energy management system of the human organism. A positive Metabolic Flow state indicates stable, sufficient energy production, good metabolic flexibility, adequate

nutrition, and a functioning recovery capacity. A negative Metabolic Flow state indicates energy instability, metabolic dysfunction, nutritional deficit, or metabolic exhaustion — conditions that impair every other system that depends on cellular energy.

Metabolic Flow is governed by ten nodes (M1–M10). The most fundamental is M1 (Basal Energy Level) — the subjective experience of vitality that integrates the outputs of all other metabolic nodes. M10 (Metabolic Recovery Capacity) is the resilience node — how quickly the organism restores metabolic equilibrium after energetic demands. M8 (Inflammation Load) is a cross-primitive interaction node: chronic low-grade inflammation is a metabolic signal that directly impairs neurological function and stress resilience, making it a leading indicator of multi-primitive degradation.

4.2 Circulatory Flow

Circulatory Flow governs the transport of oxygen, nutrients, hormones, and metabolic byproducts throughout the body. It is the logistics system of the human organism — the infrastructure by which the outputs of Metabolic Flow (energy currency) and the demands of Neurological Flow (cognitive and emotional function) are physically connected. A positive Circulatory Flow state indicates efficient oxygen delivery, stable heart rate and blood pressure, good hydration, and adequate recovery between demands. A negative Circulatory Flow state indicates cardiovascular stress, impaired oxygen delivery, dehydration, or fluid imbalance.

Circulatory Flow is governed by ten nodes (C1–C10). The most diagnostically significant for continuous monitoring are C1 (Resting Heart Rate) and C2 (Heart Rate Variability), because these two nodes are continuously measurable from wearables and provide sensitive leading indicators of multiple biological states. HRV (C2) is particularly important: it is the most robust proxy available from consumer-grade wearables for autonomic nervous system balance, and its interaction with N6 (Autonomic Balance) in the Neurological primitive creates one of BioCore's most important cross-primitive coupling relationships.

4.3 Neurological Flow

Neurological Flow governs nervous system tone, autonomic balance, cognitive processing capacity, emotional regulation, and the quality of sleep and recovery. It is the most complex BioCore primitive, governing both the voluntary (cognitive, behavioral) and involuntary (autonomic, endocrine) dimensions of neural function. A positive Neurological Flow state indicates clear cognition, emotional stability, adequate sleep, good autonomic balance (parasympathetic dominance at rest), low anxiety and depression

load, and intact social connection. A negative Neurological Flow state indicates neurological overload — cognitive fog, emotional volatility, sleep deprivation, sympathetic nervous system dominance, or social isolation.

Neurological Flow is governed by eleven nodes (N1–N11). Sleep nodes N1 (Duration) and N2 (Quality) are the most broadly influential in the ring — sleep is the primary recovery mechanism for virtually every other biological system, and degraded sleep amplifies the severity of all other node states. N3 (Circadian Alignment) is an under-recognized determinant of biological health that modern life systematically disrupts. N10 (Social Connection/Support) is the only explicitly social node in BioCore's ring — included because the evidence for social isolation as a biological health determinant is strong enough to warrant a first-class node, not a footnote [7, 8].

4.4 Stress/Thermal Flow

Stress/Thermal Flow governs the organism's resilience envelope — the capacity to absorb demands, resist dysfunction, and maintain the other three primitives under load. It is simultaneously the most important and the most frequently neglected primitive in conventional health frameworks. Stress is not a mental health variable. It is a systemic biological state with measurable physiological correlates (cortisol, inflammatory markers, HRV, temperature regulation) and direct causal relationships to metabolic, circulatory, and neurological function. A positive Stress/Thermal Flow state indicates low acute and chronic stress load, low inflammation, good thermal regulation, adequate recovery, and positive healing momentum. A negative Stress/Thermal Flow state indicates a depleted resilience envelope — the organism is using its adaptive capacity faster than it is restoring it.

Stress/Thermal Flow is governed by eleven nodes (S1–S11). The most critical are S6 (Burnout Risk) and S11 (Global Resilience Index). Burnout (S6) represents the collapse of the organism's capacity to maintain productive function under demand — a state from which recovery is measured in months, not days. Global Resilience Index (S11) is the composite terminal node of the Stress/Thermal primitive: it integrates all other Stress/Thermal nodes into a single assessment of how much adaptive capacity the organism retains.

5 The 42-Node Bio State Ring

5.1 Metabolic Flow Nodes (M1–M10)

Node	Name	Description
M1	Basal Energy Level	Subjective vitality — the organism’s fundamental sense of having adequate energy. Chronic low M1 in the absence of obvious cause is the earliest clinical signal of metabolic, hormonal, or immunological dysfunction.
M2	Glucose Stability	Stability of blood glucose across the day. High glucose variability drives M6 dysregulation, N4 fog, and M8 inflammation.
M3	Nutrient Sufficiency	Adequacy of macro and micronutrient intake relative to current demands. Severe deficiency in key micronutrients (iron, B12, D3, magnesium) mimics and amplifies failure in multiple other nodes.
M4	Metabolic Flexibility	The organism’s capacity to efficiently switch between carbohydrate and fat as primary fuel sources.
M5	Digestive Stability	Regularity, comfort, and efficiency of digestive function. In Ayurvedic terms, M5 approximates the state of agni — the transformative capacity of the digestive system.
M6	Appetite Regulation	Balance between hunger signals, satiety, and food intake. Dysregulated appetite is both a symptom and driver of metabolic disruption.
M7	Weight Stability	Trend in body weight over time — not absolute weight value, but trajectory. Tracks trend and rate of change.
M8	Inflammation Load	Chronic, low-grade systemic inflammation. The upstream driver of a wide range of metabolic, cardiovascular, and neurological pathology. BioCore’s most important cross-primitive interaction node.
M9	Oxidative Stress	Imbalance between reactive oxygen species production and antioxidant capacity. Elevated oxidative stress accelerates cellular aging and impairs recovery.
M10	Metabolic Recovery Capacity	Speed and completeness with which the organism restores metabolic equilibrium after energetic demands. Low M10 is the metabolic dimension of depleted resilience.

5.2 Circulatory Flow Nodes (C1–C10)

Node	Name	Description
C1	Resting Heart Rate	Heart beats per minute measured at rest. Elevated RHR relative to personal baseline is one of the most reliable early indicators of physiological stress, illness, or overtraining.
C2	Heart Rate Variability	Time variation between consecutive heartbeats (RMSSD). The most widely validated proxy for autonomic nervous system balance from consumer-grade wearables.
C3	Blood Pressure Stability	Stability of systolic and diastolic blood pressure relative to personal baseline. Persistent elevation warrants clinical attention.
C4	Peripheral Circulation	Quality of blood flow to extremities. Impaired peripheral circulation is associated with cardiovascular load and anemia.
C5	Oxygenation (SpO2)	Blood oxygen saturation. Baseline SpO2 is typically 95–100% at sea level. Chronic low SpO2 requires clinical evaluation.
C6	Hydration Level	Adequacy of total body water. Dehydration amplifies cardiovascular load, reduces cognitive performance, and impairs thermoregulation.
C7	Electrolyte Balance	Adequacy of sodium, potassium, magnesium, and calcium balance. Interacts with C1, C2, and S1/S2 stress load.
C8	Circulatory Load	Ratio of current cardiovascular demand to circulatory capacity. High load at rest indicates strain from illness, deconditioning, heat, or anemia.
C9	Edema/Fluid Retention	Abnormal fluid accumulation in tissue. Persistent edema may indicate circulatory, renal, or hormonal dysfunction.
C10	Circulatory Recovery Capacity	Speed with which heart rate returns to baseline after exertion. Poor recovery is a reliable indicator of inadequate fitness, overtraining, or illness.

5.3 Neurological Flow Nodes (N1–N11)

Node	Name	Description
N1	Sleep Duration	Total sleep time per night. Chronic short sleep (<7 hours for most adults) is causally associated with impaired cognitive performance, immune suppression, and metabolic dysfunction.
N2	Sleep Quality	Subjective and objective restfulness — proportion of deep and REM sleep stages, continuity, and restorative quality on waking.
N3	Circadian Alignment	Consistency between the individual's sleep-wake timing and their biological chronotype. Misalignment degrades N2 and N6 independent of duration.
N4	Cognitive Clarity	Quality of focused attention, working memory, and processing speed. Cognitive fog is one of the earliest and most sensitive indicators of neurological overload.
N5	Emotional Stability	Consistency and appropriateness of emotional responses. Volatility is an early signal of N7 (Anxiety) or N8 (Depression) escalation.
N6	Autonomic Balance	Ratio of sympathetic to parasympathetic nervous system activation at rest. Sympathetic dominance at rest is the physiological signature of chronic stress.
N7	Anxiety Load	Subjective and behavioral indicators of anxiety. Distinguished from acute stress (S1) in that anxiety is a neurological pattern rather than a response to a specific stressor.
N8	Depression Load	Subjective and behavioral indicators of depressive state. The highest-acuity node in the BioCore ring — persistent high-severity N8 triggers clinical referral.
N9	Sensory Overload	Reduced tolerance for noise, light, social stimulation. A late-stage indicator of neurological fatigue, frequently present in advanced burnout.
N10	Social Connection/Support	Quality and adequacy of meaningful social relationships. Social isolation is a biological hazard with measurable physiological effects [7, 8].

N11	Neurological Recovery Capacity	Speed with which the nervous system returns to calm baseline after activation. Low N11 is the neurological dimension of depleted resilience.
-----	--------------------------------	--

5.4 Stress/Thermal Flow Nodes (S1–S11)

Node	Name	Description
S1	Acute Stress Load	Total demand imposed by current stressors — work, training, illness, conflict, travel. Acute stress is normal; it becomes problematic when S2 is simultaneously elevated.
S2	Chronic Stress Load	Baseline level of adaptive demand carried over weeks to months. The single most important predictor of burnout (S6) and primary driver of sympathetic hyperactivation (N6).
S3	Inflammation Spike Risk	Probability of an acute inflammatory event given current S1, S2, M8, and S7 states.
S4	Body Temperature Stability	Regularity of core body temperature within its normal circadian pattern. Disruption indicates immune activation, hormonal dysregulation, or autonomic dysfunction.
S5	Overtraining/Overexertion Risk	Risk that physical training load exceeds current recovery capacity [9]. Computed from training load relative to C10 and N1/N2.
S6	Burnout Risk	Probability of cumulative demand-recovery collapse — a clinical state of exhaustion with neurobiological, cardiovascular, and endocrine correlates [10]. Critical S6 triggers mandatory load reduction and clinical support recommendation.
S7	Immune Activation	Current immune system activity level, proxied through systemic symptoms. Elevated S7 is a biological priority signal: the organism directs resources toward immune defense.
S8	Recovery Debt	Accumulated deficit of sleep, rest, and recovery relative to cumulative demand. Builds slowly and depletes resilience progressively.
S9	Circadian Stress	Disruption of the circadian clock from sources beyond sleep timing: jet lag, shift work, irregular meal timing, inconsistent light exposure.

S10	Healing Momentum	Direction and rate of the organism’s biological trajectory. A trend node integrating trajectories of all Stress/Thermal nodes. Strongly negative momentum is BioCore’s most important early warning signal.
S11	Global Resilience Index	Integrated capacity to absorb additional shocks without crossing into dysfunction. The terminal node of the Stress/Thermal primitive. Critical S11 is a prerequisite for Emergency Mode activation.

6 Node Threshold Architecture

6.1 Three-Band Threshold Model

Each node is governed by three threshold bands — advisory, caution, and critical — providing graduated response from heightened awareness through behavioral modification through hard constraint enforcement.

6.2 Personal Baseline Priority

For all nodes with direct measurement (C1, C2, C5, N1), the primary threshold is deviation from personal baseline rather than population-level absolute value. Baseline thresholds are established during a 14-day minimum calibration period and updated weekly using a rolling window.

Population-level defaults (Appendix A) are applied for new users without sufficient baseline data and serve as permanent defaults for subjective nodes where personal baseline calibration is less meaningful.

6.3 Normalized State Mapping

```

if deviation within optimal band:      s = +0.3 to +1.0
if deviation crosses advisory band:    s =  0.0 to -0.3
if deviation crosses caution band:     s = -0.4 to -0.7
if deviation crosses critical band:    s = -0.8 to -1.0

```

For subjective nodes (M1, N4, N5, S1), the self-report scale maps directly: “optimal/good” maps to the positive range, “poor/very poor” maps to the negative range, with intermediate states mapped linearly.

7 The Deterministic Guidance Engine

7.1 Inputs and Outputs

Inputs:

- Wearable biometric data (heart rate, HRV, sleep, SpO2, skin temperature, activity)
- Self-report (energy level, mood, stress, pain, symptoms, appetite, social connection)
- Context data (workload, travel, illness, medication, significant life events)
- Ritual and practice data (breathwork, meditation, sun exposure, movement, nutrition)
- Complete 42-node state vector R
- Temporal trend state (week-level and month-level organism states)

Outputs:

- Daily guidance summary (do more / do less / hold steady for each domain)
- Recovery recommendations (sleep targets, rest interventions, hydration, nutrition)
- Stress modulation suggestions (breathwork protocols, grounding practices, pacing strategies)
- Risk warnings (burnout proximity, overtraining risk, immune activation, healing arrest)
- Long-term trend insights (is the organism recovering, stable, or declining?)
- Clinical referral recommendations (when N8, S6, or S11 warrant professional evaluation)

7.2 Core Guidance Rules

Rule 1 — Hard Constraint: Recovery Prioritization

If any node crosses critical threshold ($s \leq -0.8$), the guidance engine: suppresses all performance-increasing, load-adding recommendations; activates mandatory recovery guidance for the affected primitive; escalates warnings to primary position; and does not return to performance recommendations until the critical node returns to caution-band or better.

Special cases with lower trigger thresholds:

N8 (Depression Load) at caution ($s \leq -0.4$): clinical referral language activates

S6 (Burnout Risk) at caution ($s \leq -0.4$): all non-essential load suppressed

S11 (Global Resilience) at caution ($s \leq -0.4$): Emergency Mode evaluation triggered

Rule 2 — Risk-Weighted Guidance Scoring

For each candidate guidance recommendation:

$$\text{Score} = \alpha \cdot \text{Recovery_Support} - \beta \cdot \text{Load_Added} + \gamma \cdot \text{Trend_Alignment} - \delta \cdot \text{Risk_Exposure}$$

The highest-scoring recommendation that does not violate Rule 1 or Rule 5 is emitted.

Rule 3 — Recovery Primitive Priority

When Stress/Thermal and Neurological Flow are both degraded (below advisory): prioritize sleep, rest, and nervous system down-regulation guidance; deprioritize nutrition optimization and performance-related recommendations. When Metabolic and Circulatory Flow are both degraded: prioritize nutrition, hydration, and gentle movement; deprioritize high-intensity training and cognitive performance goals.

Rule 4 — Trend-Aware Escalation

The guidance engine evaluates three temporal windows before escalating:

- **Spike:** One-to-two day node degradation → advisory-level guidance adjustment only
- **Pattern:** Three-to-seven day sustained degradation → caution-level guidance + active recovery recommendations
- **Collapse:** More than seven days of sustained degradation or S10 at negative → critical intervention guidance + clinical referral evaluation

BioCore does not react to a single bad day with hard constraint responses. A single bad night's sleep is a spike. Three weeks of deteriorating sleep quality is a collapse that warrants escalated response.

Rule 5 — Global Balance Constraint

No guidance recommendation may optimize one primitive at the cost of critical degradation in another. Specifically:

- No performance guidance is emitted when S6 (Burnout) or S11 (Resilience) is at caution or below
- No load-increasing recommendation is emitted when N1 or N2 is at caution or below

- No recommendation suppresses rest when S8 (Recovery Debt) is at caution or below

Rule 6 — Dynamic Re-Evaluation

All forty-two nodes are recomputed at every data ingest cycle. Daily guidance is generated fresh each morning based on the overnight node state update. Intra-day alerts are generated when any node crosses a threshold based on real-time wearable data. Guidance adapts continuously.

8 Operating Modes

BioCore selects one of four operating modes based on the pattern of node states. Mode selection is deterministic: the same node pattern always produces the same mode.

Mode	Trigger	Guidance Profile
Recovery	S8 (Recovery Debt) at caution or above; OR N1+N2 both at caution; OR C2 (HRV) more than 20% below personal baseline for 3+ days	Sleep extension, rest prioritization, gentle movement only, anti-inflammatory nutrition, social engagement within energy budget, breathwork and parasympathetic activation. Performance guidance suppressed.
Performance	All four primitives at advisory or better; S11 at optimal-band; S8 at optimal; C2 at or above personal baseline	Training load increase permitted within progression constraints, cognitive and physical challenge encouraged, performance nutrition, adequate recovery scheduling. Hard constraints (Rule 1) still enforced.
Stabilization	Mixed primitive states with no clear Recovery or Performance indicator; one primitive at caution while others remain advisory or better	Maintain current load, avoid adding new stressors, monitor trend carefully, focus on sleep consistency and nutrition quality. “Hold steady” is the core directive. The most common operating mode.
Healing	Active illness (S7 at caution or above); OR post-acute event recovery; OR S10 at negative for 5+ days despite rest	All training suppressed, rest maximized, immune-support nutrition, social demands minimized, clinical engagement encouraged. Persists until S7 returns to advisory, S10 returns to positive, and C2 returns to at least 80% of personal baseline.

9 The VedaSolus Integration Model

9.1 Container Architecture

VedaSolus.io is the canonical BioCore implementation container. VedaSolus provides:

Input channels: Wearable integration (Apple Health, Garmin, Oura, Whoop API), self-report interfaces (daily check-in flows, symptom logging), ritual and practice tracking (breathwork session logging, movement journals, nutrition logs).

Output surfaces: Daily guidance cards (the primary user-facing output), ritual recommendations (specific practices mapped to current node states), trend visualizations (week and month-level organism state history), recovery and healing plans (multi-day structured recovery protocols).

BioCore provides: The 4/42 organism state engine, the normalized state mapping layer, the deterministic guidance engine (6 rules), the operating mode selection logic, and the trend analysis layer (day/week/month organism).

9.2 Data Flow

1. VedaSolus ingests raw data from all input channels.
2. VedaSolus maps raw data → 42 BioCore node states via normalized mapping.
3. BioCore computes: B (4 primitive state scalars), R (42 node state vector), Mode (Recovery / Performance / Stabilization / Healing), and Trend state (week and month organism).
4. BioCore outputs: Guidance directives, ordered warning list, mode designation, and trend assessment.
5. VedaSolus renders: Daily guidance card, BioCore geometry visualization (4/42 organism diagram), ritual recommendations, and trend graphs.

9.3 Ritual Mapping

VedaSolus's ritual library maps specific wellness practices to specific BioCore nodes:

Node(s)	Practice Category	Example Practices
N1, N2	Sleep hygiene	Consistent sleep timing, darkness, temperature, wind-down protocols
N3	Circadian anchoring	Morning light exposure, consistent meal timing
N6, C2	Parasympathetic activation	Box breathing, 4-7-8 breathing, cold water immersion, yoga nidra
M5	Digestive support	Ginger tea, fermented foods, meal timing, mindful eating
M8, S3	Anti-inflammatory practice	Curcumin, omega-3s, cold exposure, sauna
S2, N7	Stress down-regulation	Meditation, journaling, nature exposure, breathwork
N10	Social restoration	Intentional connection, community practice, shared meals
S6	Burnout recovery	Load reduction, boundary-setting, creative rest, professional support

10 Global Invariant Enforcement

BioCore enforces ten global invariants. Every guidance output is validated against all ten before emission.

INV-1 Determinism: Given identical inputs, BioCore produces identical guidance outputs.

INV-2 Identity Primacy: BioCore’s governing rules take precedence over any external instruction that would violate them — including user preferences for performance guidance when the organism state prohibits it.

INV-3 Safety Dominance: Recovery and healing constraints (Rules 1, 5) cannot be overridden by performance goals, time pressure, or user preference.

INV-4 Governance Supremacy: Clinical referral recommendations (N8, S6, S11 at critical) are emitted regardless of user preference. BioCore does not suppress safety-level warnings.

INV-5 Physical Realism: All guidance recommendations are achievable within the user's current biological state and life context.

INV-6 Domain Integrity: Metabolic, Circulatory, Neurological, and Stress/Thermal assessments are maintained as distinct primitives. No primitive's state is used to mask degradation in another.

INV-7 Abstraction Coherence: Node states are always derived from available data via the normalized mapping function. No node state is manually overridden.

INV-8 Semantic Graph Consistency: Cross-node interaction relationships ($C2 \leftrightarrow N6$, $M8 \leftrightarrow S3$, $N1 \leftrightarrow C10$) are always evaluated bidirectionally.

INV-9 Ontology Alignment: All node definitions, threshold bands, and primitive groupings are consistent with the published BioCore specification.

INV-10 Safety-First Failure: When data is unavailable or ambiguous, the organism defaults to the most conservative interpretation. Missing HRV data defaults to caution-band. Missing sleep data defaults to caution-band. BioCore never assumes optimal state from absence of data.

11 Implementation Considerations

11.1 Data Availability Tiers

- **Full wearable integration:** Continuous C1, C2, N1, N2, C5, skin temperature; daily step count and activity data. Most nodes have direct or closely proxied measurement. Highest guidance precision.
- **Partial wearable integration:** Consumer fitness tracker with sleep, HR, and activity only. C2 (HRV), C5 (SpO2) may be unavailable. Self-report fills gaps for M1, N4, N5, S1, S2, N7, N8, N10. Guidance precision adequate for most operating decisions.
- **Self-report only:** No wearable data. All nodes populated from daily self-report questionnaire. Lowest precision but still sufficient to determine operating mode and provide meaningful guidance. Objective clinical nodes (C1, C2) default to caution-band.

11.2 Clinical Escalation Protocol

BioCore includes explicit clinical escalation triggers that emit referral recommendations to the user:

- N8 (Depression Load) at caution or critical → “Please consider speaking with a mental health professional”
- S6 (Burnout Risk) at critical → “BioCore recommends consulting a physician or mental health provider”
- S11 (Global Resilience) at critical → “BioCore is observing a pattern that warrants professional medical evaluation”
- C1, C2, C3 with unusual patterns → “These readings are outside expected ranges. Please discuss with your physician”

These escalations are not suppressible by user preference settings. They are mandatory safety outputs of the BioCore guidance engine.

11.3 Privacy Architecture

BioCore processes highly sensitive biological data. The VedaSolus implementation must enforce:

- On-device processing where possible (node state computation on device, not server)
- End-to-end encryption for all transmitted biological data
- User ownership of all personal baseline data
- No behavioral data sale or third-party sharing without explicit opt-in

12 Evaluation Framework

12.1 Phase 1 — Clinical Node Calibration

Calibrate the normalized state mapping for all directly measurable nodes (C1, C2, N1, N2, C5) against published clinical literature and population normative data. Validate that threshold bands produce sensitivity and specificity appropriate for a continuous wellness monitoring context.

12.2 Phase 2 — Pilot User Study

Deploy BioCore within VedaSolus.io with a pilot cohort of 50–100 users across diverse biological profiles (age, fitness level, health status, work patterns). Collect continuous wearable and self-report data. Validate operating mode selection against expert clinical assessment. Validate guidance appropriateness against user-reported outcomes. Calibrate personal baseline algorithms.

12.3 Phase 3 — Longitudinal Outcome Validation

Track pilot cohort outcomes over 6–12 months. Measure: recovery debt reduction, HRV trend improvement, burnout risk trajectory, self-reported wellness, and clinical event rates. Compare against control groups using conventional wellness apps or no structured wellness support.

Appendix A — Complete Node Definitions and Threshold Table

Node	Description	Advisory	Caution	Critical
M1	Basal Energy Level	slightly low	low	exhausted
M2	Glucose Stability	mild swings	frequent swings	crash-prone
M3	Nutrient Sufficiency	minor gaps	significant gaps	severe deficiency
M4	Metabolic Flexibility	mildly rigid	rigid	locked
M5	Digestive Stability	occasional issues	frequent issues	chronic distress
M6	Appetite Regulation	mild dysregulation	strong cravings	chaotic
M7	Weight Stability	mild drift	significant drift	rapid change
M8	Inflammation Load	mild	moderate	high
M9	Oxidative Stress	mild	moderate	high
M10	Metabolic Recovery	slightly slow	slow	stalled
C1	Resting Heart Rate	slightly elevated	elevated	very high vs. baseline
C2	Heart Rate Variability	slightly low	low	very low vs. baseline
C3	Blood Pressure Stability	mild variance	unstable	dangerous
C4	Peripheral Circulation	mild coldness	frequent	severe
C5	Oxygenation (SpO2)	slightly low	low	very low
C6	Hydration	mildly low	moderately low	severely dehydrated
C7	Electrolyte Balance	mild imbalance	moderate	severe
C8	Circulatory Load	slightly high	high	overload
C9	Edema	mild	moderate	severe
C10	Circulatory Recovery	slightly slow	slow	stalled
N1	Sleep Duration	6–7 hours	5–6 hours	<5 hours

N2	Sleep Quality	mildly unrestful	poor	very poor
N3	Circadian Alignment	mild drift	misaligned	inverted
N4	Cognitive Clarity	mild fog	frequent fog	constant fog
N5	Emotional Stability	mild swings	frequent swings	volatile
N6	Autonomic Balance	mild imbalance	strong sympathetic	locked sympathetic
N7	Anxiety Load	mild	moderate	severe
N8	Depression Load	mild	moderate	severe
N9	Sensory Overload	mild	frequent	constant
N10	Social Connection	mildly low	low	isolated
N11	Neurological Recovery	slightly slow	slow	stalled
S1	Acute Stress Load	mild	high	extreme
S2	Chronic Stress Load	mild	high	extreme
S3	Inflammation Spike Risk	possible	likely	active
S4	Body Temperature Stability	mild issues	frequent	severe
S5	Overtraining Risk	possible	likely	active
S6	Burnout Risk	possible	likely	active
S7	Immune Activation	mild	moderate	severe
S8	Recovery Debt	mild	high	extreme
S9	Circadian Stress	mild	high	extreme
S10	Healing Momentum	flat	negative	strongly negative
S11	Global Resilience Index	slightly low	low	very low

Appendix B — Normalized State Mapping

```
// Subjective/ordinal nodes
function normalize_ordinal(rating, thresholds):
    // rating: self-report value on 1-10 scale (10 = optimal)
    if rating ≥ thresholds.optimal:    return lerp(+0.3, +1.0, ...)
    if rating ≥ thresholds.advisory:   return lerp(0.0, -0.3, ...)
    if rating ≥ thresholds.caution:   return lerp(-0.4, -0.7, ...)
    else:                             return lerp(-0.8, -1.0, ...)

// Continuous nodes with personal baseline
function normalize_continuous(raw, baseline, baseline_thresholds):
    deviation = (raw - baseline) / baseline
    // Map deviation magnitude to normalized scale
    // Direction (positive or negative deviation) determines which
    side of scale
```

Appendix C — Guidance Decision Logic

```

function generate_guidance(B, R, trend, user_profile):
    // Determine operating mode
    mode = select_mode(R, trend)

    // Rule 1: Hard constraints
    critical_nodes = [n for n in R if n.state ≤ -0.8]
    if critical_nodes:
        suppress_performance = True
        mandatory_recovery = True

    // Clinical escalation check
    if N8.state ≤ -0.4 or S6.state ≤ -0.4 or S11.state ≤ -0.4:
        emit clinical_referral_recommendation()

    // Rule 4: Trend check before escalation
    trend_mode = classify_trend(trend) // spike / pattern / collapse

    // Generate guidance pool for current mode
    candidate_guidance = get_mode_guidance_pool(mode)

    // Rule 5: Global balance constraint
    candidate_guidance = filter(candidate_guidance,
        lambda g: not violates_balance_constraint(g, R))

    // Rule 2: Score candidates
    for g in candidate_guidance:
        g.score = (α * g.recovery_support
                  - β * g.load_added
                  + γ * trend_alignment(g, trend)
                  - δ * g.risk_exposure)

    return sorted(candidate_guidance, by=score, descending=True)[:5]

```

Appendix D — VedaSolus Data Flow Specification

```
{
  "biocore_input": {
    "wearable": {
      "resting_hr_bpm": 0,
      "hrv_rmssd_ms": 0,
      "sleep_duration_hours": 0,
      "sleep_quality_score": 0,
      "spo2_percent": 0,
      "skin_temp_c": 0,
      "steps_today": 0
    },
    "self_report": {
      "energy_level_1_10": 0,
      "stress_level_1_10": 0,
      "mood_1_10": 0,
      "sleep_quality_1_10": 0,
      "digestive_comfort_1_10": 0,
      "social_connection_1_10": 0,
      "symptoms": []
    },
    "context": {
      "workload_level": "low|medium|high|extreme",
      "travel": false,
      "illness": false,
      "major_life_event": false
    }
  },
  "biocore_output": {
    "mode": "Recovery|Performance|Stabilization|Healing",
    "primitive_states": {
      "metabolic": 0.0,
      "circulatory": 0.0,
      "neurological": 0.0,
      "stress_thermal": 0.0
    },
    "guidance": [],
    "warnings": [],
    "clinical_referrals": [],
    "trend_assessment": "recovering|stable|declining"
  }
}
```

References

1. Flatt, A. A., & Esco, M. R. (2016). Evaluating the accuracy of a smartphone-based application for determining LnRMSSD from written RR-interval data. *Journal of Human Kinetics*, 50(1), 91–98.
2. Peake, J. M., Kerr, G., & Sullivan, J. P. (2018). A critical review of consumer wearables, mobile applications, and equipment for providing biofeedback, monitoring stress, and sleep in physically active populations. *Frontiers in Physiology*, 9, 743.
3. Bland, J. (2014). *The Disease Delusion: Conquering the Causes of Chronic Illness for a Healthier, Longer, and Happier Life*. HarperCollins.
4. Institute for Functional Medicine. (2020). *Applying Functional Medicine in Clinical Practice*. IFM Education.
5. Lad, V. (2002). *Textbook of Ayurveda, Volume 1: Fundamental Principles*. Ayurvedic Press.
6. Maciocia, G. (2015). *The Foundations of Chinese Medicine* (3rd ed.). Elsevier.
7. Holt-Lunstad, J., Smith, T. B., & Layton, J. B. (2010). Social relationships and mortality risk: A meta-analytic review. *PLOS Medicine*, 7(7), e1000316.
8. Cacioppo, J. T., & Cacioppo, S. (2014). Social relationships and health: The toxic effects of perceived social isolation. *Social and Personality Psychology Compass*, 8(2), 58–72.
9. Meeusen, R., et al. (2013). Prevention, diagnosis, and treatment of the overtraining syndrome. *Medicine & Science in Sports & Exercise*, 45(1), 186–205.
10. Bianchi, R., Schonfeld, I. S., & Laurent, E. (2015). Burnout–depression overlap: A review. *Clinical Psychology Review*, 36, 28–41.
11. Andrews, J. (2026). *Lume Language Specification*. DarkWave Studios LLC. DOI: [10.5281/zenodo.19382282](https://doi.org/10.5281/zenodo.19382282)
12. Andrews, J. (2026). *Trust Layer Ecosystem*. DarkWave Studios LLC. DOI: [10.5281/zenodo.19560674](https://doi.org/10.5281/zenodo.19560674)
13. Andrews, J. (2026). *Meridian as Synthetic Organism*. DarkWave Studios LLC. L-SOC Paper Series.
14. Andrews, J. (2026). *Verdara Ultra: A Four-Primitive Deterministic Outdoor Flow Organism*. DarkWave Studios LLC. L-SOC Paper Series.
15. Andrews, J. (2026). *HydroCore: A Four-Primitive Deterministic Hydrological Flow Organism*. DarkWave Studios LLC. L-SOC Paper Series.

Patent Pending — Patent Pending.

Patent Pending — DarkWave Studios LLC

Lume-X: Provisionally patented deterministic control runtime.

© 2026 DarkWave Studios LLC. All rights reserved.

Ronald “Jason” Andrews · DarkWave Studios LLC · Nashville, TN · team@dwsc.io

ORCID: [0009-0007-5214-649X](https://orcid.org/0009-0007-5214-649X) · lume-lang.org · github.com/cryptocreeper94-sudo

This preprint has not undergone peer review. Submitted for early dissemination and to establish priority of invention.