


# AUDIT REPORT

April 2023



Audit conducted by  
RICARDO PONTES

# Summary

<b>Auditing Firm</b>	Crypto Hub
<b>Architecture</b>	Crypto Hub Auditing Standard
<b>Smart Contract Audit Approved By</b>	Ricardo   Blockchain Dev at Crypto Hub
<b>Platform</b>	Solidity
<b>Mandatory Audit Check</b>	Static, Software & Manual Analysis
<b>Consultation Request Date</b>	April 27, 2023
<b>Report Date</b>	April 27, 2023

## Audit Summary

Crypto Hub team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

- ★ Casino De Meta smart contract source code has **LOW RISK SEVERITY**.
- ★ Casino De Meta has **PASSED** the smart contract audit.

For the detailed understanding of risk severity, source code vulnerability, and functional test, kindly refer to the audit.

✅ Verify the authenticity of this report on Crypto Hub Website:

<https://www.cryptohub.agency/>



## Table Of Contents

<b>Project Overview</b>	<b>3</b>
<b>Audit Scope &amp; Methodology</b>	<b>4</b>
Crypto Hub Audit Standard	5
Crypto Hub's Risk Classification	6
<b>Smart Contract Risk Assessment</b>	<b>7</b>
Contract Snapshot	7
Static / Quick Analysis	8
Software Analysis	10
SWC Attacks	13
Manual Analysis	15
Risk Status	15
<b>Report Summary</b>	<b>16</b>
Audit & KYC Certificates	17
<b>Legal Advisory</b>	<b>18</b>
Important Disclaimer	18
About Crypto Hub	19



## Project Overview

Crypto Hub was consulted by Casino De Meta to conduct the smart contract security audit of their solidity source code.

Project	Casino De Meta
Blockchain	Binance Smart Chain
Language	Solidity
Contracts	0xa9C72Fa7F0a2861270F62bc9F84Af4a607E6434B
Website:	<a href="http://casinodemeta.com/">http://casinodemeta.com/</a>

Public logo:



Solidity Source Code On Blockchain (**Verified Contract Source Code**)

<https://bscscan.com/address/0xa9c72fa7f0a2861270f62bc9f84af4a607e6434b#code>

Contract Name: CDM

Compiler Version: v0.8.17

Optimization Enabled: yes

SHA-1 Hash

Solidity source code is audited at hash

#5d2ed2b57b0a08f83893eae5748f074ec1d9ef59



## Audit Scope & Methodology

The scope of this report is to audit the above smart contract source code and Crypto Hub has scanned the contract and reviewed the project for common vulnerabilities, exploits, hacks, and back-doors. Below is the list of commonly known smart contract vulnerabilities, exploits, and hacks:

### Smart Contract Vulnerabilities

- ☐ Re-entrancy
- ☐ Unhandled Exceptions
- ☐ Transaction Order Dependency
- ☐ Integer Overflow
- ☐ Unrestricted Action
- ☐ Incorrect Inheritance Order
- ☐ Typographical Errors
- ☐ Requirement Violation

### Source Code Review

- ☐ Ownership Takeover
- ☐ Gas Limit and Loops
- ☐ Deployment Consistency
- ☐ Repository Consistency
- ☐ Data Consistency
- ☐ Token Supply Manipulation

### Functional Assessment

- ☐ Access Control and Authorization
- ☐ Operations Trail and Event Generation
- ☐ Assets Manipulation
- ☐ Liquidity Access



## *Crypto Hub Audit Standard*

The aim of Crypto Hub standard is to analyze the smart contract and identify the vulnerabilities and the hacks in the smart contract. Mentioned are the steps used by ECHELON-1 to assess the smart contract:

### **1. Solidity smart contract source code reviewal:**

- ❖ Review of the specifications, sources, and instructions provided to Crypto Hub to make sure we understand the size, scope, and functionality of the smart contract.
- ❖ Manual review of code, which is the process of reading source code line-by-line to identify potential vulnerabilities.

### **2. Static, Manual, and Software analysis:**

- ❖ Test coverage analysis, which is the process of determining whether the test cases are covering the code and how much code is exercised when we run those test cases.
- ❖ Symbolic execution, which is analyzing a program to determine what inputs cause each part of a program to execute.

**3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.**

**4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts**

### **Automated 3P frameworks used to assess the smart contract vulnerabilities**

- ❖ Slither
- ❖ Consensys MythX
- ❖ Consensus Surya
- ❖ Open Zeppelin Code Analyzer
- ❖ Solidity Code Compiler



## Crypto Hub's Risk Classification

Smart contracts are generally designed to manipulate and hold funds denominated in ETH/BNB. This makes them very tempting attack targets, as a successful attack may allow the attacker to directly steal funds from the contract. Below are the typical risk levels of a smart contract: Vulnerable:

A contract is vulnerable if it has been flagged by a static analysis tool as such. As we will see later, this means that some contracts may be vulnerable because of a false-positive.

**Exploitable:** A contract is exploitable if it is vulnerable and the vulnerability could be exploited by an external attacker. For example, if the “vulnerability” flagged by a tool is in a function which requires to own the contract, it would be vulnerable but not exploitable.

**Exploited:** A contract is exploited if it received a transaction on the main network which triggered one of its vulnerabilities. Therefore, a contract can be vulnerable or even exploitable without having been exploited.

Risk severity	Meaning
! Critical	This level of vulnerability could be exploited easily, and can lead to asset loss, data loss, asset manipulation, or data manipulation. They should be fixed right away.
! High	This level vulnerabilities are hard to exploit but very important to fix, they carry an elevated risk of smart contract manipulation, which can lead to critical risk severity
! Medium	This level of vulnerabilities should be fixed, as they carry an inherent risk of future exploits, and hacks which may or may not impact the smart contract execution.
! Low	This level of vulnerability can be ignored. They are code style violations, and informational statements in the code. They may not affect the smart contract execution







## Static / Quick Analysis

### Honeypot Risk



#### This does not appear to be a honeypot.

We are not aware of any malicious code.



#### Functions that can suspend trading

If a suspendable code is included, the token maybe neither be bought nor sold (honeypot risk).



#### No trading cooldown function

The token contract has no trading cooldown function. If there is a trading cooldown function, the user will not be able to sell the token within a certain time or block after buying.



#### Anti\_whale(Limited number of transactions)

The number of token transactions is limited. The number of scam token transactions may be limited (honeypot risk).



#### Anti whale is modifiable

The maximum token trading amount or maximum position can be modified, which may lead to suspension of trading. (honeypot risk).



#### Tax cannot be modified

The contract owner may not contain the authority to modify the transaction tax. If the transaction tax is increased to more than 49%, the tokens will not be able to be traded (honeypot risk).



#### Blacklist function

The blacklist function is included. Some addresses may not be able to trade normally (honeypot risk).



#### No whitelist

The whitelist function is not included. If there is a whitelist, some addresses may not be able to trade normally (honeypot risk).



#### No tax changes found for personal addresses

No tax changes were found for every assigned address. If it exists, the contract owner may set a very outrageous tax rate for assigned address to block it from trading.



## Contract Security



### Contract source code verified

This token contract is open source. You can check the contract code for details. Unsourced token contracts are likely to have malicious functions to defraud their users of their assets.



### No proxy

There is no proxy in the contract. The proxy contract means contract owner can modify the function of the token and possibly effect the price.



### No mint function

Mint function is transparent or non-existent. Hidden mint functions may increase the amount of tokens in circulation and effect the price of the token.



### No function found that retrieves ownership

If this function exists, it is possible for the project owner to regain ownership even after relinquishing it



### Hidden owner

The token has a hidden owner address. For contract with a hidden owner, developer can still manipulate the contract even if the ownership has been abandoned.



### This token can not self destruct

No self-destruct function found. If this function exists and is triggered, the contract will be destroyed, all functions will be unavailable, and all related assets will be erased.





### No external call risk found

External calls would cause this token contract to be highly dependent on other contracts, which may be a potential risk.



## Software Analysis



```

Sighash | Function Signature
=====
771602f7 => add(uint256,uint256)
b67d77c5 => sub(uint256,uint256)
e31bdc0a => sub(uint256,uint256,string)
c8a4ac9c => mul(uint256,uint256)
a391c15b => div(uint256,uint256)
b745d336 => div(uint256,uint256,string)
893d20e8 => getOwner()
70a08231 => balanceOf(address)
a9059cbb => transfer(address,uint256)
dd62ed3e => allowance(address,address)
095ea7b3 => approve(address,uint256)
23b872dd => transferFrom(address,address,uint256)
b6a5d7de => authorize(address)
f0b37c04 => unauthorize(address)
2f54bf6e => isOwner(address)
fe9fbb80 => isAuthorized(address)
f2fde38b => transferOwnership(address)
79ba5097 => acceptOwnership()
c9c65396 => createPair(address,address)
c45a0155 => factory()
ad5c4648 => WETH()
f305d719 => addLiquidityETH(address,uint256,uint256,uint256,address,uint256)
791ac947 =>
swapExactTokensForETHSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
571ac8b0 => approveMax(address)
3ab28f68 => setMaxWalletPercent_base100000(uint256)
4062245a => setMaxTxPercent_base100000(uint256)
cb712535 => _transferFrom(address,address,uint256)
f0774e71 => _basicTransfer(address,address,uint256)
0cfde3fa => takeFee(address,uint256,address)
0d5c6cea => shouldSwapBack()
1da1db5e => clearStuckBalance(uint256)
77b54bad => clearStuckToken(address,uint256)
0d295980 => tradingStatus(bool)
9cd1aef1 => tradingStatus_launchmode(uint256)
6ac5eeee => swapBack()
00bffa46 => manage_FeeExempt(address[],bool)
4be9d869 => manage_TxLimitExempt(address[],bool)
00108683 => manage_WalletLimitExempt(address[],bool)
06b25010 => update_fees()
6ce46bc3 => setMultipliers(uint256,uint256,uint256)
eddb6b84 => setFees_base1000(uint256,uint256,uint256)
a4b45c00 => setFeeReceivers(address,address)
455a4396 => blacklistAddress(address,bool)
df20fd49 => setSwapBackSettings(bool,uint256)
2b112e49 => getCirculatingSupply()
1ca0a28d => multiTransfer(address,address[],uint256[])

```



## Surya's Description Report

## Files Description Table

File Name	SHA-1 Hash
/home/CryptoHub/output/Casinodemeta.sol	5d2ed2b57b0a08f83893eae5748f074ec1d9ef59


## Contracts Description Table

Contract	Type	Bases	Visibility	Mutability	Modifiers
SafeMath					
add	Internal				
sub	Internal				
mul	Internal				
div	Internal				
BEP20					
getOwner	External		NO		
balanceOf	External		NO		
transfer	External			NO	
allowance	External		NO		
approve	External			NO	
transferFrom	External			NO	
Auth					
<Constructor>	Public			NO	
authorize	External				onlyOwner
unauthorize	External				onlyOwner
isOwner	Public		NO		
isAuthorized	Public		NO		
transferOwnership	External				onlyOwner
acceptOwnership	External				
INDEXFactory					
createPair	External			NO	
INDEXRouter					
factory	External		NO		
WETH	External		NO		
addLiquidityETH	External				
swapExactTokensForETHSupportingFeeOnTransferTokens	External				
CDM					
<Constructor>	Public				Auth
<Receive Ether>	External				
getOwner	External		NO		
allowance	External		NO		
approve	Public			NO	
approveMax	External			NO	
transfer	External			NO	
transferFrom	External			NO	
setMaxWalletPercent_base100000	External				onlyOwner
setMaxTxPercent_base100000	External				onlyOwner
_transferFrom	Internal				
_basicTransfer	Internal				
takeFee	Internal				
shouldSwapBack	Internal				
clearStuckBalance	External				onlyOwner
clearStuckToken	External				onlyOwner
tradingStatus	External				onlyOwner
tradingStatus_launchmode	External				onlyOwner
swapBack	Internal				swapping
manage_FeeExempt	External				authorized
manage_TxLimitExempt	External				authorized
manage_WalletLimitExempt	External				authorized
update_fees	Internal				
setMultipliers	External				authorized
setFees_base1000	External				onlyOwner
setFeeReceivers	External				onlyOwner
blacklistAddress	External				onlyOwner
setSwapBackSettings	External				onlyOwner
getCirculatingSupply	Public		NO		
multiTransfer	External				authorized

## Legend

Symbol	Meaning
●	Function can modify state
■	Function is payable





## SWC Attacks

The following table contains an overview of the SWC registry. Each row consists of an SWC identifier (ID), weakness title, CWE parent and list of related code samples.

The auditor used a MythX tool, A static analyzer that parses the Solidity AST, a symbolic analyzer that detects possible vulnerable states, and a greybox fuzzer that detects vulnerable execution paths.

ID	Description	Status
SWC - 100	Function Default Visibility	✓ Passed
SWC - 101	Integer Overflow and Underflow	✓ Passed
SWC - 102	Outdated Compiler Version	✓ Passed
SWC - 103	Floating Pragma	✓ Passed
SWC - 104	Unchecked Call Return Value	✓ Passed
SWC - 105	Unprotected Ether Withdrawal	✓ Passed
SWC - 106	Unprotected SELFDESTRUCT Instruction	✓ Passed
SWC - 107	Reentrancy Passed	✓ Passed
SWC - 108	State Variable Default Visibility	✓ Passed
SWC - 109	Uninitialized Storage Pointer	✓ Passed
SWC - 110	Assert Violation Passed	✓ Passed
SWC - 111	Use of Deprecated Solidity Functions	✓ Passed
SWC - 112	Delegatecall to Untrusted Callee	✓ Passed
SWC - 113	DoS with Failed Call	✓ Passed
SWC - 114	Transaction Order Dependence	✓ Passed
SWC - 115	Authorization through tx.origin	✓ Passed
SWC - 116	Block values as a proxy for time	✓ Passed
SWC - 117	Signature Malleability	✓ Passed



ID	Description	Status
SWC - 118	Incorrect Constructor Name	✓ Passed

SWC - 119	Shadowing State Variables	✓ Passed
SWC - 120	Weak Sources of Randomness from Chain Attributes	✓ Passed
SWC - 121	Missing Protection against Signature Replay Attacks	✓ Passed
SWC - 122	Lack of Proper Signature Verification	✓ Passed
SWC - 123	Requirement Violation Passed	✓ Passed
SWC - 124	Write to Arbitrary Storage Location	✓ Passed
SWC - 125	Incorrect Inheritance Order Passed	✓ Passed
SWC - 126	Insufficient Gas Griefing	✓ Passed
SWC - 127	Arbitrary Jump with Function Type Variable	✓ Passed
SWC - 128	DoS With Block Gas Limit	✓ Passed
SWC - 129	Typographical Error	✓ Passed
SWC - 130	Right-To-Left-Override control character (U+202E)	✓ Passed
SWC - 131	Presence of unused variables	✓ Passed
SWC - 132	Unexpected Ether balance	✓ Passed
SWC - 133	Hash Collisions With Multiple Variable Arguments	✓ Passed

SWC - 134	Message call with hardcoded gas amount	✓ Passed
SWC - 135	Code With No Effects	✓ Passed
SWC - 136	Unencrypted Private Data On-Chain	✓ Passed





## Manual Analysis

It is best practice to set the visibility of state variables explicitly. The default visibility for the following are internal. Other possible visibility settings are public and private:

- "inSwap";
- "WBNB";
- "\_allowances";
- "sellMultiplier";
- "buyMultiplier";
- "transferMultiplier"
- "inSwap".

## Risk Status

Risk severity	Meaning
<b>! Critical</b>	None critical severity issues identified
<b>! High</b>	None high severity issues identified
<b>! Medium</b>	None medium severity issues identified
<b>! Low</b>	None low severity issues identified
<b>Verified</b>	17 functions and instances verified and checked
<b>Safety Score</b>	91 out of 100

## Report Summary

Crypto Hub team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

Casino De Meta smart contract source code has **LOW RISK SEVERITY**.

Casino De Meta has **PASSED** the smart contract audit.



### **Note for stakeholders:**

Be aware that active smart contract owner privileges constitute an elevated impact on smart contract's safety and security.

Make sure that the project team's KYC/identity is verified by an independent firm, e.g., Crypto Hub.

Always check if the contract's liquidity is locked. A longer liquidity lock plays an important role in the project's longevity. It is recommended to have multiple liquidity providers.

Examine the unlocked token supply in the owner, developer, or team's private wallets. Understand the project's tokenomics, and make sure the tokens outside of the LP Pair are vested or locked for a longer period of time.

Ensure that the project's official website is hosted on a trusted platform, and is using an active SSL certificate. The website's domain should be registered for a longer period of time.



## Audit & KYC Certificates

We hereby certificate Casino De Meta token smart contract as an audited project under the Crypto Hub enterprise umbrella. And to represent it as such we issued the following certificate:



# Legal Advisory

## *Important Disclaimer*

Crypto Hub provides contract auditing and project verification services for blockchain projects. The purpose of the audit is to analyze the on-chain smart contract source code, and to provide a basic overview of the project. This report should not be transmitted, disclosed, referred to, or relied upon by any person for any purposes without Crypto Hub prior written consent.

Crypto Hub provides the easy-to-understand assessment of the project, and the smart contract (otherwise known as the source code). The audit makes no statements or warranties on the security of the code. It also cannot be considered as an adequate assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have used all the data at our disposal to provide the transparent analysis, it is important to note that you should not rely on this report only — we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts. Be aware that smart contracts deployed on a blockchain aren't resistant from external vulnerability, or a hack. Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security. Therefore, Crypto Hub does not guarantee the explicit security of the audited smart contract.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

This report should not be considered as an endorsement or disapproval of any project or team. The information provided in this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. Do conduct your own due diligence and consult your financial advisor before making any investment decisions.



## *About Crypto Hub*

Crypto Hub provides intelligent blockchain solutions. Crypto Hub is developing an ecosystem that is seamless and responsive. Some of our services: Blockchain Security, Token Launchpad, NFT Marketplace, etc. Crypto Hub's mission is to interconnect multiple services like Blockchain Security, DeFi, Gaming, and Marketplace under one ecosystem that is seamless, multi-chain compatible, scalable, secure, fast, responsive, and easy-to-use.

Crypto Hub is built by a decentralized team of UI experts, contributors, engineers, and enthusiasts from all over the world. Our team currently consists of 3+ core team members, and 6+ casual contributors. Crypto Hub provides manual, static, and automatic smart contract analysis, to ensure that the project is checked against known attacks and potential vulnerabilities.

