

moderncv – v2.1.0

Package by Xavier Danaux
Documentation by Cristina Sambo, David Seus

January 21, 2021

Abstract

moderncv provides a document class for typesetting modern curriculum vitae and corresponding cover letters for applications in various styles. Five predefined styles are available and each of the styles can be adjusted through options adjusting headings and colors. It is fairly customizable, allowing the user to adjust the look and feel of each style to their liking. **[TODO: add mention of skill matrix feature once it is accepted]**

Contents

1	Getting started	2
1.1	How to read this manual	2
1.2	Installation instructions	2
2	The moderncv template step by step.	2
2.1	Basic setup	3
2.2	Examples	4
2.3	Customize sections	5
2.4	Section	5
2.5	Items	6
2.6	More customizations	9
3	Customization	10
3.1	Styles and their options	10
3.2	Colors	10
3.3	Tweaks	10
4	Implementation details	10
4.1	Required packages	10
4.2	Known conflicts with other packages	11
4.3	Known bugs	11

1 Getting started

1.1 How to read this manual

This manual is organized as follows. The present section contains information on how to get started with the `moderncv` package, i.e. how to install required packages to your system.

Section 2 provides a step by step guide of the `moderncv` template file and how to work with it.

Section 3 discusses details of the customizations that can be done by the user: The different styles, their options, colors and tips and tricks.

Section 4 contains information about the packages being used by `moderncv`, known problems and possible solutions that have been found.

1.2 Installation instructions

If the `moderncv` package does not ship with your \LaTeX distribution, or the installed version is too old, grab the `moderncv` code from CTAN or GitHub:

<https://ctan.org/pkg/moderncv>
<https://github.com/moderncv/moderncv>

Note: Depending on your \LaTeX distribution some additional packages might have to be installed. Section 4.1 lists all packages that `moderncv` requires to be installed on your system.

2 The `moderncv` template step by step.

This section is meant as a quick reference to the `moderncv` package and should contain enough information to get a first working curriculum vitae typeset. The easiest way to get started with `moderncv` is to adjust the template that comes with the package. In case the `moderncv` package is part of your \LaTeX distribution, search for the folder `moderncv` on your system containing all files of the package. In this folder, there should be a file called `template.tex`. In case you downloaded the package from GitHub or CTAN move into the folder of the newly downloaded (and possibly extracted) package to find the file `template.tex` there.

Note: If you downloaded `moderncv` from GitHub or CTAN and you move the `template.tex` to another folder make sure to adjust the `TEXINPUTS` variable to find the newly downloaded package. Otherwise either the old packages version gets used or \LaTeX throws an error.

2.1 Basic setup

At the very beginning of your preamble (that is the part before `\begin{document}`) insert:

```
\documentclass[<options>]{moderncv}
```

where the options are:

paper size options: a4paper , a5paper , b5paper , letterpaper , legalpaper , ex-ec-u-tive-pa-per , landscape

font size options: 10pt , 11pt , 12pt

font option: no!modern , for people without the latin modern fonts

color option: nocolor , to have all in black and white

draft/final options: draft , final

The default options are: a4paper , 11pt , color , final .

After the document class specification, choose the theme for your curriculum vitae:


```
\Moderncvtheme[<options>]{casual}
```

which is the default theme, or

```
\Moderncvtheme[<options>]{classic}
```

where the theme options are:

color options: you can choose between five color:



ue green red orange **roman option:** roman , for roman fonts, instead of sans serif fonts.

Then you have to specify the character encoding (utf8, latin1, and so on):

```
\usepackage[<your encoding>]{inputenc}
```

and you can adjust the page geometry:

```
\usepackage[<options>]{geometry}
\recomputelengths
```

where `\recomputelengths` is required when changes are made to page layout lengths.

Now we can get into the part most related to our curriculum vitæ: our personal data. They will be inserted in the header of the first page, in the classic theme, or in the footer of every page, in the case of casual theme.

- `\name{John}{Doe}`
- `\title{Resum\'e title}`: optional
- `\address{street and number}{postcode city}`: optional
- `\mobile{mobile}`: optional
- `\phone{phone}`: optional
- `\fax{fax}`: optional
- `\email{email}`: optional
- `\extrainfo{additional information}`: optional; here you can put, for example, the address of your website
- `\photo[64pt]{picture}`: optional; 64pt is the height the picture, you can set here the size you prefer; picture is the name of the picture file
- `\quote{Some quote}`: optional

Finally you can suppress automatic page numbering for CVs longer than one page:

```
\nopagenumbers{}
```

2.2 Examples

In practice, you will type:

```
\document class[11pt,a4paper]{moderncv}

% moderncv themes
\Moderncvtheme[green]{casual}

% character encoding
\usepackage[utf8]{inputenc}
```

```

% adjust the page margins
\usepackage[scale=0.8]{geometry}
\recomputelengths

% personal data
\name{John}{Doe}
\title{Design enthusiast}
\address{12 somestreet}{3456 somecity}
\mobile{+123 456 7890}
\phone{+12 (3)456 78 90}
\fax{+12 (3)456 78 90}
\email{jdoe@design.org}
\extrainfo{\link{www.ctan.org}}
\photo[64pt]{jdoe_picture}
\quote{Any intelligent fool can make things bigger, more complex,
and more violent. It takes a touch of genius -- and a lot of courage -- to
move in the opposite direction.}

\begin{document}
\maketitle

... <what you'll see in the next section>

\end{document}

```

to obtain a casual moderncv in green, as shown in figure 1, and you will substitute the line describing the theme with:

```

% moderncv themes
\Moderncvtheme[blue]{classic}

```

to obtain a classic moderncv in blue, as shown in figure 2.

2.3 Customize sections

Now we are ready to edit the part between `\begin{document}` and `\end{document}`.

As you can seen in figure 1 e 2, you can divide your CV into sections, each of them describing what you are, what you know and what you have done in your life. Every section is divide into items chosen from different flavours. More in details:

2.4 Section

The command to open a new section is:

```

\section{<title>}

```

and every section can be divided into subsections:

```
\subsection{<title>}
```

If necessary, there is a command to close the section:

```
\closesection{}
```

and even one to create an empty section:

```
\emptysection{}
```

An example of their usage can be the next one:

```
\section{Section with your own content}\closesection
Your content here, inside the normal \LaTeX{} environment.
You can use any regular \LaTeX{} command, display mathematics
\[e = mc^2,\]
put some table or figure, \dots

\emptysection{}
\cvitem{Now}{Back to moderncv layout, without making a new section :-)}
```

whose results is shown in figure 3.

2.5 Items

Inside sections, you can choose between different kind of items depending on the purpose:

- in the sections describing your education or your job experiences, you can use:

```
\cventry{years}{degree/job title}{institution/employer}
{localization}{optional: grade/...}
{optional: comment/job description}
```

where the last three arguments are optional

- inside ‘language’ cvsection environment, you can type every entry with:

```
\cvlanguage{name}{level}{comment}
```

- inside ‘computer skills’ cvsection environment, you can type every entry with:

`\cvcomputer{category}{programs}{category}{programs}`

- to typeset lines with a hint on the left:

`\cvline{leftmark}{text}`

- to typeset entry with a description on the left, but in two columns inside a cvsection:

`\cvdoubleitem{subtitle}{text}{subtitle}{text}`

- to typeset lists on one column inside a cvsection:

`\cvlistitem{point1}`

- to typeset lists on two columns inside a cvsection:

`\cvlistdoubleitem{point1}{point2}`

- to add a section listing all your publications stored in a BibTeX file:

```
\nocite{*}
\bibliographystyle{plain}
\bibliography{BibTeX_file}
```

where the name of the section title can be changed by redefining the refname with `\renewcommand{\refname}{<new_name>}`

Example

Let's put all together and see in figure 4 what is the result:

```
... preamble ...
\begin{document}
\section{Education}
\cventry{year--year}{Degree}{Institution}{City}{\textit{Grade}}{Description}
\cventry{year--year}{Degree}{Institution}{City}{\textit{Grade}}{Description}
%
\section{Master thesis}
\cvline{title}{\emph{Title}}
```

```

\cvline{supervisors}{Supervisors}
\cvline{description}{\small Short thesis abstract}
%
\section{Experience}
\subsection{Vocational}
\cventry{year--year}{Job title}{Employer}{City}{}{Description}
\cventry{year--year}{Job title}{Employer}{City}{}{Description}
\subsection{Miscellaneous}
\cventry{year--year}{Job title}{Employer}{City}{}%
    {Description line 1\newline{}Description line 2}
%
\section{Languages}
\cvlanguage{language 1}{Skill level}{Comment}
\cvlanguage{language 2}{Skill level}{Comment}
%
\section{Computer skills}
\cvcomputer{category 1}{XXX, YYY, ZZZ}{category 3}{XXX, YYY, ZZZ}
\cvcomputer{category 2}{XXX, YYY, ZZZ}{category 4}{XXX, YYY, ZZZ}
%
\section{Interests}
\cvline{hobby 1}{\small Description}
\cvline{hobby 2}{\small Description}
\cvline{hobby 3}{\small Description}
%
\closesection{}
\pagebreak
%
\section{Extra}
\cvlistitem{Item 1}
\cvlistitem{Item 2}
\cvlistitem{Item 3}
%
\section{Extra 2}
\cvlistdoubleitem{Item 1}{Item 4}
\cvlistdoubleitem{Item 2}{Item 5}
\cvlistdoubleitem{Item 3}{}
%
% Publications from a BibTeX file
\nocite{*}
\bibliographystyle{plain}
\bibliography{publications} % 'publications' is the name of a BibTeX file
%
\end{document}

```


2.6 More customizations

You have some useful commands to personalize your CV further.

Modifying the symbols

You can modify the symbols used for the personal data (phone number, the email, ...) redefining `phonesymbol` , `emailsymbol` , `addresssymbol` , `mobilesymbol` , `faxsymbol` .

For example: if you want to use the dingbat fonts, load the `pifont` package in the preamble, then substitute the default symbol ☎ with the dingbat symbol ① by:

```
\renewcommand{\phonesymbol}{\ding{38}}
```

You can change the symbol for lists in two way:

- redefining the command `listitemsymbol` : `\renewcommand{\listitemsymbol}{-}`
- adding a specification for the label in `cvlistitem` and `cvlistdoubleitem`

For example: the following code produces the result shown in figure 5.

```
\closesection{} % needed to renewcommands
\renewcommand{\listitemsymbol}{-} % change the symbol for lists

\section{Extra 1}
\cvlistitem{Item 1}
\cvlistitem{Item 2}
\cvlistitem[+]{Item 3} % optional other symbol

\section{Extra 2}
\cvlistdoubleitem[\Neutral]{Item 1}{Item 4}
\cvlistdoubleitem[\Neutral]{Item 2}{Item 5}
\cvlistdoubleitem[\Neutral]{Item 3}{}
```

Adjusting lengths

The different lengths used by `moderncv` are customizable by

```
\setlength{<length>}{<new_dimensions>}
```

where `<length>` are `quote-width` , `sep-a-ra-tor-col-umn-width` , `main-col-umn-width` , `doub-le-i-tem-main-col-umn-width` , `list-i-tem-sym-bol-width` , `list-doub-le-i-tem-main-col-umn-width` ,

In particular, the first column, can be set to any width. You can do that in two way:

- using `\sethintscolumnlength{<length>}`, where `<length>` is the desired length in a unit LaTeX understands
- using `\sethintscolumnntowidth{<string>}`, where `<string>` is a string of the desired length (usually, the longest string that has to appear in the column)

Additional commands

There are commands to manage hypertextual links:

- `\link[optional text]{URL}`
- `\httplink[optional text]{link}`
- `\emailink[optional text]{link}`

There is a `\today` command, useful for example if you need to add the date the CV was produced.

Putting things at the end of CV

Sometimes there is the need to add some lines at the end of the CV. For example, in Italy is necessary to add the permission to treat the personal data contained in the résumé. You can do that dropping out of the layout of `moderncv` and pushing the lines at the end by the command `\vfill`:

```
\emptysection{}\closesection
\vfill
\begin{center}
\textit{\small Ai sensi del D. Lgs. 196/2003 ...}
\end{center}
```

3 Customization

3.1 Styles and their options

3.2 Colors

3.3 Tweaks

4 Implementation details

4.1 Required packages

In addition to the packages that `moderncv` itself provides the following packages are loaded internally:

etoolbox, ifthen, xcolor, ifxetex, ifluatex, fontenc, url, hyperref, graphicx, fancyhdr, tweaklist, calc, xparse, microtype, expl3, tikz, changepage, fontawesome 5, academicons, tgpagella, ebgaramond, kurier.

Optionally `lmodern` gets loaded as well if the packages is installed. Note that the `tweaklist` package has been altered for the development of `moderncv` and ships with `moderncv`. **[TODO: Add required packages of `cvskillmatrix`]**

Most of the packages should be included in the \LaTeX distribution of your choice.

4.2 Known conflicts with other packages

4.3 Known bugs

Figure 1: An example of casual moderncv in green.

Figure 2: An example of classic moderncv in blue.

Figure 3: Example of usage of section commands.

Figure 4: Example of usage of items inside cvsections.

Figure 5: Example of customization of the list labels.