

Docker: How to easily run an entire software stack locally and ease software distribution

Noel Farrugia

19 Jan 2022

University Of Malta



L-Università
ta' Malta

- ▶ What is Docker?
- ▶ Docker Terminology.
- ▶ IDE integration.
- ▶ Demonstration.
- ▶ Tips, Tricks and Recommendations.

- ▶ Software that makes it easy to virtualize software.
- ▶ Conceptually similar to a light weight virtual machine.

- ▶ Software that makes it easy to virtualize software.
- ▶ Conceptually similar to a light weight virtual machine.
- ▶ Differences with virtual machines are:
 - ▶ **Only** uses the resources that it needs, when it needs them.

- ▶ Software that makes it easy to virtualize software.
- ▶ Conceptually similar to a light weight virtual machine.
- ▶ Differences with virtual machines are:
 - ▶ **Only** uses the resources that it needs, when it needs them.
 - ▶ Faster to create, start and stop containers.

- ▶ Software that makes it easy to virtualize software.
- ▶ Conceptually similar to a light weight virtual machine.
- ▶ Differences with virtual machines are:
 - ▶ **Only** uses the resources that it needs, when it needs them.
 - ▶ Faster to create, start and stop containers.
 - ▶ Advantageous when deploying a service on a paid cloud hosting service to scale resources based on demand.

- ▶ Software that makes it easy to virtualize software.
- ▶ Conceptually similar to a light weight virtual machine.
- ▶ Differences with virtual machines are:
 - ▶ **Only** uses the resources that it needs, when it needs them.
 - ▶ Faster to create, start and stop containers.
 - ▶ Advantageous when deploying a service on a paid cloud hosting service to scale resources based on demand.
 - ▶ Orchestration is handled by other software such as Kubernetes.

- ▶ Image

- ▶ Image
- ▶ Container


- ▶ Image
- ▶ Container
- ▶ Volume

- ▶ Image
- ▶ Container
- ▶ Volume
- ▶ Mount

- ▶ Image
- ▶ Container
- ▶ Volume
- ▶ Mount
- ▶ Network


- ▶ Dockerfile
 - ▶ Filename: `dockerfile`
 - ▶ Format: `dockerfile`
 - ▶ Description: Information necessary to create an image.

- ▶ Dockerfile
 - ▶ Filename: `dockerfile`
 - ▶ Format: `dockerfile`
 - ▶ Description: Information necessary to create an image.
- ▶ Docker compose file
 - ▶ Filename: `docker-compose.yml`
 - ▶ Format: `YAML`
 - ▶ Description: Information necessary for setting up an environment composed of one or more containers.

- ▶ Visual Studio ()

- ▶ Visual Studio ()
- ▶ JetBrains (, , )

- ▶ Visual Studio (🪟).
- ▶ JetBrains (🪟, 🍏, 🐧).
- ▶ Visual Studio Code (🪟, 🍏, 🐧) — **Recommended**
 - ▶ Free and mostly open-source.
 - ▶ Lighter than of all the above.
 - ▶ Easiest to set up for use with Docker and WSL.
 - ▶ Stores configuration in a JSON file for easier setup sharing as we shall see in the demo.



How Visual Studio Code works when developing on a container¹.

The **Remote Containers** extension is required.

¹<https://code.visualstudio.com/docs/remote/containers>

- ▶ `docker ps` — Check the containers currently running.
- ▶ `docker images` — Get a list of images currently on your system.
- ▶ `docker container ls` — List of containers.
- ▶ `docker network ls` — List of networks.
- ▶ `docker volume ls` — List of volumes.

- ▶ Demo 1 — Setup of two docker containers on the same network.
 - ▶ Create and setup docker-compose files.
 - ▶ Use images from docker hub.
 - ▶ Create a network of containers.



- ▶ Demo 1 — Setup of two docker containers on the same network.
 - ▶ Create and setup docker-compose files.
 - ▶ Use images from docker hub.
 - ▶ Create a network of containers.
- ▶ Demo 2 — Development of a C++ application.
 - ▶ Integration with the Visual Studio Code IDE.
 - ▶ Setting up of IntelliSense autocomplete.
 - ▶ Debugging capability.

- ▶ Containers will immediately exit if they do not have a command to run or the command finished running.

- ▶ Containers will immediately exit if they do not have a command to run or the command finished running.
- ▶ Windows
 - ▶ Files shared with docker should ideally be stored in the WSL instance.
 - ▶ When installing Docker, choose docker to run on the WSL2 engine.

- ▶ Containers will immediately exit if they do not have a command to run or the command finished running.
- ▶ Windows
 - ▶ Files shared with docker should ideally be stored in the WSL instance.
 - ▶ When installing Docker, choose docker to run on the WSL2 engine.
- ▶ MacOS
 - ▶ Handling of volume and mounts on MacOS for performance purposes. More information [here](#).

- ▶ Containers will immediately exit if they do not have a command to run or the command finished running.
- ▶ Windows
 - ▶ Files shared with docker should ideally be stored in the WSL instance.
 - ▶ When installing Docker, choose docker to run on the WSL2 engine.
- ▶ MacOS
 - ▶ Handling of volume and mounts on MacOS for performance purposes. More information [here](#).
- ▶ Linux
 - ▶ Docker is officially supported on [Fedora 34+](#).

 `noel.farrugia@um.edu.mt`
 `cryptonoel/dsrg-docker`