

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Menuhara Crypto Tracker Pro v1.0</title>

  <style>

    body {

      background-color: #0d1117;

      color: #c9d1d9;

      font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;

      padding: 15px;

      margin: 0;

    }

    .container {

      max-width: 500px;

      margin: auto;

      background: #161b22;

      padding: 20px;

      border-radius: 12px;

      box-shadow: 0 4px 15px rgba(0,0,0,0.5);

      border: 1px solid #30363d;

    }

    h2 {

      color: #58a6ff;

      text-align: center;

      margin-bottom: 5px;

    }

    .subtitle {
```

```
    text-align: center;
    color: #8b949e;
    font-size: 14px;
    margin-bottom: 20px;
}
.input-group {
    margin-bottom: 15px;
}
label {
    display: block;
    margin-bottom: 5px;
    font-weight: bold;
}
input {
    width: 93%;
    padding: 12px;
    border-radius: 6px;
    border: 1px solid #30363d;
    background: #0d1117;
    color: #fff;
    font-size: 16px;
}
button {
    width: 100%;
    padding: 12px;
    background: #238636;
    color: white;
    border: none;
    border-radius: 6px;
```

```
    font-size: 16px;

    font-weight: bold;

    cursor: pointer;
}

button:hover {
    background: #2ea043;
}

.results {
    margin-top: 20px;
}

.coin-card {
    background: #21262d;
    padding: 12px;
    border-radius: 6px;
    margin-bottom: 10px;
    display: flex;
    justify-content: space-between;
    align-items: center;
    border-left: 4px solid #238636;
}

.symbol {
    font-weight: bold;
    font-size: 16px;
}

.price {
    color: #8b949e;
    font-size: 14px;
}

.gain {
```

```
        color: #3fb950;

        font-weight: bold;

        font-size: 16px;
    }
</style>
</head>
<body>

<div class="container">

    <h2>MENUHARA CRYPTO TRACKER</h2>

    <div class="subtitle">Pro v1.0 | Binance 24h Live Gain Scanner</div>

    <div class="input-group">

        <label for="gainInput">Min 24h Gain (%)</label>

        <input type="number" id="gainInput" placeholder="e.g. 5" value="5">

    </div>

    <button onclick="scanCoins()">SCAN BINANCE</button>

    <div class="results" id="results"></div>
</div>

<script>
async function scanCoins() {

    let minGain = parseFloat(document.getElementById('gainInput').value) || 0;

    let resultsDiv = document.getElementById('results');

    resultsDiv.innerHTML = '<p style="text-align:center; color:#e3b341;">Fetching live data...</p>';

    try {
```

```
let response = await fetch('https://api.binance.com/api/v3/ticker/24hr');
let data = await response.json();

let filtered = data.filter(item =>
  item.symbol.endsWith('USDT') &&
  parseFloat(item.priceChangePercent) >= minGain
);

filtered.sort((a, b) => parseFloat(b.priceChangePercent) - parseFloat(a.priceChangePercent));

if (filtered.length === 0) {
  resultsDiv.innerHTML = '<p style="text-align:center; color:#f85149;">No coins found matching
criteria.</p>';
  return;
}

let html = '';
filtered.forEach((item, index) => {
  html += `
    <div class="coin-card">
      <div>
        <div class="symbol">${index + 1}. ${item.symbol}</div>
        <div class="price">Price: $$${parseFloat(item.lastPrice).toFixed(4)}</div>
      </div>
      <div class="gain">+${parseFloat(item.priceChangePercent).toFixed(2)}%</div>
    </div>
  `;
});
```

```
        resultsDiv.innerHTML = html;
    } catch (error) {
        resultsDiv.innerHTML = '<p style="text-align:center; color:#f85149;">Error connecting to Binance
API.</p>';
    }
}
</script>

</body>
</html>
```