

Security That Plays to Win:

A Modern Approach to Headset Protection

Crystal Brock

Global Campus, Southern New Hampshire University

CYB-250: Cyber Defense

Professor Shari L. Cottet

August 14, 2025

Security That Plays to Win: A Modern Approach to Headset Protection

Introduction

The headset project scenario presents unique security challenges that require layered defenses spanning human, data, and system domains. Every part of the system can become a target if it isn't carefully protected. That includes the employees using the devices, the sensitive data moving over Bluetooth, and the applications running on the headset. To address these risks, three strategies stand out as especially effective: security awareness gamification, Attribute-Based Access Control, or ABAC, and Runtime Application Self-Protection, aka RASP. Used together, these strategies line up with recognized cybersecurity frameworks while also speaking directly to the vulnerabilities in this scenario. The following sections analyze each of these solutions, their benefits, and the broader role they play in strengthening organizational security.

I. Personnel Trend - Security Awareness Gamification

Security awareness gamification protects an organization by transforming training from a chore into something that employees actually want to engage with. Gamified training encourages employees to actively engage with cybersecurity challenges, turning what might otherwise feel like dry compliance work into something competitive and memorable. Phishing simulations, short challenges, simulations, and team competitions using games that mimic real-world threats help make the training stick and reinforce good habits over time. One way to prove this kind of training works is by watching the numbers shift, like seeing phishing click rates drop or employees respond faster during practice attack drills. When employees see both their personal progress and the team's performance improve, it reinforces the idea that security is part of everyone's job.

Humans are naturally competitive and thrive on recognition. Even something as simple as a “This Week’s Winners!” email or a leaderboard can motivate employees more than a faceless policy reminder ever could. Motivation to win is often stronger than the abstract motivation to protect the company, and gamification taps into that. If employees know they can be recognized as top performers or “phish phinders,” they’ll put effort into catching simulated threats. This is why the CIS Critical Security Controls v8, Control 14 highlights phishing simulations, regular training, and effectiveness metrics as vital elements of awareness programs (CIS, 2021). By aligning gamified training with these recognized best practices, organizations can turn friendly competition into lasting security habits that carry over when the threats are real.

The biggest reward from gamification is engagement. Employees who are engaged in training remember more of it, and when they do, they’re more likely to apply those lessons under pressure. Competition also adds a sense of ownership; people want to be the 'top dog', so they keep practicing and improving. On the flip side, there are risks to gamification, and it can backfire if not implemented carefully. If leaderboards are used without thought, they may discourage employees who consistently rank lower or foster unhealthy competition. There’s also the risk of employees gaming the system to earn points without learning. Balancing competition with collaboration is key to preventing those drawbacks.

Gamification is reshaping the cybersecurity landscape by forcing organizations to rethink outdated training strategies. Instead of once-a-year compliance modules, companies are moving toward ongoing, adaptive programs that provide continuous reinforcement. These new approaches not only improve employee behavior but also make existing security controls, such as firewalls and mobile device management systems, more effective by ensuring users know how to work with them safely. This trend also pushes organizations to update policies around training

frequency and how performance data is used, since gamified platforms generate detailed analytics about employee behavior. In the end, gamification is helping companies make security everyone's job.

II. Data Protection Strategy - Attribute-Based Access Control

Attribute-Based Access Control, or ABAC, provides protection by ensuring that only authorized users and devices can request and access sensitive documents from the server. Instead of relying solely on static roles or simple credentials, ABAC evaluates multiple attributes, such as the user's identity, device type, location, and time of access, before granting permission. The NIST Cybersecurity Framework emphasizes that access decisions should be dynamic and context-aware, which is exactly what ABAC delivers in practice (NIST, 2016). For example, technicians using the company's smart headset can only view schematics or invoices if their attributes align with pre-approved policies. If a headset is stolen or Bluetooth traffic intercepted, the attacker would still be blocked because their attributes would not meet policy requirements. This directly addresses major risks like lost devices or unauthorized pairing identified in the threat model.

ABAC is especially relevant in this scenario because it directly addresses the vulnerabilities posed by reliance on Bluetooth connections and mobile devices. By tying access decisions to multiple contextual factors, ABAC ensures that only the right technician at the right time and place with the right device is allowed to see sensitive files. Even if an attacker gained access to the Bluetooth channel or tried to impersonate a user, the lack of proper attributes would prevent access. This approach closes gaps left open by simpler models like role-based access control, which can grant overly broad privileges. Because ABAC policies are granular and

dynamic, they provide precise control that aligns with real-world risks faced by the headset system.

ABAC has many rewards, which can include stronger protection against insider threats, device theft, and compromised credentials. What's more, employees gain confidence that sensitive company data will not be accidentally exposed due to a mistake or a lost device. That said, ABAC is not without risks. Implementing a detailed attribute system requires careful policy design and maintenance; if policies are too complex, they can frustrate users or cause operational delays. Ensuring attribute data, such as device health or user location, is accurate and up to date can also be challenging. Despite these risks, I believe the security payoff of adopting ABAC outweighs the challenges.

Cryptography plays a vital role in making ABAC effective. All attribute checks and document transfers should be encrypted in transit and at rest to prevent interception or tampering. NIST Critical Security Controls v8, Control 3, explicitly calls for protecting data in transit and at rest with strong cryptography (NIST, 2021). Binding encryption keys to specific attributes adds another layer of assurance that only legitimate users gain access. In practice, this takes the form of the technicians' devices using secure certificates or tokens tied to their attributes. This way, the company can ensure requests are validated end-to-end.

Several encryption standards can be leveraged to support ABAC. AES-256 is a common choice for data confidentiality, while RSA or elliptic curve cryptography, or ECC, can be used for secure key exchange and authentication. Pairing AES with ECC-based key agreements would balance speed and security for resource-limited devices like smart headsets. The effectiveness of these methods, though, depends on proper key management. Keys must be stored securely,

rotated regularly. They must also be revoked quickly if compromised. Without disciplined key lifecycle practices, even the strongest algorithms become weak points that attackers can exploit.

The main advantage of encryption within ABAC is the ability to guarantee the confidentiality and integrity of sensitive data while still enabling flexible access. Strong encryption ensures that even if attackers capture Bluetooth traffic, the data remains unreadable. In contrast, the disadvantage is that encryption adds processing overhead and complexity, which can impact performance on lightweight devices like headsets. Organizations must plan for cryptographic lifecycle management, rotating keys and updating algorithms as threats evolve.

Security concerns such as weak implementations, misconfigurations, or reliance on outdated algorithms can undermine otherwise strong encryption. For instance, poor integration of AES with ECC can lead to flawed key exchanges, and weak random number generation can expose predictable keys. Outdated protocols like deprecated versions of SSL or insufficiently long key sizes can also introduce exploitable gaps. With these safeguards in place, ABAC supported by strong cryptography gives a balanced, future-ready way to protect headset data while standing up to both current and emerging threats.

III. System Protection: Runtime Application Self-Protection

Runtime Application Self-Protection, or RASP, provides protection by embedding security directly into an application's runtime environment. Rather than relying solely on perimeter defenses or post-incident detection, RASP actively monitors application behavior as it executes and blocks malicious actions in real time. This makes it particularly effective at defending against threats like code injection, buffer overflows, or attempts to exploit software vulnerabilities. When technicians use company-issued smart headsets, RASP would continuously evaluate the behavior of the headset applications while they are running. Any attempt by an

attacker to inject unauthorized code or manipulate application logic would be detected and stopped before damage could occur. This embedded, real-time protection aligns strongly with the need to secure mobile and edge devices where traditional monitoring tools may have limited visibility.

RASP stands out as a viable solution when analyzed against the threat model for the headset system. The scenario highlights vulnerabilities related to unauthorized access, lost devices, and exploitation of Bluetooth connections. Traditional network protections or access controls may stop some of these threats, but they cannot defend against malicious activity that originates within the application itself. By detecting and blocking abnormal code execution from inside the runtime, RASP adds an additional safeguard. This reflects the design principle of minimizing shared mechanisms to reduce the attack surface, a point highlighted in Training Training's discussion of least sharing for secure systems (2023).

The rewards of RASP adoption include stronger defense against zero-day vulnerabilities, reduced reliance on perimeter defenses, and the ability to protect applications even in untrusted environments. Users and administrators gain assurance that the applications themselves have built-in defenses, lowering the risk of compromise through unforeseen coding flaws. Even so, RASP also carries risks. It can introduce performance overhead if improperly tuned, and false positives may interrupt legitimate user activity. Likewise, the integration of RASP into existing applications can be complex, requiring development and testing resources to ensure stability. These risks are real, but the benefits outweigh them with careful planning.

Emerging advancements in RASP are already reshaping the cybersecurity landscape. Modern RASP solutions integrate with machine learning models to improve detection accuracy and adapt to new threats. Recent data from the FBI's Internet Crime Report highlights that

application-level attacks remain a significant vector for cyberattacks, which underscores why embedding defenses like RASP directly into the headset's software is such a critical safeguard (FBI, 2024). This trend is pushing organizations to adopt application-layer protections as a standard practice, complementing rather than replacing network and endpoint defenses. As more companies integrate RASP into their development and deployment pipelines, security strategies are evolving to treat protection as an intrinsic feature of software rather than an external add-on. This shift marks a major step forward in reducing vulnerabilities and ensuring that applications remain secure in increasingly hostile environments.

Conclusion

The headset scenario illustrates how cybersecurity requires a multi-layered approach, with people, data, and systems all forming critical lines of defense. Security awareness gamification ensures that employees remain alert and capable of recognizing social engineering and device-based threats. Attribute-Based Access Control enforces granular, dynamic protections to ensure that sensitive data is only seen by the right users under the right conditions, supported by strong encryption. Runtime Application Self-Protection addresses the risks that persist at the software level, embedding defenses directly into applications so they can detect and stop attacks in real time. When combined, these measures create a resilient framework that aligns with industry best practices and adapts to evolving threats. Ultimately, securing the headset environment is about weaving together complementary protections that reinforce one another to safeguard the company's mission and data.

References

Center for Internet Security (CIS, 2021). CIS Critical Security Controls for Effective Cyber Defense, version 8. Retrieved from <https://www.cisecurity.org/controls/v8>

Federal Bureau of Investigation. (2024). *Internet Crime Report 2024*. Washington, DC: U.S. Department of Justice.
https://www.ic3.gov/AnnualReport/Reports/2024_IC3Report.pdf

National Institute of Standards and Technology. (NIST, 2016). Framework for improving critical infrastructure cybersecurity (Version 1.1). U.S. Department of Commerce.
<https://doi.org/10.6028/NIST.CSWP.04162018>

Training Training. (2023). Least sharing: Building secure systems. Training Training Blog.
<https://www.trainingtraining.training/blog/least-sharing-building-secure-systems>