



```
Enum server_status_choices {
 U [note: "Uploaded reads"]
 V [note: "Uploaded alleles"]
 I [note: "In queue"]
 R [note: "Running reads to alleles"]
 S [note: "Running alleles to MGT"]
 H [note: "Holding"]
 C [note: "Complete"]
 D [note: "To download NCBI reads"]
Enum privacy_status_choices {
 PU [note: "Public"]
 PV [note: "Private"]
Enum assignment_status_choices {
 A [note: "Assigned MGT"]
   [note: "Failed: contamination"]
 G [note: "Failed: genome quality"]
 S [note: "Failed: serovar incompatibility"]
 E [note: "Error: other"]
Enum continent_choices {
 Africa
 Antarctica
 Oceania
 North_America
 South_America
 Europe
 Asia
Enum orientation_type_choices {
 Forward
 Reverse
```

```
Enum locus_type_choices {
   GN [note: "Gene"]
   PS [note: "Pseudogene"]
   IG [note: "Intergenic"]
   PR [note: "Promoter"]
   OT [note: "Other"]
}

Enum aa_choices {
   A [note: "Adenine"]
   C [note: "Cytosine"]
   G [note: "Guanine"]
   T [note: "Thymine"]
   N [note: "Unidentified"]
}
```